SIMATS ENGINEERING
Engineer to Excel

SIMATS
Saveetha Institute of Medical And Technical Sciences
(Declared as Deemed to be University under Section 3 of UGC Act 1956)

Name: C Himaja

Reg. No: 192373035

Experiment No. 10

Execution of Free, Sort and History Commands in Kali Linux

1. Aim

To execute and study the free, sort, and history commands in the Kali Linux operating system and observe their outputs.

2. Requirements

Kali Linux operating system and its Terminal application.

3. Algorithm

1. Start the Kali Linux operating system and open the Terminal.
2. Type the free -h command and press Enter to display memory usage in a human-readable format.
3. Create a sample text file containing a few words using the printf command.
4. Type sort fruits.txt to arrange the lines of the file in alphabetical order.
5. Run a few commands such as pwd, date, and ls, then type history to display previously entered commands.
6. Observe and record the output of each command.
7. Stop the experiment.

4. Commands and Explanation

```
free -h
```

Displays memory statistics such as total, used, free, and available RAM. The -h option presents values in a human-readable format.

```
printf "banana\napple\ncherry\n" > fruits.txt
```

Creates a sample file named fruits.txt containing three lines of text.

```
sort fruits.txt
```

Displays the lines of fruits.txt in sorted order. By default, sorting is lexicographic (alphabetical for these words).


```
history
```

Displays the numbered list of commands entered earlier in the shell session. The output depends on the commands previously run.


5. Output Screenshots

The following are illustrative terminal-style sample outputs for the commands. They show the expected format; replace them with screenshots captured from your own Kali Linux terminal if your lab requires actual execution evidence.


A. free command



B. sort command



C. history command



6. Result

Thus, the free, sort, and history commands were studied. The free command displays memory usage, sort arranges text lines, and history displays previously entered shell commands.