SIMATS ENGINEERING

Engineer to Excel

SIMATS

Saveetha Institute of Medical And Technical Sciences

(Declared as Deemed to be University under Section 3 of UGC Act 1956)

Experiment No. 3

Name: C Himaja

Reg. No: 192373035

Execution of Tree, Head and Tail Commands in Kali Linux

1. Aim

To execute and study the tree, head, and tail commands in the Kali Linux operating system and observe their outputs.

2. Requirements

Kali Linux operating system and its Terminal application.

3. Algorithm

1. Start the Kali Linux operating system and open the Terminal.
2. Create or move to a practice directory containing sample files.
3. Type the tree command and press Enter to display the directory structure in a tree-like format.
4. Type head followed by a filename (for example, head sample.txt) to display the first 10 lines of the file by default.
5. Type tail followed by a filename (for example, tail sample.txt) to display the last 10 lines of the file by default.
6. Observe and record the output of each command.
7. Stop the experiment.

4. Commands and Explanation

`tree`

Displays files and subdirectories in a hierarchical, tree-like structure. If the command is not installed, it can be installed with: sudo apt install tree

`head sample.txt`

Displays the first 10 lines of sample.txt by default. Use head -n 5 sample.txt to display the first five lines.


`tail sample.txt`

Displays the last 10 lines of sample.txt by default. Use tail -n 5 sample.txt to display the last five lines.


5. Output Screenshots

The following are illustrative terminal-style sample outputs for the commands. They show the expected format; replace them with screenshots captured from your own Kali Linux terminal if your lab requires actual execution evidence.


A. tree command



B. head command



C. tail command



6. Result

Thus, the tree, head, and tail commands were studied. The tree command displays the directory hierarchy, head displays the beginning of a file, and tail displays the end of a file.