Yaramothu Himaja
Peering Connection VPC

## Created 2 VPC's






Then Created a Peering Connection and then created 2 EC2 Instances, one for VPC-1 and Another for VPC-2









Connection estabilished successfully



ec2-user@ip-22-0-0-201:~

```
$ ssh -i "AX.pem" ec2-user@16.112.69.86
** WARNING: connection is not using a post-quantum key exchange algorithm.
** This session may be vulnerable to "store now, decrypt later" attacks.
** The server may need to be upgraded. See https://openssh.com/pq.html
       #_
   ~\_  ####_        Amazon Linux 2023
  ~~  \_#####\
  ~~     \###|
  ~~       \#/ ___   https://aws.amazon.com/linux/amazon-linux-2023
   ~~       V~' '->
    ~~~         /
      ~~._.   _/
         _/ _/
       _/m/'
Last login: Mon Apr 20 10:00:29 2026 from 124.123.172.201
[ec2-user@ip-22-0-0-201 ~]$ ping 192.0.1.198
PING 192.0.1.198 (192.0.1.198) 56(84) bytes of data.
64 bytes from 192.0.1.198: icmp_seq=1 ttl=127 time=1.19 ms
64 bytes from 192.0.1.198: icmp_seq=2 ttl=127 time=0.964 ms
64 bytes from 192.0.1.198: icmp_seq=3 ttl=127 time=0.932 ms
64 bytes from 192.0.1.198: icmp_seq=4 ttl=127 time=0.930 ms
64 bytes from 192.0.1.198: icmp_seq=5 ttl=127 time=0.943 ms
64 bytes from 192.0.1.198: icmp_seq=6 ttl=127 time=1.01 ms
64 bytes from 192.0.1.198: icmp_seq=7 ttl=127 time=0.938 ms
64 bytes from 192.0.1.198: icmp_seq=8 ttl=127 time=0.951 ms
64 bytes from 192.0.1.198: icmp_seq=9 ttl=127 time=0.940 ms
64 bytes from 192.0.1.198: icmp_seq=10 ttl=127 time=0.935 ms
64 bytes from 192.0.1.198: icmp_seq=11 ttl=127 time=0.929 ms
^C
--- 192.0.1.198 ping statistics ---
11 packets transmitted, 11 received, 0% packet loss, time 10011ms
rtt min/avg/max/mdev = 0.929/0.968/1.190/0.073 ms
[ec2-user@ip-22-0-0-201 ~]$
```

39° Search ENG IN 15:47 20-04-2026