	FND-1614-02-FB-SPC-001-00 - DORCHESTER COLLECTION - BUSINESS BAY DUBAI, U.A.E
24.0	ITEMISED SPECIFICATION SHEETS – LEVEL 02

ITEM DESCRIPTION: UPRIGHT BEVERAGE REFRIGERATOR

LOCATION: TERRACE BAR – LEVEL 02

QUANTITY: 1

MANUFACTURER OPTIONS:

<mark>IMC, UK</mark>

Mistral TC-60

WILLIAMS, UK

BC95SS

GAMKO, UK

MG2/300RGCS

Highlighted Manufacturer/Model represents the preferred version as used within the design drawings

OVERALL DIMENSIONS:

600mm wide x 500mm deep x 1850mm high

SPECIFIC INCLUSIONS:

Right hand side door hinge, glass door with lock

Operating temperature: +4 (+/-2) °C.

Internal LED Lights (White)

Fitted with 6 pieces perforated stainless steel shelf and 24 pieces shelf supporter

 $304\ grade\ stainless\ steel\ exterior\ and\ 304\ grade\ BA\ mirror\ stainless\ steel\ interior$

272 Bottles @ 330ml Capacity

Black Finish



0.30kW Single Phase Electrical Supply



ITEM DESCRIPTION: WASH UP SINK

LOCATION: TERRACE BAR – LEVEL 02

QUANTITY: 1

MANUFACTURER OPTIONS:

GINOX, UAE

RHINE, UAE


BASCORAK, UAE

Custom

Custom

Custom

Highlighted Manufacturer/Model represents the preferred version as used within the design drawings



OVERALL DIMENSIONS:

1665mm wide x 700mm deep x 900mm high

SPECIFIC INCLUSIONS:

The Kitchen Equipment supplier shall refer to the Fondue Elevation drawings and Fabrication General Requirements for full details as generally indicated above and shall specifically include the pre rinse spray hose with mixer tap, Sink Bowl and twist handle waste valve with valance panel and base shelf.

The top shall include a full-length anti drip moulding with high upstands to all wall faces

MEP ALLOWANCES:

15mm Hot Water Supply 15mm Cold Water Supply 42mm Waste Outlet

ITEM DESCRIPTION: WASH UP SINK

LOCATION: TERRACE BAR – LEVEL 02

QUANTITY: 1

MANUFACTURER OPTIONS:

GINOX, UAE

RHINE, UAE


BASCORAK, UAE

Custom

Custom

Custom

Highlighted Manufacturer/Model represents the preferred version as used within the design drawings



OVERALL DIMENSIONS:

1665mm wide x 350mm deep x 600mm high (plus sloped top)

SPECIFIC INCLUSIONS:

The Kitchen Equipment supplier shall refer to the Fondue Elevation drawings and Fabrication General Requirements for full details as generally indicated above and shall include a sloped top and two equal sections with fixed base and adjustable intermediate shelf.

MEP ALLOWANCES:

ITEM DESCRIPTION: MOBILE WASTE BINS

LOCATION: TERRACE BAR – LEVEL 02

QUANTITY: 3

MANUFACTURER OPTIONS:

RUBBERMAID, USA

1901993 SLIM JIM STEP ON

SIMPLEHUMAN, UK

Touch bar



Highlighted Manufacturer/Model represents the preferred version as used within the design drawings

OVERALL DIMENSIONS:

575mm deep x 294mm wide x 733mm high

SPECIFIC INCLUSIONS:

50L Capacity

Stainless Steel finish with white panels

MEP ALLOWANCES:

ITEM DESCRIPTION: FLOOR GULLIES

LOCATION: TERRACE BAR – LEVEL 02

QUANTITY: 2

MANUFACTURER OPTIONS:

GINOX, UAE

Custom

<mark>ACO, UK</mark>

Custom

WADE, USA

Custom



Highlighted Manufacturer/Model represents the preferred version as used within the design drawings

OVERALL DIMENSIONS:

200mm wide x 200mm deep x 200mm high

SPECIFIC INCLUSIONS:

Full Stainless-Steel Construction
Anti-slip removable grating
Suitable for installation within 200mm floor detail – refer to architectural detailing
Removable basket inserts
Floor fixings

MEP ALLOWANCES:

100mm Waste Outlet

ITEM DESCRIPTION: UNDERCOUNTER GLASSWASHER WITH SOFTENER

LOCATION: TERRACE BAR – LEVEL 02

QUANTITY: 1

MANUFACTURER OPTIONS:

MEIKO, GERMANY

U400

WINTERHALTER, GERMANY

UCS

HOBART, GERMANY

PROFI



Highlighted Manufacturer/Model represents the preferred version as used within the design drawings

OVERALL DIMENSIONS:

460mm Wide x 600mm Deep x 700mm High

SPECIFIC INCLUSIONS:

30 Racks per hour capacity.

Supplied with integrated softener

Supplied with a selection of 12 baskets

MEP ALLOWANCES:

3.7kW Three Phase Electrical Supply + 0.5kW Single Phase for water filter 20mm Cold Water Supply 50mm Waste

ITEM DESCRIPTION: WALL MOUNTED INSECT CONTROL UNIT

LOCATION: TERRACE BAR – LEVEL 02

QUANTITY: 1

MANUFACTURER OPTIONS:

INSECTOCUTOR, UK

Halo 45

SAMMIC, SPAIN

EX-30

BRADENBURG, UK

Genus Spectra SPE72



Highlighted Manufacturer/Model represents the preferred version as used within the design drawings

OVERALL DIMENSIONS:

588mm wide x 118mm deep x 404mm high

SPECIFIC INCLUSIONS:

Glue board: 1 x GB012 2 additional spare 15W Tubes 120m2 area coverage 3 x TPX15-18 Wall Mounting Kit

MEP ALLOWANCES:

0.045kW Single Phase electrical supply

ITEM DESCRIPTION: UNDERSLUNG WASH HAND BASIN

LOCATION: TERRACE BAR – LEVEL 02

QUANTITY: 1

MANUFACTURER OPTIONS:

GINOX, UAE

Custom

RHINE, UAE

Custom

BASCORAK, UAE

Custom

Highlighted Manufacturer/Model represents the preferred version as used within the design drawings



OVERALL DIMENSIONS:

280mm diameter x 150mm deep

SPECIFIC INCLUSIONS:

The stainless steel basin shall be suitable for mounting within Item TB.09 Rear Bar Counter (supplied by others) and mounted under the stone top. The basin shall be supplied with a waste and electronic battery operated mixer tap.

MEP ALLOWANCES:

15mm Hot Water Supply 15mm Cold Water Supply 42mm Waste Outlet

ITEM DESCRIPTION: UNDERCOUNTER BOTTLE COOLERS

LOCATION: TERRACE BAR – LEVEL 02

QUANTITY: 1

MANUFACTURER OPTIONS:

IMC, UK

PERLICK, USA

DUAL ZONE

GAMKO, UK

E3

BARCOOLER



Highlighted Manufacturer/Model represents the preferred version as used within the design drawings

OVERALL DIMENSIONS:

2300mm wide x 500mm deep x 880mm high

SPECIFIC INCLUSIONS:

Integrated air cooled front vented compressor unit.

Operating temperature: +4 to + 12°C suitable for operation in a 43°C Ambient

Internal LED Lights (Soft)

Unit shall comprise:

1no. Wine Chiller

2no. Cabinets with Glass Doors and Interior Shelves

Black Exterior Finish

MEP ALLOWANCES:

0.25kW Single Phase Electrical Supply

ITEM DESCRIPTION: NUGGET ICE MACHINE

LOCATION: TERRACE BAR – LEVEL 02

QUANTITY: 1

MANUFACTURER OPTIONS:

HOSHIZAKI, NETHERLANDS

FM-300AKE-N (G60)+B301SA

SCOTSMAN, USA

N0622 + SB322



Highlighted Manufacturer/Model represents the preferred version as used within the design drawings

OVERALL DIMENSIONS:

560mm x 700mm x 780mm high + Bin

SPECIFIC INCLUSIONS:

Air Cooled Self Contained

R404A Refrigerant

Mounted on 144kg capacity Bin

Overall Capacity of 240kg/24hr.

Nugget Ice

Supplied with manufacturer recommended Water Filter. All interconnecting service pipework to be by kitchen equipment supplier.

Mounted on stainless steel Legs.

MEP ALLOWANCES:

 ${\bf 1.2kW\ Single\ phase\ supply\ via\ counter\ +\ 0.50kWsingle\ phase\ supply\ for\ filtration\ unit}$

 $20 mm \ Cold \ Water \ Supply, \ Via \ filtration \ unit$

20mm Waste Outlet

ITEM DESCRIPTION: BLENDER WITH SILENCER

LOCATION: TERRACE BAR – LEVEL 02

QUANTITY: 1

MANUFACTURER OPTIONS:

WARING, USA

MX1500XTX

HAMILTON BEACH, USA

Quietblend

BLENTEC, USA

Stealth 885



Highlighted Manufacturer/Model represents the preferred version as used within the design drawings

OVERALL DIMENSIONS:

228mm Wide x 241mm Deep x 540mm high

SPECIFIC INCLUSIONS:

Sound Enclosure

64oz capacity

Max pulse with up to 45,000 RPM burst of speed

Supplied with additional st/st jug

Keypad with blue backlit LCD screen

Four reprogrammable beverage stations with adjustable speed controls

BPA-free copolyester container

MEP ALLOWANCES:

1.56kW Single Phase Electrical Supply

ITEM DESCRIPTION: BENCH MOUNTED GLASS FROSTER

LOCATION: TERRACE BAR – LEVEL 02

QUANTITY: 1

MANUFACTURER OPTIONS:

FRUCOSOL, UK

GF1000

CAMPUS

Hypotherm

BEVERAGE AIR, USA

RC-500



Highlighted Manufacturer/Model represents the preferred version as used within the design drawings

OVERALL DIMENSIONS:

130mm wide x 270mm deep x 410mm high

SPECIFIC INCLUSIONS:

Unit shall be suitably integrated into the counter to appear as an integral part of the unit, the kitchen equipment supplier shall ensure that the battery access is clear and simple to operate. If direct connected to the power, then the wiring shall be completely sealed and hidden from view and built into the counter

Connection to Liquid CO2 gas cylinder with dip tube

MEP ALLOWANCES:

None Required

ITEM DESCRIPTION: UNDERCOUNTER BOTTLE COOLER

LOCATION: TERRACE BAR – LEVEL 02

QUANTITY: 1

MANUFACTURER OPTIONS:

<mark>IMC, UK</mark>

V60 850 Short

WILLIAMS REFRIGERATION, UK

BC1

GAMKO, UK

MG1/250G



Highlighted Manufacturer/Model represents the preferred version as used within the design drawings

OVERALL DIMENSIONS:

600mm wide x 500mm deep x 850mm high

SPECIFIC INCLUSIONS:

Frosted Glass, Hinged door with lock Temperature Range: +4°C to +12°C Internal LED Lights (Warm White) Black finish Long Door Handle

MEP ALLOWANCES:

0.46kW Single Phase Electrical Supply

ITEM DESCRIPTION: FRONT WORKING BAR COUNTER

LOCATION: TERRACE BAR – LEVEL 02

QUANTITY: 1

MANUFACTURER OPTIONS:

GINOX, UAE


RHINE, UAE

BASCORAK, UAE

Custom

Custom





Highlighted Manufacturer/Model represents the preferred version as used within the design drawings

OVERALL DIMENSIONS:

5355mm wide x 700mm deep x 900mm high

SPECIFIC INCLUSIONS:

The Kitchen Equipment supplier shall refer to the Fondue Elevation drawings and Fabrication General Requirements for full details as generally indicated above and shall specifically include a black silestone worktop, inset with 2 ice wells, 2 condiments rails and 2 lowered working sections for the blenders.

The upstands also in black silestone shall include 2 double sockets and one data point along with 2 single sockets set within the stainless steel sides of the lowered sections.

Speed Rail with Fixed base shelf under.

Lowered section with fixed base shelf under

Bay of basket runners

Recess for bin

Vented Cupboard for Gas Cylinder

Speed Rail with fixed base shelf under

Recess for Cooler and Bin

Bay of basket runners

Lowered section with fixed base shelf under

Speed Rail with Fixed base shelf under.

MEP ALLOWANCES:

3 x 42mm Waste Outlet

6no 13amp single phase sockets