





DGRR COMPLIANCE	COMMENT
303.01 Light pollution	All light fittings are in compliance with no more than 10% spillage and automated controls. All signage lighting is downward
304.03 Light Colours for external finish	75% of the external wall has a minimum light reflective value of 45%
304.04 Orientation of Facade	Over 50% of the glazing of the building has a Northern orientation
401.05 Operable Windows	Operable windows have been provided where possible. Refer to exception application for non-compliance.
405.1 Natural daylight	Natural daylight has been provided where possible. Refer to exception application for non-compliance.
405.02 Views	Views has been provided where possible. Refer to exception application for basement use and natural light and ventilation for non-compliance.

A0	ORIGINAL SHEET SIZE
APPROVAL	CLIENT
KEY PLAN	ARCHITECTURAL

KEY PLAN



NOTES - GENERAL
 01. THIS DRAWING IS THE COPYRIGHT OF BREWER SMITH BREWER GULF AND MUST NOT BE RETAINED, COPIED OR USED WITHOUT THE ABOVE AGREEMENT.
 02. ALL DIMENSIONS ARE IN MILLIMETERS AND LEVEL METRES UNLESS OTHERWISE STATED.
 04. ANY DISCREPANCIES, EITHER BETWEEN WRITTEN DIMENSIONS AND SITE DIMENSIONS OR BETWEEN THIS DRAWING AND OTHER DRAWINGS, SHALL BE RESOLVED IN FAVOUR OF THE ARCHITECT BEFORE EXECUTING THE WORKS.
 05. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER DOCUMENTATION FORMING THE CONSTRUCTION CONTRACT.
 07. CONTRACTOR TO SUBMIT COORDINATED SHOP DRAWINGS FOR APPROVAL AND CONSTRUCTION COMMENTS PRIOR TO COMMENCEMENT OF WORKS.
405.02 VIEWS — SPECIFICATION SPECIFIC CLAUSE
405.02 VIEWS — ASSOCIATED DESCRIPTIVE TEXT

**AS REVISED****FOR APPROVAL****REVISION****DATE****REVISION****DESCRIPTION****DATE**