

TASK 1

Technical writing assignment

Docuwiz user guide • TaskFlow FAQ • TaskFlow troubleshooting guide

Himani Sharma

May 17, 2026

TASK 1

Docuwiz.io User Guide

A complete guide to creating and managing guides, references, and recipes in [Docuwiz.io](https://docuwiz.io).



[Problem](#) [Solution](#) [How it works](#) [Pricing](#) [Resources](#) [FAQs](#)



[Sign In](#)



Live API docs, straight from your spec.

Import your OpenAPI spec and go live with docs that are accurate,
complete, and usable automatically.

[Try now](#)

[Playground](#)

No custom builds • No maintenance • No falling behind




Table of Content

[Table of Content](#)

[1. About this guide](#)

[Product overview](#)

[Intended audience](#)

[Prerequisites](#)

[What you will accomplish](#)

[2. Getting started](#)

[2.1 Create an account](#)

[2.1.1 Sign up with Google](#)

[2.1.2 Sign up with GitHub](#)

[2.1.3 Sign up manually](#)

[Optional configuration](#)

[3. Onboarding flow](#)

[Left navigation panel](#)

[Header bar](#)

[3.1 Overview dashboard](#)

[3.1.1. Global header and workspace URL](#)

[3.1.2 Quick actions](#)

[3.1.3. API guides and references cards](#)

[3.1.4. Team members and admin status](#)

[3.1.5. Recent activity timeline](#)

[3.1.6. Categories management](#)

[3.1.7. Recipes](#)

[3.2 Create and manage guides](#)

[3.2.1. Create guide](#)

[Organize guide content](#)

[3.2.2. Documentation workspace](#)

[3.2.3. Manage revisions](#)

[Import content](#)

[3.2.4. Table of Contents](#)

[3.3 Create API references](#)

[3.3.1 Create a reference](#)

[3.3.2 Organize endpoints](#)

[3.3.3 Import API definitions](#)

[3.3.4 Publish a reference](#)

[3.4 Build recipes](#)

[3.4.1 Create a recipe](#)

[3.4.2 Manage recipes](#)

[3.5 Manage categories](#)

[Create a category](#)

[3.6 Configure workspace settings](#)

[3.6.1 General settings](#)

[3.6.2 Team members management](#)

[3.6.3 Source control settings](#)

[Connect a repository](#)

[3.6.4 Portal customization](#)

[Hero section](#)

[Header section](#)

[Theme settings](#)

[Embedded resources](#)

[4. Troubleshooting](#)

[Cannot sign in to my account](#)

[My published changes aren't showing](#)

[Imported OpenAPI file shows no endpoints](#)

[Cannot invite or remove a team member](#)

[My workspace URL change didn't save](#)

[5. Glossary](#)

[6. Contact support](#)

1. About this guide

Product overview

Docuwiz.io is a documentation platform that helps teams create, manage, and publish guides, API references, and recipes from a centralized workspace. It helps technical writers create live API documentation using OpenAPI specifications.

The platform helps teams:

- Centralize all product documentation in one workspace.
- Create user guides and API references.
- Import OpenAPI specifications to generate interactive API references.
- Organize documentation into categories
- Build step-by-step recipes
- Publish documentation collaboratively
- Maintain consistency across teams

Intended audience

Docuwiz.io is a documentation platform for developers, technical writers, QA teams, and product managers. It lets you create and maintain accurate docs from a single source of truth.

Prerequisites

To follow along with this guide, you should have:

- An active Docuwiz.io account and verified workspace.
- The necessary permissions (Site Admin or Editor) to create and publish content.
- Any required source files ready, such as API specifications (OpenAPI, Swagger, or Postman) for the References section.

What you will accomplish

By the end of this guide, you will be able to:

- Set up and navigate your Docuwiz.io workspace.
- Create, edit, and organize long-form Guides and detailed API References.
- Bundle content into guided Recipes for specific use cases.
- Customize your documentation portal and manage team member permissions.
- Publish and share your final documentation site.

2. Getting started

2.1 Create an account

To begin using Docuwiz.io, you must first set up a workspace by creating an account.




Figure 1: The Docuwiz.io sign-up interface showing authentication options.

Docuwiz.io provides multiple sign-up options for new users, including Google, GitHub, and manual account creation.

2.1.1 Sign up with Google

1. Open the Docuwiz sign-up page.
2. Select **Sign up with Google**.
3. Choose the Google account you want to use.
4. Enter a workspace name and select **Create workspace**.

2.1.2 Sign up with GitHub

1. Open the Docuwiz sign-up page.
2. Select **Sign up with GitHub**.
3. Authorize Docuwiz to access your GitHub account.
4. Enter a workspace name and select **Create workspace**.

2.1.3 Sign up manually

1. Open the Docuwiz sign-up page.
2. Select **Create a manual account**.
3. Enter the following:
 - Workspace name

- Username
 - Email address
 - Password
 - Confirm password
4. Select **Sign up**.
 5. Check your email for a verification link and select **Verify email**.
 6. Enter your workspace name and select **Create workspace**.

Note: Ensure your password meets complexity requirements, which typically include a mix of uppercase letters, lowercase letters, numbers, and special characters.



Welcome to Docuwiz

Host your API documentation *in minutes.*

To get started, create your workspace by entering a name below.

 Himani

Create Workspace

☒ Load workspace with the sample guides and references

Already have an account? [Log In](#)

Figure 2: Successful workspace creation and subdomain assignment.

After the workspace setup is complete, Docuwiz.io redirects you to the dashboard, where you can start creating and managing content.

Optional configuration

Enable Load workspace with the sample guides and references to populate the workspace with example content. This option helps new users explore the platform features and workflows more easily.

Now that your account is set up, let's take a tour of the dashboard so you know where everything is.

3. Onboarding flow

The Docuwiz dashboard has two main areas: the left navigation panel and the header bar.




Figure 3: Overview of the Docuwiz dashboard layout and navigation components.

Left navigation panel

The left sidebar gives you access to every part of your workspace. It stays the same across all pages.

- **Overview** shows an overview of your workspace, including recent activity and a list of your content collections.
- **Guides** is where you write and publish step-by-step documentation.
- **References** manages API documentation, including endpoints, parameters, and response schemas.
- **Recipes** bundle guides and API endpoints into a single view for readers.
- **Categories** organize guides and references into logical groups for readers.
- **Settings** takes you to workspace configuration.

Header bar

The header at the top of the page includes these controls.

- **Refresh** reloads the current view.
- **Comments** opens comment threads on the current document.
- **Notifications** show recent activity and updates.
- **Search** finds content across your workspace.

- **Profile** lets you view account details and switch workspaces.

Tip: Press Alt + T to open notifications from any page.

3.1 Overview dashboard

After you create your workspace, Docuwiz opens the Overview dashboard. Use this page to monitor your documentation activity, access existing content, and start creating guides or API references.

The Overview dashboard gives you quick access to:

- Workspace activity
- Documentation collections
- API references
- Team information
- Content creation tools

3.1.1. Global header and workspace URL

At the top of the page, you'll find the **Public Documentation URL** (for example, <https://himani.docuwiz.io>). This is the live link where you can view the published documentation.

Tip: **Resume Setup** button helps you to complete any pending configuration steps.

3.1.2 Quick actions

This section helps you to jump straight into content creation. It includes four primary functions:

- **New Guide:** For creating structured, prose-based documentation.
- **New API Doc:** For uploading OpenAPI specifications or building API documentation from scratch.
- **Recipe:** For creating “Recipes” which are combinations of specific pages and API endpoints to walk you through a specific use case.
- **Category:** To organize different sets of documentation into logical groups.

3.1.3. API guides and references cards

- **API Guides:** Displays the total count of guides created. Each entry shows the number of pages, the last time it was edited, and the current version status (e.g., **REV.1**).
- **API References:** Lists the specific APIs currently managed in the workspace (e.g., Marketstack API, Aviationstack API) and their last update timestamps.

3.1.4. Team members and admin status

Located in the bottom right, this section displays:

- **Total Member Count:** How many people have access to the workspace.
- **User Profiles:** Shows the names, emails, and roles (e.g., **Site Admin**) of active collaborators. The **Manage** button appears to invite or remove team members.

3.1.5. Recent activity timeline

This section shows recent workspace activity, including content creation, publishing events, and major updates.

- **Empty State:** When a workspace is new, it displays a "No Activity yet" message.
- **Functionality:** Once work begins, Docuwiz updates it into a chronological timeline. It tracks when team members create guides, deploy documentation to the live site, or make significant edits.

3.1.6. Categories management

This section is dedicated to information architecture. It allows you to group related Guides and API References together. Categories help keep your documentation organized and easier to navigate as your content grows.

3.1.7. Recipes

Use Recipes to create workflow-based documentation experiences. It lets you combine API endpoints with written explanations to complete a complex task from start to finish.

3.2 Create and manage guides

After you familiarize yourself with the dashboard, you can start creating documentation content in the **Guides** section.

It features a triple-pane layout designed for organization, content creation, and structural navigation. Use Guides to create structured documentation, onboarding material, tutorials, and product documentation for your readers.




Figure 4: The authoring environment within the Guides section.

3.2.1. Create guide

The left-hand sidebar of the **Guide** section displays the entire structure of your documentation library. Content is organized into collapsible folders or categories (for example, "DocuWiz Dashboard," "Workspace Management") to keep related pages together.

To create a new guide:

- Select **Guides** from the left sidebar.
- Select **Add guide (the + icon in the sidebar)** or select **Create** from the main content area.
- Enter a title for your guide.
- Write your content in the editor. The editor supports Markdown.
- Add sections, headings, and callouts to structure your guide.

Organize guide content

Each guide contains individual pages that appear in the sidebar when a reader opens the guide. You can reorder pages by dragging them in the sidebar.

The guide sidebar shows:

- **Guide title** at the top, with a collapse/expand toggle.

- **Individual pages** listed below, each with its own heading and content.
- **Actions menu** (three-dot icon) on each page for editing, deleting, or reordering.

3.2.2. Documentation workspace

This is the main center area where content is created and formatted.

- **Breadcrumb Navigation:** Located at the top left of the workspace (e.g., [GUIDES](#) > [DOCUWIZ DASHBOARD](#)), these links provide context on where the current page sits within the site structure.
- **Rich Content Support:** The editor allows for a mix of text, bolded terminology, and embedded screenshots (referenced as "Figure 1") to create comprehensive tutorials.
- **Import and Templates:** Two floating action buttons located at the lower-right corner of the workspace provide shortcuts to accelerate content creation using existing files or predefined templates.
 1. **Import from Local:** Import documentation files from a local system.
 2. **Browse Templates:** Select from predefined documentation templates.

3.2.3. Manage revisions

The top right header of the workspace manages the "live" status of the document:

1. Open the guide you want to publish.
2. Select **Publish** at the top of the editor.
3. A confirmation message appears. The guide is now visible on your published documentation site.

To unpublish a guide, select **Unpublish** from the same menu. The guide stays in your workspace but is no longer visible to readers.

Import content

You can import content into a guide in two ways.

- **Import from local** adds a Markdown (.md) file from your computer.
- **Import from repo** pulls content from a connected GitHub or GitLab repository.

Note: You need to connect source control before using the repository import option. See [Source control for setup steps](#).

3.2.4. Table of Contents

The right-hand sidebar automatically generates a dynamic **Table of Contents** for the current page.

- **Auto-Generation:** It pulls from the headers used within the document (for example, "Left Navigation Panel," "Header Bar").
- **Interactive Links:** Allows both authors and readers to jump directly to specific sections of long-form guides, improving overall usability.

Once your guide is written, you might want to add API references alongside it.

3.3 Create API references

Once your guides are ready, add API documentation to your workspace using the **References** module.

References help developers understand available endpoints, request formats, authentication requirements, and response schemas.

3.3.1 Create a reference

To create a reference:

1. Select **References** from the left sidebar.
2. Select **Add reference** or use the + icon.
3. Enter a name for the reference (for example, "Marketstack API v2").
4. Write a description that explains what the API does.
5. Add endpoints by selecting **Add endpoint**.

3.3.2 Organize endpoints

References group related endpoints under categories. You can create categories (for example, "Bonds", "Commodities", "Currencies") to organize your API documentation.

Each endpoint shows:

- **HTTP method** (GET, POST, PUT, DELETE) as a colored badge.
- **Endpoint path** (for example, /eod).

- **Short description** of what the endpoint returns.

3.3.3 Import API definitions

You can import OpenAPI, Swagger, or Postman collections into a reference.

1. Open the reference where you want to import.
2. Select the import icon in the editor toolbar.
3. Choose the file type: `.json`, `.yaml`, or `.yml`.
4. Upload your file.
5. Docuwiz parses the file and adds the endpoints to your reference.

Tip: Import from a connected repository to keep your API reference in sync with your codebase. See Source control for details on connecting a repo.

3.3.4 Publish a reference

References follow the same publish workflow as guides. Select **Publish** at the top of the editor to make the reference live. Select **Unpublish** to remove it from the public site.

To combine your guides and references into a single walkthrough, create a recipe.

3.4 Build recipes

After creating guides and API references, combine them into recipes to create complete workflow-based tutorials.

Recipes bundle guides and API endpoints into a single, focused walkthrough. They help readers follow a specific use case from beginning to end without switching between different pages.

3.4.1 Create a recipe

1. Select **Recipes** from the left sidebar.
2. Select **Create Recipe**.
3. Enter a title and description for your recipe.
4. Under **Select pages**, pick the guide pages you want to include.
5. Under **Select endpoints**, pick the API endpoints that relate to this use case.
6. Select **Create Recipe** to save.

The recipe appears in your Recipes list and is ready to publish.

Note: Recipes need at least one guide page or one endpoint before you can publish them.

3.4.2 Manage recipes

All your recipes appear on the Recipes page. From here you can edit the content, add or remove pages and endpoints, and publish or unpublish any recipe.

3.5 Manage categories

Use categories to group related guides and API references into logical sections.

Categories improve navigation and help readers locate related documentation more efficiently on the published site. They also help maintain a clear and organized documentation structure as your content library expands.

Create a category

1. Select **Categories** from the left sidebar.
2. Select **Add category**.
3. Enter a name and optional description.
4. Drag guides and references into the category.
5. Select **Save**.

The category appears in your Categories list.

Tip: Keep category names short and descriptive. Readers scan category names to find what they need, so clear names save time.

Finally, head to workspace settings to configure your team, branding, and integrations.

3.6 Configure workspace settings

After setting up your content structure, configure your workspace settings to manage branding, permissions, integrations, and publishing preferences.

The **Settings** section allows admins to customize the documentation portal and manage workspace collaboration.

Select **Settings** from the left sidebar to manage your workspace. The settings section has four areas:

1. General settings
2. Team Members.
3. Source Control
4. Portal customization




Figure 5: Workspace settings panel for general configuration and branding.

3.6.1 General settings

General settings control the core configuration of your workspace.

- **Basic Details:** Update the display name for your workspace. The updated name appears in the dashboard header and on the published documentation site.
- **Connect Your OpenAI API Key:** Add your OpenAI API key to enable AI-powered Swagger enhancement features.
- **Search Index:** Keep the workspace search index up to date so readers can quickly find published content. Select **Sync Now** to refresh the search index and make guides, references, recipes, and endpoints searchable across the published documentation portal.
- **Danger Zone:** Contains high-impact administrative actions that permanently affect the workspace. Use this section to delete the workspace and all associated content.

Warning: Selecting **Delete Workspace** permanently removes the workspace and all associated data. This action cannot be undone.

3.6.2 Team members management

This section handles collaboration and access control within the workspace.





Figure 6: Team Member Settings.

Add collaborators to your workspace so you can write and manage documentation together.

Invite a team member


1. Go to **Settings** and select **Team members**.
2. Select **Invite**.
3. Enter the email address of the person you want to invite.
4. Choose a role: **Admin**, **Editor**, or **Collaborator**.
5. Select **Send invite**.



Roles and permissions

- **Viewer** can only read the content but cannot change workspace settings or manage team members.

- **Collaborator** can create and edit content but cannot publish or change settings.
- **Site Admin** can do everything: manage settings, invite members, publish content, and delete content.



The screenshot shows a management interface with tabs for 'Team Members', 'Invited', and 'Roles'. The 'Roles' tab is active. In the top right, there is an 'Invite' button with a magnifying glass icon. Below the tabs, it says '1 members'. The main content is a table with two columns: 'ROLE' and 'PERMISSION'.


ROLE	PERMISSION
Viewer	Read
Collaborator	Read, Write
Site Admin	Read, Write, Delete

Figure 7: Summary of user roles and their associated permission levels.

Note: Only admins can change roles and remove team members.

3.6.3 Source control settings

This is a critical feature for "Docs-as-Code" workflows, allowing you to synchronize your documentation with development repositories.



The screenshot shows the 'Source Control Settings' section. It contains two entries, one for GitHub and one for GitLab. Each entry has a logo, the name of the service, a description 'Configure the source of the documentation repo', and a 'Connect Now' button.

Source Control Settings
 GitHub Configure the source of the documentation repo <button>Connect Now</button>
 GitLab Configure the source of the documentation repo <button>Connect Now</button>

Figure 8: Source control integration settings for GitHub and GitLab.

Connect your workspace to a GitHub or GitLab repository to import and sync documentation files.

Connect a repository

1. Go to **Settings** and select **Source control**.
2. Choose **GitHub** or **GitLab**.
3. Select **Connect now**.
4. Authorize Docuwiz to access your repository.
5. Select the repository and branch you want to connect.

Once connected, Docuwiz imports your Markdown, YAML, and JSON files as documentation content. Future changes in the connected branch sync automatically to your workspace.

Tip: Use a dedicated documentation branch (like docs/main) rather than your default branch. This keeps your docs separate from your code changes.

3.6.4 Portal customization

This section allows you to brand and design the "Consumer Landing Page"—the first thing your users see when they visit your documentation site.

Hero Section
Embedded Resources
Theme Settings

Header Section

Customize the navbar options on the consumer landing page (min 1 - max 4)

	Guides	https://himani.docuwiz.io/guides
	References	https://himani.docuwiz.io/references
	Recipes	https://himani.docuwiz.io/recipes

Hero Section

Customize the text displayed on the home page

	Pre-headline	DOCUWIZ
	Site Headline	DOCUWIZ API Documentation
	Site Description	Your toolkit for building business apps, whether it's a custom solution or a listing on the DOCUWIZ Marketplace.
	Thumbnail	

Preview



Figure 9: Portal customization tools for designing the consumer landing page.

Portal customization lets you change how your published documentation site looks. It has four tabs.

Hero section

The hero section is the first thing readers see on your documentation homepage.

- **Site headline** sets the main title on the homepage.
- **Pre-headline** adds a short label above the main title.
- **Site description** adds a subtext below the title.

- **Thumbnail** adds an image to the hero area.

Header section

Configure the navigation bar that appears at the top of your published site. You can add up to four links to guides, recipes, or references.

Theme settings

Choose between light and dark mode, and set your primary brand color using a hex code or color picker.

Embedded resources

Add custom CSS or JavaScript to your published site. This is useful for adding analytics, custom fonts, or third-party embeds.

Note: Changes in Portal customization update your published site after you publish or republish your content.

4. Troubleshooting

Cannot sign in to my account

If you can't sign in, select **Forgot password** on the login page to reset your password. If you still can't sign in, check that you verified your email address after creating your account.

My published changes aren't showing

Docuwiz may take a few minutes to update your published site. Wait 2-3 minutes and refresh the page. If changes still don't appear, open the guide or reference and select **Publish** again.

Imported OpenAPI file shows no endpoints

Make sure you're uploading a valid OpenAPI, Swagger, or Postman collection in .json, .yaml, or .yml format. Check that your file contains at least one endpoint definition.

Cannot invite or remove a team member

Only a **Site Admin** has permission to invite or remove team members and manage roles. If you are a Collaborator or Editor, ask an Admin to update the team roster.

My workspace URL change didn't save

Changing the **Workspace URL** in General settings makes the old URL unavailable. Readers and bookmarks that point to the old URL will stop working. Review the warning before saving the new URL.

5. Glossary

Category	A logical section used to group related guides and API references on the published documentation site.
Endpoint	A specific URL in an API that performs an operation, such as retrieving data or submitting a request
Guide	Structured, prose-based documentation used to walk readers through a process or concept.
Markdown	A lightweight markup language for formatting text using plain-text syntax
OpenAPI Spec	A standard format (YAML or JSON) for describing RESTful APIs in a machine-readable file, often used for import.
Recipe	A guided walkthrough that combines guide pages and API endpoints for a specific use case.
Reference	API documentation pages that describe endpoints, parameters, request formats, and response schemas.
Workspace	The centralized environment where teams create, manage, and publish all Docuwiz content.

6. Contact support

If you encounter an issue that isn't covered in this guide, reach out to the Docuwiz support team:

- **Email:** support@docuwiz.io
- **Documentation:** docs.docuwiz.io
- **In-app:** Select the help icon (?) in the header bar

We aim to respond within 24 hours on business days.

TASK 2

Task 2

TaskFlow frequently asked questions

Find quick answers to common questions about TaskFlow.

1. Why can't I sign in to my account?

First, check that you're using the correct email and password. If you've forgotten your password, select **Forgot password** on the sign-in screen to reset it. You can also try clearing your browser's cache and cookies. If your account is locked after too many attempts, wait 15 minutes and try again, or contact support for help.

2. How do I change my password?

Go to **Settings** (or **Profile Settings** in the upper right corner) and select **Account** or the **Security** tab. Enter your current password, then enter and confirm your new password and save changes. You can also reset your password from the sign-in screen if you can't sign in.

3. How do I change my profile picture?

Select your avatar in the top-right corner, then go to **Profile** or **Profile Settings**. Select your current picture or the **"Change Photo"** option to upload a new one. Supported formats are JPG, PNG, and GIF, up to 5 MB.

4. How do I delete my account?

Go to **Settings**, select **Account** or **Account Settings**, then select **Delete account** at the bottom of the page. You'll need to confirm by entering your password and reading the confirmation prompt carefully. All your data, including tasks and projects, is permanently removed after 30 days.

5. What's the difference between admin and member roles?

Admins have full control over the workspace, including project settings, billing, inviting/removing members, and user management. Members can create and edit tasks, comment, and upload files within assigned projects, but they can't change core project settings or manage the team roster.

6. How do I assign a task to someone else?

Open the task and select the **Assignee** field in the task details panel. Search for the person by name or email, then select them from the project collaborators. They'll get a notification about the new assignment. You can assign a task to one person or multiple people.

7. How do I set a priority level on a task?

Open the task and select the Priority dropdown menu within the task details window. Choose from Low, Medium, High, or Urgent. Priority tasks show a colored label in your task list so they stand out at a glance.

8. How do I create a subtask?

Open the parent task, scroll to the Subtasks section, and select Add subtask. Type the subtask title and press Enter. You can assign subtasks independently and set their own due dates as smaller action items dependent on the parent task.

9. How do I archive completed tasks?

Select one or more completed tasks in your task list, then select Archive from the toolbar or context menu. Archived tasks move out of your active view but stay accessible under Archived in the sidebar. You can restore them at any time.

10. How do I set a reminder for a task?

Open the task and select Set reminder in the task details. Pick a date and time, then choose whether to get reminded via email, push notification, or both. Reminders are sent at your chosen time, and you can set multiple reminders per task.

11. How many people can I add to one project?

On the free plan, you can add up to 10 members per project. The Pro plan supports up to 50 members, and the Business plan has no limit. All plans let you add unlimited guests who can view tasks but not edit them. Paid plans generally allow for a much larger or unlimited number of team members.

12. How do I share a project with external members?

Go to your project settings and select Invite. Enter the person's email address and set their role to Guest or provide a read-only link. Guests can view tasks and leave comments, but they can't create or edit tasks. Full collaboration usually requires the external user to have their own TaskFlow account.

13. Does TaskFlow have a mobile app?

Yes. TaskFlow has dedicated mobile apps for iOS and Android, and both are free for all plans. Download them from the App Store or Google Play. Your tasks sync in real time between the mobile app and the desktop version.

14. Why am I not getting email notifications?

Check your spam or junk folder first and add notifications@taskflow.io to your contacts. If that doesn't work, go to Settings, select Notifications, and confirm email notifications are enabled for the specific types of updates you want to receive.

15. Does TaskFlow integrate with Slack or Google Calendar?

Yes. TaskFlow integrates with both. Connect Slack in Settings under Integrations to get task updates in a channel. Connect Google Calendar to sync task due dates to your calendar and set reminders there. Both integrations take under two minutes to set up.

16. What's the difference between the free and paid plans?

The free plan includes up to 5 projects and 10 members per project with basic task collaboration. Paid plans unlock unlimited projects, advanced search, custom fields, task dependencies, integrations, custom reports, priority support, and more storage.

17. What happens to my data if I cancel my subscription?

Your data stays accessible for 90 days after cancellation, during which your account reverts to the Free plan. You can export everything or reactivate your plan during this period. After 90 days, your projects and data are permanently deleted.

18. How do I export tasks to PDF?

Go to the project or task list you want to export, then select Export from the toolbar. Choose PDF as the format and customize settings like including subtasks or comments. The PDF includes task titles, descriptions, assignees, due dates, and comments.

19. How do I use filters on the dashboard?

Select the Filter icon at the top of your task list. You can filter by assignee, priority, due date, status, and labels. Combine multiple filters to narrow down exactly what you need. Select Clear all to remove all active filters.

20. How do I restore a deleted task?

Go to Settings and select Trash or Recently Deleted. Deleted tasks stay in the trash for 30 days. Find the task you want to restore, select it, then select Restore. The task reappears in its original project with all data intact.

TASK 3

Task 3

TaskFlow troubleshooting guide

This guide covers known issues in TaskFlow and their solutions. Start with the quick reference table to find your issue, then jump to the detailed resolution steps.

Quick Reference: Common Issues and Solutions

Issue	Solution Summary
App crashes on file upload	Reduce file size to 10MB or less.
Login fails with special characters	Change password to exclude special characters.
Dashboard not loading	Use a modern, supported browser like Chrome or Firefox.
Email notifications go to spam	Add <i>no-reply@taskflow.io</i> to your safe sender list.
Tasks not syncing	Manually refresh both mobile and desktop apps.
Dark mode not working on older Android	Update your Android OS to version 9 or higher.
Export to PDF fails (long description)	Edit the task description to reduce its length before exporting.
Search bar not returning results	Clear all filters before performing a new search.
Cannot add more than 5 attachments	The maximum limit is 5 attachments per task. Consolidate files.
Video files not supported	Convert videos to supported formats or share a link instead.
App is slow (project > 500 tasks)	Archive completed tasks or break the project into smaller parts.
Two-factor authentication code not received	Check network connection or use a different MFA method if available.
Logged out automatically (10 min inactivity)	This is a security feature. Log back in to resume your session.
Calendar view not displaying tasks	Ensure you set a due date for all tasks you want to see in the calendar.

Google Calendar sync not working (time zones)	Verify your TaskFlow and Google Calendar time zones match in settings.
Subtasks not appearing in main list	Subtasks are only visible within the parent task view.
Bulk task export taking too long	Limit the export size or use the archive feature for older tasks.
Notifications not clearing (mobile)	Log out and log back into the mobile app to refresh the notification tray.

1. App crashes when uploading files over 10 MB

SYMPTOM

The app closes or freezes when you try to attach a file larger than 10 MB to a task.

CAUSE

The current file upload limit is 10 MB. Files that exceed this size cause the upload process to fail and the app to become unresponsive.

RESOLUTION

1. Compress the file before uploading. Use a tool like the built-in compressor on your OS or an online compressor.
2. If the file can't be compressed below 10 MB, upload it to a cloud storage service (Google Drive, Dropbox) and share the link in the task description instead.

Tip: Image files (PNG, JPEG) can often be compressed to under 10 MB without visible quality loss. You can reduce the PDF files using the "Reduce file size" option in most PDF editors.

2. Login fails when password contains special characters

SYMPTOM

You can't sign in even though you're entering the correct password. This happens most often when the password includes characters like <, >, &, or %.

CAUSE

The sign-in form doesn't correctly handle certain special characters in the password field. This is a known bug.

RESOLUTION

1. Select **Forgot password** on the sign-in screen.
2. Enter your email address and follow the reset link.
3. Create a new password that avoids the characters <, >, &, %, and #.

Note: You can still use most special characters in your password. Only the characters listed above cause the sign-in issue. A fix is in progress.

3. Dashboard not loading on Internet Explorer

SYMPTOM

The TaskFlow dashboard appears blank, loads partially, or shows broken layout in Internet Explorer.

CAUSE

TaskFlow doesn't support Internet Explorer. The app relies on modern browser features that IE doesn't provide.

RESOLUTION

Switch to a supported browser: Google Chrome (version 90 or later), Mozilla Firefox (version 88 or later), Microsoft Edge (version 90 or later), or Safari (version 14 or later).

Note: If your organization requires IE for other tools, use Microsoft Edge in IE compatibility mode as a temporary workaround. Edge offers better support for modern web features.

4. Email notifications going to spam

SYMPTOM

You're not receiving TaskFlow emails, or you find them in your spam or junk folder.

CAUSE

Your email provider's spam filter may block or redirect emails from `notifications@taskflow.io`. This can happen after switching email providers or if your organization has strict filtering rules.

RESOLUTION

1. Check your spam or junk folder for emails from `notifications@taskflow.io`.
2. Add `notifications@taskflow.io` to your email contacts or safe sender list.
3. If you use a corporate email, ask your IT team to whitelist the `taskflow.io` domain.
4. Go to **Settings**, select **Notifications**, and confirm email delivery is turned on.

Tip: Create a filter or rule in your email client that automatically moves TaskFlow emails to your inbox. This prevents future emails from going to spam.

5. Tasks not syncing between mobile and desktop

SYMPTOM

Updates you make on one device don't appear on another. For example, you mark a task as complete on your phone, but it still shows as open on your computer.

CAUSE

Sync issues usually happen when the app loses its connection or when one device is running an older version of the app.

RESOLUTION

- Pull down on the task list to force a manual refresh on the device that's out of date.
- If that doesn't work, sign out and sign back in on the affected device.
- Make sure both devices are running the latest version of TaskFlow. Check the App Store or Google Play for updates.

Tip: TaskFlow syncs in real time when both devices have a stable internet connection. If you're working offline, changes sync the next time you connect.

6. Dark mode not working on older Android phones

SYMPTOM

Dark mode doesn't activate or shows broken colors on Android devices running version 8 (Oreo) or earlier.

CAUSE

Dark mode relies on system-level theming APIs introduced in Android 9 (Pie). Older Android versions don't support these APIs.

RESOLUTION

Update your device to Android 9 or later if a software update is available. If you can't update, TaskFlow defaults to light mode on older Android versions.

Note: Android 8 and earlier make up a small fraction of active devices. If you're using an affected device and need dark mode, consider using the TaskFlow web app in your browser, which supports dark mode on any Android version.

7. Export to PDF fails when task description is too long

SYMPTOM

The PDF export hangs, shows an error, or produces a corrupted file when one or more tasks have very long descriptions.

CAUSE

The PDF renderer has a character limit per task description. Descriptions that exceed this limit cause the export to fail.

RESOLUTION

4. Shorten the descriptions on the affected tasks. Move lengthy content into attached documents or linked pages.
5. If you can't shorten the descriptions, export in **CSV** format instead. CSV doesn't have the same character limit.

Warning: Repeatedly attempting PDF export with long descriptions can temporarily slow down the export service for your account. Wait a few minutes between attempts.

8. Search bar returns no results when using filters

SYMPTOM

Typing a search term while filters are active returns no results, even though matching tasks exist.

CAUSE

The search and filter system applies both criteria at the same time. If your search term doesn't match any of the filtered tasks, no results appear. This isn't a bug, it can just be confusing.

RESOLUTION

- Clear all active filters by selecting **Clear all** in the filter bar.
- Enter your search term and confirm results appear.
- Reapply the filters you need, one at a time, checking results after each.

Tip: Use the Filter dropdown alone for most task-finding tasks. Text search works best when you need to find a specific word or phrase in task titles or descriptions.

9. Can't add more than 5 attachments per task

SYMPTOM

The "Add attachment" button is disabled after you've uploaded 5 files to a task.

CAUSE

The current attachment limit is 5 files per task on the free and Pro plans. This is a product limitation.

RESOLUTION

- Combine multiple files into a single ZIP archive and upload that.
- Upload files to cloud storage (Google Drive, Dropbox) and paste the sharing link in the task description.
- Upgrade to the Business plan, which supports up to 25 attachments per task.

10. Video files aren't supported in attachments

SYMPTOM

Trying to attach a video file (MP4, MOV, AVI) shows an "Unsupported file type" error.

CAUSE

TaskFlow's attachment system supports documents, images, and spreadsheets, but not video files. This is by design, not a bug.

RESOLUTION

- Upload the video to a hosting platform (YouTube, Vimeo, or Google Drive) and paste the link in the task description or comments.
- If the video is a screen recording, try converting it to an animated GIF (under 10 MB) for quick visual reference.

11. App is slow when a project has more than 500 tasks

SYMPTOM

Loading, scrolling, and switching views takes noticeably longer in projects with 500 or more tasks.

CAUSE

The task list renders all tasks at once, which increases load time as the project grows. Filtering and archiving reduce the number of visible tasks and improve performance.

RESOLUTION

6. Archive completed tasks to reduce the active task count.
7. Use filters to show only the tasks you're working on. For example, filter by **My tasks** or **In progress**.
8. If the project has well over 1,000 tasks, consider splitting it into multiple smaller projects by team or milestone.

Tip: The Board and Calendar views load faster than the List view for large projects because they show fewer tasks on screen at once.

12. Two-factor authentication code not received

SYMPTOM

You signed up for two-factor authentication (2FA) but the verification code doesn't arrive by email or text.

CAUSE

Delivery delays can happen due to email filtering, carrier issues, or rate limiting on repeated code requests.

RESOLUTION

5. Wait 60 seconds, then request a new code.
6. Check your spam or junk folder for the email.
7. If you set up backup codes when you enabled 2FA, use one of those to sign in, then update your 2FA settings.
8. Switch to an authenticator app (Google Authenticator, Authy) instead of email or SMS. Authenticator codes generate instantly and don't depend on delivery.

Warning: If you've lost access to your 2FA method and don't have backup codes, contact support to verify your identity and regain access.

13. Users getting logged out automatically after 10 minutes

SYMPTOM

You're signed out of TaskFlow after about 10 minutes of inactivity, even though you didn't choose to sign out.

CAUSE

The default session timeout is 10 minutes of inactivity. This is a security feature designed to protect accounts on shared or public devices.

RESOLUTION

9. Go to **Settings** and select **Account**.
10. Find **Session timeout** and increase the duration (options range from 10 minutes to 8 hours).
11. Save your changes.

Note: Your organization admin may enforce a maximum timeout setting. If you can't change it, contact your admin.

14. Calendar view not displaying tasks without due dates

SYMPTOM

Tasks that don't have a due date assigned don't appear on the calendar, or appear grouped incorrectly.

CAUSE

The calendar view requires a due date to place a task on a specific day. Tasks without due dates can't be mapped to a date on the calendar.

RESOLUTION

12. Assign due dates to all tasks you want to see on the calendar. You can do this in bulk by selecting multiple tasks and choosing **Set due date**.
13. Switch to the **List** or **Board** view to see all tasks, including those without due dates.

Tip: Set due dates as you create tasks. It's easier to add them upfront than to go back and add them later.

15. Google Calendar sync not working in certain time zones

SYMPTOM

Task due dates and reminders appear at the wrong time in Google Calendar, or events are shifted by several hours.

CAUSE

This happens when the time zone in TaskFlow doesn't match the time zone in Google Calendar. Daylight saving transitions can also cause shifts.

RESOLUTION

14. In TaskFlow, go to **Settings** and select **Account**. Check your current time zone setting.
15. In Google Calendar, open Settings and check your time zone there.
16. Make sure both are set to the same time zone.
17. Disconnect and reconnect the Google Calendar integration to force a fresh sync.

Note: After changing time zones, allow up to one hour for existing events to update in both systems.

16. Subtasks not appearing in the main task list view

SYMPTOM

You created subtasks under a parent task, but they don't show up in the main list view.

CAUSE

By default, the task list view hides subtasks to keep the view clean. Subtasks are visible only inside the parent task detail panel.

RESOLUTION

18. In the task list view, select the **View options** icon (the eye symbol) at the top of the list.
19. Toggle on **Show subtasks**.
20. Subtasks now appear indented under their parent task in the list.

17. Bulk task export takes too long for large projects

SYMPTOM

Exporting a project with hundreds of tasks takes several minutes, or the export times out entirely.

CAUSE

Large exports need to process and package a lot of data. PDF exports are slower than CSV because they include formatting and layout.

RESOLUTION

21. If you need data quickly, export in **CSV** format instead of PDF. CSV exports are significantly faster for large datasets.
22. Filter the task list to a smaller set before exporting. For example, export only tasks from the current sprint or a specific date range.

23. If the export times out, wait a few minutes and try again. Our servers process exports in a queue, and wait times are shorter during off-peak hours.

Tip: Schedule your exports for the beginning of the workday (before 9 AM) or after hours (after 6 PM) when server load is lower.

18. Notifications not clearing after being read on mobile

SYMPTOM

You read or dismiss notifications on your desktop, but they still appear as unread on the mobile app.

CAUSE

The mobile app caches notification state and may not have synced the latest read status from the server.

RESOLUTION

24. Pull down on the notification list in the mobile app to force a refresh.
25. If notifications still show as unread, close the app completely and reopen it.
26. Make sure you're running the latest version of the TaskFlow mobile app. Check the App Store or Google Play for updates.

Note: If the issue persists after updating and refreshing, contact support with your device model and OS version so we can investigate.

Contact support

If none of the solutions above resolve your issue, reach out to our support team.

- **Email:** support@taskflow.io
- **Response time:** Within 24 hours on business days
- **What to include:** A description of the problem, the steps you've already tried, your browser or device info, and screenshots if possible