

[Close this Window](#)**Hi dac46, You have scored : 0**

QuestionID : 10521 Subject Name XML

Q1. Which of the following XSLT patterns is used to match any descendant nodes?

1. /
2. //
3. .
4. ..

Correct Answer : 2

Your Answer :

QuestionID : 10523 Subject Name XML

Q2. In simple type built into XML schema boolean type holds

1. true,false
2. 1,0
3. both 1 and 2
4. true/false and any number except 0

Correct Answer : 3

Your Answer :

QuestionID : 10524 Subject Name XML

Q3. What is the correct syntax of declaration which defines the XML version?

1. < xml version="1.0" / >
2. < ?xml version="1.0"? >
3. < ?xml version="1.0"/ >
4. none

Correct Answer : 2

Your Answer :

QuestionID : 10536 Subject Name XML

Q4. A hexadecimal value representing an RGB triplet can be expressed in three or six digits.

Correct Answer : T

Your Answer :

QuestionID : 10543 Subject Name XML

Q5. Valid XML must be wellformed.

Correct Answer : T

Your Answer :

QuestionID : 10548 Subject Name XML

Q6. The transformation of XML document into another type of the document by XSLT

can be done by

- 1) in the server
- 2) in the client
- 3) With a separate program

1. only 1,2

2. only 2,3

3. all are correct

4. only 1,3

Correct Answer : 3

Your Answer :

QuestionID : 10556 Subject Name XML

Q7. The attribute used to define a new namespace is _____

1. XMLNS

2. XmlNameSpace

3. Xmlns

4. XmlNs

Correct Answer : 3

Your Answer :

QuestionID : 10564 Subject Name XML

Q8. To use the external DTD we have the syntax:

1. < ?xml version="1.0" standalone="no"? >

<!DOCTYPE DOCUMENT SYSTEM "order.dtd"? >

2. < ?xml version="1.0" standalone="yes"? >

<!DOCTYPE DOCUMENT SYSTEM "order.dtd"? >

3. < ?xml version="1.0" standalone="no"? >

<!DOCTYPE DOCUMENT "order.dtd"? >

4. < ?xml version="1.0" standalone="yes"? >

<!DOCTYPE DOCUMENT SYSTEM "order.dtd"? >

Correct Answer : 1

Your Answer :

QuestionID : 10571 Subject Name XML

Q9. Namespaces in XML cause regrettable naming collisions.

Correct Answer : F

Your Answer :

QuestionID : 10581 Subject Name XML

Q10. <choice> is used for grouping elements.

Correct Answer : T

Your Answer :

QuestionID : 10597 Subject Name XML

Q11. A valid value for maxOccurs is unbounded.

Correct Answer : T

Your Answer :

QuestionID : 10601 Subject Name XML

Q12. InXSLT style sheet we have syntax tt5o match elements wit id as (if id is "change")

1. < xsl:template match= id(change) >
2. < xsl:template match= (change) >
3. < xsl:template match= change >
4. < xsl:template match-id= change >

Correct Answer : 1

Your Answer :

QuestionID : 10605 Subject Name XML

Q13. Whats so great about XML?

1. Easy data exchange
2. high speed on network
3. only (2)is correct
4. both (1)and(2) correct

Correct Answer : 4

Your Answer :

QuestionID : 10610 Subject Name XML

Q14. an internal subset requires a SYSTEM identifier.

Correct Answer : F

Your Answer :

QuestionID : 10613 Subject Name XML

Q15. To match the text node(in XSLT) the syntax will be

1. < xsl:template match="text" >
2. < xsl:template match-text="text" >
3. < xsl:template match=text() >
4. < xsl:template match="text()" >

Correct Answer : 4

Your Answer :

QuestionID : 10620 Subject Name XML

Q16. Certain attribute are permissible in end-tags.

Correct Answer : F

Your Answer :

QuestionID : 10643 Subject Name XML

Q17. A parameter entity is only legal in DTD.

Correct Answer : T

Your Answer :

QuestionID : 10649 Subject Name XML

[Q18. Child element and mixed content models must be enclosed in quotes.](#)

Correct Answer : F

Your Answer :

QuestionID : 10654 Subject Name XML

[Q19. How can we make attributes have multiple values](#)

1. < myElement myAttribute=
" value1 value2 " / >
2. < myElement myAttribute=
" value1 " myAttribute=
" value2 " / >
3. < myElement myAttribute=
" value1,value2 " / >
4. attributes can not have multiple values

Correct Answer : 4

Your Answer :

QuestionID : 10655 Subject Name XML

[Q20. The correct priority for implementing xml base IETMs is .](#)

1. Develop DTD ,conduct a pilot project , create a modular library ,train staff.
2. Train staff , convert legacy documents,develop DTD, create a modular library .
3. Conduct a pilot programme , train staff,create modular library ,develop DTD.
4. conduct a pilot programme,train staff,Develop DTD ,convert documents,purchase XML tools.

Correct Answer : 3

Your Answer :

QuestionID : 10671 Subject Name XML

[Q21. A schema describes](#)

1. Grammer
2. Vocabulary
3. Structure
4. Datatype of XML document

[which is/are correct?](#)

1. 1,2
2. 1,3
3. 3,4
4. 1,2,3,4

Correct Answer : 4

Your Answer :

QuestionID : 10677 Subject Name XML

Q22. Which of following is used to specify attribute list of an elements?

1. ATLIST
2. ?ATLIST
3. !ATLIST
4. #ATLIST

Correct Answer : 3

Your Answer :

QuestionID : 10682 Subject Name XML

Q23. Valid XML must be wellformed.

Correct Answer : T

Your Answer :

QuestionID : 10696 Subject Name XML

Q24. Which of the following strings are a correct XML name?

1. _myElement
2. myElement
3. #myElement
4. None of the above

Correct Answer : 4

Your Answer :

QuestionID : 10701 Subject Name XML

Q25. Which statement correctly describes the capabilities of the XSLT language?

1. XSLT uses the DTD to determine how XML documents will be translated.
2. XSLT specifies how a hierarchical trees,representable by an XML document may be translated into non-hierarchical formats.
3. XSLT specifies how a hierarchical tree,representable by an XML document, may be translated into another hierarchical tree, also representable by an XML document.
4. XSLT specifies the formatting style to be used to render an XML document.

Correct Answer : 3

Your Answer :

QuestionID : 10713 Subject Name XML

Q26. What does DTD stands for?

1. Direct Type Defination
2. Document Type Defination
3. Do The Dance

4. Dynamic Type Definition

Correct Answer : 2

Your Answer :

QuestionID : 10718 Subject Name XML

Q27. To create a choice in XML Schemas, we use the

1. < Xsd:Select>element
2. < Xsd: multi>element
3. < Xsd: choice>element
4. < Xsd: single>element

Correct Answer : 3

Your Answer :

QuestionID : 10719 Subject Name XML

Q28. Which of the following XML fragments are well-formed?

1. < myElement myAttribute="value1 <= value2"/>
2. < myElement myAttribute="value1 & value2"/>
3. < myElement myAttribute="value1 > value2"/>
4. None of the above

Correct Answer : 3

Your Answer :

QuestionID : 10732 Subject Name XML

Q29. XSL has formatting object "block".

1. is not supported in XSL
2. generates a block level reference area
3. create a display block
4. groups global declarations for a style sheet

Correct Answer : 2

Your Answer :

QuestionID : 10738 Subject Name XML

Q30. A DTD has richer datatypes than XML Schema.

Correct Answer : F

Your Answer :

QuestionID : 10747 Subject Name XML

Q31. which of the following instruct the browser which stylesheet to use

1. <xml-stylesheet type="text/xsl" href="cd.xml">
2. <xml-stylesheet type="text/xsl" xsl="cd.xml">
3. <xml-stylesheet type="text/xsl" href="cd.xml"?>
4. <?xml-stylesheet type="text/xsl" href="cd.xml"?>

Correct Answer : 3

Your Answer :

QuestionID : 10769 Subject Name XML

Q32. Which of the following programs support XML or XML application?

1. Internet Explorer 5.5
2. Netscape 4.7
3. Realplayer
4. Both 1 & 2

Correct Answer : 4

Your Answer :

QuestionID : 10773 Subject Name XML

Q33. The XSL formatting object use to hold the contents of the body of a list item is

1. list-block
2. list-item-body
3. list-item
4. list-item-label

Correct Answer : 2

Your Answer :

QuestionID : 10775 Subject Name XML

Q34. What is a qualified name ?

1. Any name conforming to XML name specification
2. A name having prefix and local name separated by colon
3. A name applying only to qualified elements and attributes
4. None of the above

Correct Answer : 2

Your Answer :

QuestionID : 10776 Subject Name XML

Q35. The XSL formatting object which formats the data in a table is....

1. table
2. table-body
3. title
4. table-content

Correct Answer : 1

Your Answer :

QuestionID : 10792 Subject Name XML

Q36. Decimal is a built-in data type.

Correct Answer : T

Your Answer :

QuestionID : 10797 Subject Name XML

Q37. Which of the following statement is true.

1. XML is a direct subset of SGML.
2. SGML is an application of HTML.
3. XML is a kind of dynamic HTML.
4. SGML and XML both are same.

Correct Answer : 1

Your Answer :

QuestionID : 10814 Subject Name XML

Q38. In simple type built into XML schema boolean type holds

1. true,false
2. 1,0
3. both 1 and 2
4. true/false and any number except 0

Correct Answer : 3

Your Answer :

QuestionID : 10819 Subject Name XML

Q39. A semicolon is a delimits elements names in a sequence list

Correct Answer : F

Your Answer :

QuestionID : 10843 Subject Name XML

Q40. Attribute standalone="no" should be included in XML declaration if a document:

1. is linked to an external XSL style sheet
2. has external general reference
3. has processing instructions
4. has an external DTD

Correct Answer : 4

Your Answer :

QuestionID : 10850 Subject Name XML

Q41. What is XML namespace?

1. Set of name applied to specific name within XML document such as head and body
2. Set of names representing XML vocabulary
3. None of above
4. All of above

Correct Answer : 2

Your Answer :

QuestionID : 10855 Subject Name XML

Q42. To use the external DTD we have the syntax:

1. `< ?xml version="1.0" standalone="no"? >`
`<!DOCTYPE DOCUMENT SYSTEM "order.dtd"? >`
2. `< ?xml version="1.0" standalone="yes"? >`
`<!DOCTYPE DOCUMENT SYSTEM "order.dtd"? >`
3. `< ?xml version="1.0" standalone="no"? >`
`<!DOCTYPE DOCUMENT "order.dtd"? >`
4. `< ?xml version="1.0" standalone="yes"? >`

< !DOCTYPE DOCUMENT SYSTEM "order.dtd"? >

Correct Answer : 1

Your Answer :

QuestionID : 10868 Subject Name XML

[Q43. There is a way of Describing XML data,how?](#)

1. XML uses a DTD to Describe the data
2. XML uses XSL to Describe Data
3. XML uses a Description node to describe data
4. Both 1&3

Correct Answer : 4

Your Answer :

QuestionID : 10874 Subject Name XML

[Q44. Location paths comes from x-path standard .](#)

Correct Answer : T

Your Answer :

QuestionID : 10883 Subject Name XML

[Q45. DOM provides API-based access to tree models.](#)

Correct Answer : T

Your Answer :

QuestionID : 10890 Subject Name XML

[Q46. A DTD has richer datatypes than XML Schema.](#)

Correct Answer : F

Your Answer :

QuestionID : 10899 Subject Name XML

[Q47. which of the following instruct the browser which stylesheet to use](#)

1. <xml-stylesheet type="text/xsl" href="cd.xml">
2. <xml-stylesheet type="text/xsl" xsl="cd.xml">
3. <xml-stylesheet type="text/xsl" href="cd.xml"?>
4. <?xml-stylesheet type="text/xsl" href="cd.xml"?>

Correct Answer : 3

Your Answer :

QuestionID : 10934 Subject Name XML

[Q48. A parameter entity is only legal in DTD.](#)

Correct Answer : T

Your Answer :

QuestionID : 10944 Subject Name XML

[Q49. Decimal is a built-in data type.](#)

Correct Answer : T

Your Answer :

QuestionID : 10951 Subject Name XML

[Q50. From what set of names do NCNames derive?](#)

1. Any combination of characters allowable in XML.
2. Any names confirming to XML Names,minus the colon.
3. Any names for elements and attributes within the DTD to which the namespace refers.
4. None of the above.

Correct Answer : 2

Your Answer :