

# netflix-business-case

November 10, 2023

## 1 Netflix - Data Exploration and Visualisation Business Case

### Business Case: Netflix - Data Exploration and Visualisation

Netflix, Inc. is an American technology and media services provider and production company headquartered in Los Gatos, California. Netflix was founded in 1997 by Reed Hastings and Marc Randolph in Scotts Valley, California. The company's primary business is its subscription-based streaming service, which offers online streaming of a library of films and television series, including those produced in-house.

#### 1. Defining Problem Statement and Analysing basic metrics

Import Libraries Importing the libraries we need.

```
[2]: import numpy as np
import pandas as pd
import matplotlib
import matplotlib.pyplot as plt
import seaborn as sns
```

#### Loading The Dataset

```
[3]: netflix_df = pd.read_csv("Business Case Netflix.csv")
```

Let's check the first 5 data

```
[4]: netflix_df.head()
```

```
[4]: show_id    type    title    director \
0      s1      Movie    Dick Johnson Is Dead    Kirsten Johnson
1      s2  TV Show      Blood & Water              NaN
2      s3  TV Show      Ganglands    Julien Leclercq
3      s4  TV Show    Jailbirds New Orleans      NaN
4      s5  TV Show      Kota Factory              NaN

                                cast    country \
0                                NaN    United States
1    Ama Qamata, Khosi Ngema, Gail Mabalane, Thaban...    South Africa
2    Sami Bouajila, Tracy Gotoas, Samuel Jouy, Nabi...      NaN
3                                NaN      NaN
```

4	Mayur More, Jitendra Kumar, Ranjan Raj, Alam K...	India
---	---	-------

	date_added	release_year	rating	duration	\
0	September 25, 2021	2020	PG-13	90 min	
1	September 24, 2021	2021	TV-MA	2 Seasons	
2	September 24, 2021	2021	TV-MA	1 Season	
3	September 24, 2021	2021	TV-MA	1 Season	
4	September 24, 2021	2021	TV-MA	2 Seasons	

	listed_in	\
0	Documentaries	
1	International TV Shows, TV Dramas, TV Mysteries	
2	Crime TV Shows, International TV Shows, TV Act...	
3	Docuseries, Reality TV	
4	International TV Shows, Romantic TV Shows, TV ...	

	description
0	As her father nears the end of his life, filmm...
1	After crossing paths at a party, a Cape Town t...
2	To protect his family from a powerful drug lor...
3	Feuds, flirtations and toilet talk go down amo...
4	In a city of coaching centers known to train I...

Let's check the full data

```
[5]: netflix_df
```

```
[5]:
```

	show_id	type	title	director	\
0	s1	Movie	Dick Johnson Is Dead	Kirsten Johnson	
1	s2	TV Show	Blood & Water	NaN	
2	s3	TV Show	Ganglands	Julien Leclercq	
3	s4	TV Show	Jailbirds New Orleans	NaN	
4	s5	TV Show	Kota Factory	NaN	
...	...	...	...	...	
8802	s8803	Movie	Zodiac	David Fincher	
8803	s8804	TV Show	Zombie Dumb	NaN	
8804	s8805	Movie	Zombieland	Ruben Fleischer	
8805	s8806	Movie	Zoom	Peter Hewitt	
8806	s8807	Movie	Zubaan	Mozes Singh	

	cast	country	\
0	NaN	United States	
1	Ama Qamata, Khosi Ngema, Gail Mabalane, Thaban...	South Africa	
2	Sami Bouajila, Tracy Gotoas, Samuel Jouy, Nabi...	NaN	
3	NaN	NaN	
4	Mayur More, Jitendra Kumar, Ranjan Raj, Alam K...	India	
...	...	...	

8802	Mark Ruffalo, Jake Gyllenhaal, Robert Downey J...	United States
8803		NaN NaN
8804	Jesse Eisenberg, Woody Harrelson, Emma Stone, ...	United States
8805	Tim Allen, Courteney Cox, Chevy Chase, Kate Ma...	United States
8806	Vicky Kaushal, Sarah-Jane Dias, Raaghav Chanan...	India

	date_added	release_year	rating	duration	\
0	September 25, 2021	2020	PG-13	90 min	
1	September 24, 2021	2021	TV-MA	2 Seasons	
2	September 24, 2021	2021	TV-MA	1 Season	
3	September 24, 2021	2021	TV-MA	1 Season	
4	September 24, 2021	2021	TV-MA	2 Seasons	
...	...	...	...	...	
8802	November 20, 2019	2007	R	158 min	
8803	July 1, 2019	2018	TV-Y7	2 Seasons	
8804	November 1, 2019	2009	R	88 min	
8805	January 11, 2020	2006	PG	88 min	
8806	March 2, 2019	2015	TV-14	111 min	

	listed_in	\
0	Documentaries	
1	International TV Shows, TV Dramas, TV Mysteries	
2	Crime TV Shows, International TV Shows, TV Act...	
3	Docuseries, Reality TV	
4	International TV Shows, Romantic TV Shows, TV ...	
...	...	
8802	Cult Movies, Dramas, Thrillers	
8803	Kids' TV, Korean TV Shows, TV Comedies	
8804	Comedies, Horror Movies	
8805	Children & Family Movies, Comedies	
8806	Dramas, International Movies, Music & Musicals	

	description
0	As her father nears the end of his life, filmm...
1	After crossing paths at a party, a Cape Town t...
2	To protect his family from a powerful drug lor...
3	Feuds, flirtations and toilet talk go down amo...
4	In a city of coaching centers known to train I...
...	...
8802	A political cartoonist, a crime reporter and a...
8803	While living alone in a spooky town, a young g...
8804	Looking to survive in a world taken over by zo...
8805	Dragged from civilian life, a former superhero...
8806	A scrappy but poor boy worms his way into a ty...

[8807 rows x 12 columns]

The dataset contains over 8807 titles, 12 descriptions. After a quick view of the data frames, it looks like a typical movie/TV shows data frame without ratings. We can also see that there are NaN values in some columns.

## 2. Observations on the shape of data, data types of all the attributes, conversion of categorical attributes to 'category' (If required), missing value detection, statistical summary

To get All Columns of this data so we have to check attributes by `netflix_df.columns`.

```
[6]: netflix_df.columns
```

```
[6]: Index(['show_id', 'type', 'title', 'director', 'cast', 'country', 'date_added',  
        'release_year', 'rating', 'duration', 'listed_in', 'description'],  
        dtype='object')
```

**The shape of data :** The shape of data can be checked by `netflix.ndim`. it is a 2-Dimensional dataset.

```
[7]: netflix_df.ndim
```

```
[7]: 2
```

Data types of all the Columns

```
[8]: netflix_df.info()
```

```
<class 'pandas.core.frame.DataFrame'>  
RangeIndex: 8807 entries, 0 to 8806  
Data columns (total 12 columns):  
#   Column          Non-Null Count  Dtype  
---  -  
0   show_id         8807 non-null   object  
1   type            8807 non-null   object  
2   title           8807 non-null   object  
3   director        6173 non-null   object  
4   cast            7982 non-null   object  
5   country         7976 non-null   object  
6   date_added      8797 non-null   object  
7   release_year    8807 non-null   int64  
8   rating          8803 non-null   object  
9   duration        8804 non-null   object  
10  listed_in       8807 non-null   object  
11  description      8807 non-null   object  
dtypes: int64(1), object(11)  
memory usage: 825.8+ KB
```

Statistical Summary Before Data Cleaning:

```
[9]: netflix_df.describe()
```

```
[9]:      release_year
      count    8807.000000
      mean     2014.180198
      std       8.819312
      min      1925.000000
      25%      2013.000000
      50%      2017.000000
      75%      2019.000000
      max      2021.000000
```

## Missing Value Detection:

### *Data Profiling & Cleaning*

Data Cleaning means the process of identifying incorrect, incomplete, inaccurate, irrelevant, or missing pieces of data and then modifying, replacing, or deleting them as needed. Data Cleansing is considered as the basic element of Data Science.

```
[10]: print('\nColumns with missing value:')
      print(netflix_df.isnull().any())
```

```
Columns with missing value:
show_id      False
type         False
title        False
director     True
cast         True
country      True
date_added   True
release_year False
rating       True
duration     True
listed_in    False
description  False
dtype: bool
```

From the info, we know that there are 8807 entries and 12 columns to work with for this EDA. There are a few columns that contain null values, “director,” “cast,” “country,” “date\_added,” “rating.”

```
[11]: netflix_df.T.apply(lambda x: x.isnull().sum(), axis = 1)
```

```
[11]: show_id      0
      type        0
      title       0
      director    2634
      cast        825
      country     831
```

```

date_added      10
release_year     0
rating           4
duration         3
listed_in        0
description      0
dtype: int64

```

```
[12]: netflix_df.isnull().sum().sum()
```

```
[12]: 4307
```

There are a total of 4307 null values across the entire dataset with 2634 missing points under “director”, 825 under “cast”, 831 under “country”, 11 under “date\_added”, 4 under “rating” and 3 under “duration”. We will have to handle all null data points before we can dive into EDA and modelling.

**Imputation is a treatment method for missing value by filling it in using certain techniques**

Can use mean, mode, or use predictive modelling. In this case study, we will discuss the use of the fillna function from Pandas for this imputation. Drop rows containing missing values. Can use the dropna function from Pandas.

```
[13]: netflix_df.director.fillna("No Director", inplace=True)
netflix_df.cast.fillna("No Cast", inplace=True)
netflix_df.country.fillna("Country Unavailable", inplace=True)
netflix_df.dropna(subset=["date_added", "duration", "rating"], inplace=True)
```

```
[14]: netflix_df.isnull().any()
```

```
[14]: show_id      False
type            False
title           False
director        False
cast            False
country         False
date_added      False
release_year    False
rating          False
duration        False
listed_in       False
description     False
dtype: bool

```

For missing values, the easiest way to get rid of them would be to delete the rows with the missing data. However, this wouldn’t be beneficial to our EDA since there is a loss of information. Since “director”, “cast”, and “country” contain the majority of null values, we chose to treat each missing value as unavailable. The other two labels “date\_added”, “duration” and “rating” contain an

insignificant portion of the data, so it drops from the dataset. Finally, we can see that there are no more missing values in the data frame.

### Statistical Summary After Data Cleaning:

```
[15]: netflix_df.describe()
```

```
[15]:      release_year
count    8790.000000
mean     2014.183163
std        8.825466
min      1925.000000
25%      2013.000000
50%      2017.000000
75%      2019.000000
max       2021.000000
```

### 3. Non-Graphical Analysis:

Non-Graphical Analysis involves calculating the summary statistics, without using pictorial or graphical representations. There are 3 main functions that Pandas library provide us, and I will be discussing about them. Those functions are:

1. `info()`
2. `isna().sum()` or `isnull().sum()`
3. `describe()`

Checking the data using `.head()`

```
[16]: netflix_df.head()
```

```
[16]:  show_id    type          title    director \
0      s1      Movie  Dick Johnson Is Dead  Kirsten Johnson
1      s2  TV Show      Blood & Water      No Director
2      s3  TV Show      Ganglands      Julien Leclercq
3      s4  TV Show  Jailbirds New Orleans      No Director
4      s5  TV Show      Kota Factory      No Director

                                cast          country \
0                                No Cast      United States
1  Ama Qamata, Khosi Ngema, Gail Mabalane, Thaban...      South Africa
2  Sami Bouajila, Tracy Gotoas, Samuel Jouy, Nabi...  Country Unavailable
3                                No Cast  Country Unavailable
4  Mayur More, Jitendra Kumar, Ranjan Raj, Alam K...      India

    date_added  release_year  rating  duration \
0  September 25, 2021      2020  PG-13      90 min
1  September 24, 2021      2021  TV-MA  2 Seasons
2  September 24, 2021      2021  TV-MA  1 Season
```

```

3   September 24, 2021          2021   TV-MA    1 Season
4   September 24, 2021          2021   TV-MA    2 Seasons

                                listed_in \
0                                     Documentaries
1   International TV Shows, TV Dramas, TV Mysteries
2   Crime TV Shows, International TV Shows, TV Act...
3                                     Docuseries, Reality TV
4   International TV Shows, Romantic TV Shows, TV ...

                                description
0   As her father nears the end of his life, filmm...
1   After crossing paths at a party, a Cape Town t...
2   To protect his family from a powerful drug lor...
3   Feuds, flirtations and toilet talk go down amo...
4   In a city of coaching centers known to train I...

```

**1.info()** - mainly indicates the number of features, non-null count, and data type of each features. Additionally, it also shows the number of features in present in each data type(s). This helps us to determine how many numerical and categorical features we have.

```
[17]: netflix_df.info()
```

```

<class 'pandas.core.frame.DataFrame'>
Int64Index: 8790 entries, 0 to 8806
Data columns (total 12 columns):
 #   Column          Non-Null Count  Dtype
---  -
 0   show_id         8790 non-null   object
 1   type            8790 non-null   object
 2   title           8790 non-null   object
 3   director        8790 non-null   object
 4   cast            8790 non-null   object
 5   country         8790 non-null   object
 6   date_added      8790 non-null   object
 7   release_year    8790 non-null   int64
 8   rating          8790 non-null   object
 9   duration        8790 non-null   object
10   listed_in       8790 non-null   object
11   description      8790 non-null   object
dtypes: int64(1), object(11)
memory usage: 892.7+ KB

```

## 2.Read The Description Of The Data

```
[18]: netflix_df.describe()
```



```
[18]:      release_year
      count    8790.000000
      mean     2014.183163
      std       8.825466
      min      1925.000000
      25%      2013.000000
      50%      2017.000000
      75%      2019.000000
      max      2021.000000
```

### 3. isna().sum() or isnull().sum()

```
[19]: netflix_df.T.apply(lambda x: x.isnull().sum(), axis = 1)
```

```
[19]: show_id      0
      type        0
      title       0
      director    0
      cast        0
      country     0
      date_added  0
      release_year 0
      rating      0
      duration    0
      listed_in   0
      description 0
      dtype: int64
```

## 3. Non-Graphical Analysis: Value counts and unique attributes

### 1. Top Directors Count

```
[61]: df1 = netflix_df["director"].value_counts().to_frame().reset_index().
      ↪ rename(columns = {"index" : "Director_Name" , "director" : "Count"})
      df1
```

```
[61]:      Director_Name  Count
0      No Director    2621
1      Rajiv Chilaka    19
2  Raúl Campos, Jan Suter    18
3      Suhas Kadav     16
4      Marcus Raboy    16
...      ...      ...
4522 Raymie Muzquiz, Stu Livingston    1
4523      Joe Menendez    1
4524      Eric Bross     1
4525      Will Eisenberg    1
4526      Moez Singh     1
```

[4527 rows x 2 columns]

In this data , No Director shows us there is no director name in the director column and Rajiv Chilaka direct the maximum shows on netflix and He is the director of the Animation shows like cartoons “CHOTA BHEEM” is one of the popular show of his shows.

## 2. Top countries where netflix is popular

```
[62]: df2 = netflix_df["country"].value_counts().to_frame().reset_index().
      ↪rename(columns = {"index" : "Country_Name" ,"country" : "Count"})
df2
```

```
[62]:
```

	Country_Name	Count
0	United States	2809
1	India	972
2	Country Unavailable	829
3	United Kingdom	418
4	Japan	243
..	...	...
744	Romania, Bulgaria, Hungary	1
745	Uruguay, Guatemala	1
746	France, Senegal, Belgium	1
747	Mexico, United States, Spain, Colombia	1
748	United Arab Emirates, Jordan	1

[749 rows x 2 columns]

In this data Country unavailable shows us there is no country name in the country column and the United States release maximum Movies and TV Show on Netflix . After that India and United Kingdom has release.In the covid time everyone watched the Netflix with their Family because in covid time lockdoen occured in the world.

## 3. Movies and Tv shows added over time on netflix

```
[63]: df3 = netflix_df["release_year"].value_counts().to_frame().reset_index().
      ↪rename(columns = {"index" : "Year" ,"release_year" : "Count"})
df3
```

```
[63]:
```

	Year	Count
0	2018	1146
1	2017	1030
2	2019	1030
3	2020	953
4	2016	901
..	...	...
69	1959	1
70	1925	1
71	1961	1

```
72  1947      1
73  1966      1
```

```
[74 rows x 2 columns]
```

In this analysis we find that the Movies and TV Show released in 2018 has maximum count that means the busy year on the netflix is “2018” followed by 2017 and 2019.

#### 4. Movies and Tv shows count on netflix

```
[65]: df4 = netflix_df["type"].value_counts().to_frame().reset_index().rename(columns={
      ↪  "index" : "Type" , "type" : "Count"})
df4
```

```
[65]:      Type  Count
0    Movie   6126
1  TV Show   2664
```

In the above analysis we find that the movies and Tv Show counts from the Netflix data here we have 6126 count for Movies and 2664 count for TV Show.

#### 5. Cast who played maximum role in movies and tv shows on netflix

```
[67]: df5 = netflix_df["cast"].value_counts().to_frame().reset_index().rename(columns={
      ↪  "index" : "Cast" , "cast" : "Count"})
df5
```

```
[67]:      Cast  Count
0              No Cast    825
1    David Attenborough    19
2  Vatsal Dubey, Julie Tejjwani, Rupa Bhimani, Jig...    14
3    Samuel West        10
4    Jeff Dunham         7
...
7674 Sanjay Dutt, Arjun Kapoor, Kriti Sanon, Zeenat...     1
7675 Lika Berning, Bobby van Jaarsveld, Marlee van ...     1
7676 Lisa Vicari, Dennis Mojen, Walid Al-Atiyat, Ch...     1
7677 Piotr Cyrrus, Mikołaj Kubacki, Anna Radwan, Ma...     1
7678 Vicky Kaushal, Sarah-Jane Dias, Raaghav Chanan...     1
```

```
[7679 rows x 2 columns]
```

In the above analysis it shows that there is 825 null value in cast column and David Attenborough did 19 movies which is listed in Netflix after that Vatsal Dubey , Rupa Bhimani , Julie Tejjwani did 14 movies .

## 4. Visual Analysis - Univariate, Bivariate after pre-processing of the data

### 4.1 For continuous variable(s): Distplot, countplot, histogram for univariate analysis


**A - Pie Plot - Netflix Content By Type** - Analysis entire Netflix dataset consisting of both movies and shows. Let's compare the total number of movies and shows in this dataset to know which one is the majority.

```
[82]: # Calculate the percentage distribution of content types
x = netflix_df.groupby(['type'])['type'].count()
y = len(netflix_df)
r = ((x/y) * 100).round(2)

# Create a DataFrame to store the percentage distribution
mf_ratio = pd.DataFrame(r)
mf_ratio.rename({'type': '%'}, axis=1, inplace=True)

# Plot the 3D-effect pie chart
plt.figure(figsize=(12, 8))
colors = ['green', 'black']
explode = (0.1, 0)
plt.pie(mf_ratio['%'], labels=mf_ratio.index, autopct='%1.1f%%',
        colors=colors, explode=explode, shadow=True, startangle=90,
        textprops={'color': 'white'})

plt.legend(loc='upper right')
plt.title('Distribution of Content Types')
plt.show()
```



There are far more movie titles (69.7%) than TV shows titles (30.3%) in terms of title

#### 4.2 Amount of Content as a Function of Time: Distplot

we will explore the amount of content Netflix has added throughout the previous years. Since we are interested in when Netflix added the title onto their platform, we will add a “year\_added” column to show the date from the “date\_added” columns.

```
[21]: netflix_df["year_added"] = pd.to_datetime(netflix_df.date_added).dt.year
      netflix_df
```

```
[21]:
```

	show_id	type	title	director
0	s1	Movie	Dick Johnson Is Dead	Kirsten Johnson

1	s2	TV Show	Blood & Water	No Director
2	s3	TV Show	Ganglands	Julien Leclercq
3	s4	TV Show	Jailbirds New Orleans	No Director
4	s5	TV Show	Kota Factory	No Director
...	...	...	...	...
8802	s8803	Movie	Zodiac	David Fincher
8803	s8804	TV Show	Zombie Dumb	No Director
8804	s8805	Movie	Zombieland	Ruben Fleischer
8805	s8806	Movie	Zoom	Peter Hewitt
8806	s8807	Movie	Zubaan	Mozez Singh

		cast	country \
0		No Cast	United States
1	Ama Qamata, Khosi Ngema, Gail Mabalane, Thaban...		South Africa
2	Sami Bouajila, Tracy Gotoas, Samuel Jouy, Nabi...	Country Unavailable	
3		No Cast	Country Unavailable
4	Mayur More, Jitendra Kumar, Ranjan Raj, Alam K...		India
...	...	...	...
8802	Mark Ruffalo, Jake Gyllenhaal, Robert Downey J...		United States
8803		No Cast	Country Unavailable
8804	Jesse Eisenberg, Woody Harrelson, Emma Stone, ...		United States
8805	Tim Allen, Courteney Cox, Chevy Chase, Kate Ma...		United States
8806	Vicky Kaushal, Sarah-Jane Dias, Raaghav Chanan...		India

	date_added	release_year	rating	duration \
0	September 25, 2021	2020	PG-13	90 min
1	September 24, 2021	2021	TV-MA	2 Seasons
2	September 24, 2021	2021	TV-MA	1 Season
3	September 24, 2021	2021	TV-MA	1 Season
4	September 24, 2021	2021	TV-MA	2 Seasons
...	...	...	...	...
8802	November 20, 2019	2007	R	158 min
8803	July 1, 2019	2018	TV-Y7	2 Seasons
8804	November 1, 2019	2009	R	88 min
8805	January 11, 2020	2006	PG	88 min
8806	March 2, 2019	2015	TV-14	111 min

	listed_in \
0	Documentaries
1	International TV Shows, TV Dramas, TV Mysteries
2	Crime TV Shows, International TV Shows, TV Act...
3	Docuseries, Reality TV
4	International TV Shows, Romantic TV Shows, TV ...
...	...
8802	Cult Movies, Dramas, Thrillers
8803	Kids' TV, Korean TV Shows, TV Comedies
8804	Comedies, Horror Movies

```

8805           Children & Family Movies, Comedies
8806   Dramas, International Movies, Music & Musicals

```

```

                                description  year_added
0      As her father nears the end of his life, filmm...    2021
1      After crossing paths at a party, a Cape Town t...    2021
2      To protect his family from a powerful drug lor...    2021
3      Feuds, flirtations and toilet talk go down amo...    2021
4      In a city of coaching centers known to train I...    2021
...
8802  A political cartoonist, a crime reporter and a...    2019
8803  While living alone in a spooky town, a young g...    2019
8804  Looking to survive in a world taken over by zo...    2019
8805  Dragged from civilian life, a former superhero...    2020
8806  A scrappy but poor boy worms his way into a ty...    2019

```

```
[8790 rows x 13 columns]
```

```
[22]: netflix_year_df = netflix_df["year_added"].value_counts().to_frame().
      ↪reset_index().rename(columns={"index": "year",
      "year_added": "count"})
```

```
[23]: netflix_year_df
```

```
[23]:
   year  count
0   2019   2016
1   2020   1879
2   2018   1648
3   2021   1498
4   2017   1185
5   2016    426
6   2015     82
7   2014     24
8   2011     13
9   2013     11
10  2012      3
11  2009      2
12  2008      2
13  2010      1

```

```
[24]: movies_data = netflix_df.loc[netflix_df["type"] == "Movie"]
      movies_year_df = movies_data.year_added.value_counts().to_frame().reset_index().
      ↪rename(columns={"index":
      "year", "year_added": "count"})
```

```
[25]: movies_data
```

```
[25]:      show_id  type                title \
0          s1  Movie      Dick Johnson Is Dead
6          s7  Movie  My Little Pony: A New Generation
7          s8  Movie                Sankofa
9          s10 Movie      The Starling
12         s13 Movie      Je Suis Karl
...      ...  ...
8801     s8802 Movie                Zinzana
8802     s8803 Movie                Zodiac
8804     s8805 Movie      Zombieland
8805     s8806 Movie                Zoom
8806     s8807 Movie                Zubaan
```

```

                                director \
0                                Kirsten Johnson
6      Robert Cullen, José Luis Ucha
7                                Haile Gerima
9                                Theodore Melfi
12                               Christian Schwochow
...                               ...
8801                               Majid Al Ansari
8802                               David Fincher
8804                               Ruben Fleischer
8805                               Peter Hewitt
8806                               Mozez Singh
```

```

                                cast \
0                                No Cast
6      Vanessa Hudgens, Kimiko Glenn, James Marsden, ...
7      Kofi Ghanaba, Oyafunmike Ogunlano, Alexandra D...
9      Melissa McCarthy, Chris O'Dowd, Kevin Kline, T...
12     Luna Wedler, Jannis Niewöhner, Milan Peschel, ...
...                                ...
8801     Ali Suliman, Saleh Bakri, Yasa, Ali Al-Jabri, ...
8802     Mark Ruffalo, Jake Gyllenhaal, Robert Downey J...
8804     Jesse Eisenberg, Woody Harrelson, Emma Stone, ...
8805     Tim Allen, Courteney Cox, Chevy Chase, Kate Ma...
8806     Vicky Kaushal, Sarah-Jane Dias, Raaghav Chanan...
```

```

                                country      date_added \
0                                United States  September 25, 2021
6                                Country Unavailable  September 24, 2021
7      United States, Ghana, Burkina Faso, United Kin...  September 24, 2021
9                                United States  September 24, 2021
12                               Germany, Czech Republic  September 23, 2021
...                                ...
8801                               United Arab Emirates, Jordan  March 9, 2016
```



8802	United States	November 20, 2019
8804	United States	November 1, 2019
8805	United States	January 11, 2020
8806	India	March 2, 2019

	release_year	rating	duration	\
0	2020	PG-13	90 min	
6	2021	PG	91 min	
7	1993	TV-MA	125 min	
9	2021	PG-13	104 min	
12	2021	TV-MA	127 min	
...	...	...	...	
8801	2015	TV-MA	96 min	
8802	2007	R	158 min	
8804	2009	R	88 min	
8805	2006	PG	88 min	
8806	2015	TV-14	111 min	

	listed_in	\
0	Documentaries	
6	Children & Family Movies	
7	Dramas, Independent Movies, International Movies	
9	Comedies, Dramas	
12	Dramas, International Movies	
...	...	
8801	Dramas, International Movies, Thrillers	
8802	Cult Movies, Dramas, Thrillers	
8804	Comedies, Horror Movies	
8805	Children & Family Movies, Comedies	
8806	Dramas, International Movies, Music & Musicals	

	description	year_added
0	As her father nears the end of his life, filmm...	2021
6	Equestria's divided. But a bright-eyed hero be...	2021
7	On a photo shoot in Ghana, an American model s...	2021
9	A woman adjusting to life after a loss contend...	2021
12	After most of her family is murdered in a terr...	2021
...	...	...
8801	Recovering alcoholic Talal wakes up inside a s...	2016
8802	A political cartoonist, a crime reporter and a...	2019
8804	Looking to survive in a world taken over by zo...	2019
8805	Dragged from civilian life, a former superhero...	2020
8806	A scrappy but poor boy worms his way into a ty...	2019

[6126 rows x 13 columns]

[26]: movies\_year\_df

```
[26]:
```

	year	count
0	2019	1424
1	2020	1284
2	2018	1237
3	2021	993
4	2017	836
5	2016	251
6	2015	56
7	2014	19
8	2011	13
9	2013	6
10	2012	3
11	2009	2
12	2008	1
13	2010	1

```
[27]: tvShow_data = netflix_df.loc[netflix_df["type"] == "TV Show"]
shows_year_df = tvShow_data.year_added.value_counts().to_frame().reset_index().
↳ rename(columns={"index":
"year", "year_added": "count"})
```

```
[28]: tvShow_data
```

```
[28]:
```

	show_id	type	title	director \
1	s2	TV Show	Blood & Water	No Director
2	s3	TV Show	Ganglands	Julien Leclercq
3	s4	TV Show	Jailbirds New Orleans	No Director
4	s5	TV Show	Kota Factory	No Director
5	s6	TV Show	Midnight Mass	Mike Flanagan
...	...	...	...	...
8795	s8796	TV Show	Yu-Gi-Oh! Arc-V	No Director
8796	s8797	TV Show	Yunus Emre	No Director
8797	s8798	TV Show	Zak Storm	No Director
8800	s8801	TV Show	Zindagi Gulzar Hai	No Director
8803	s8804	TV Show	Zombie Dumb	No Director

```
cast \
```

1	Ama Qamata, Khosi Ngema, Gail Mabalane, Thaban...
2	Sami Bouajila, Tracy Gotoas, Samuel Jouy, Nabi...
3	No Cast
4	Mayur More, Jitendra Kumar, Ranjan Raj, Alam K...
5	Kate Siegel, Zach Gilford, Hamish Linklater, H...
...	...
8795	Mike Liscio, Emily Bauer, Billy Bob Thompson, ...
8796	Gökhan Atalay, Payidar Tüfekçioğlu, Baran Akbu...
8797	Michael Johnston, Jessica Gee-George, Christin...
8800	Sanam Saeed, Fawad Khan, Ayesha Omer, Mehreen ...

8803

No Cast

	country	date_added \
1	South Africa	September 24, 2021
2	Country Unavailable	September 24, 2021
3	Country Unavailable	September 24, 2021
4	India	September 24, 2021
5	Country Unavailable	September 24, 2021
...	...	...
8795	Japan, Canada	May 1, 2018
8796	Turkey	January 17, 2017
8797	United States, France, South Korea, Indonesia	September 13, 2018
8800	Pakistan	December 15, 2016
8803	Country Unavailable	July 1, 2019

	release_year	rating	duration \
1	2021	TV-MA	2 Seasons
2	2021	TV-MA	1 Season
3	2021	TV-MA	1 Season
4	2021	TV-MA	2 Seasons
5	2021	TV-MA	1 Season
...	...	...	...
8795	2015	TV-Y7	2 Seasons
8796	2016	TV-PG	2 Seasons
8797	2016	TV-Y7	3 Seasons
8800	2012	TV-PG	1 Season
8803	2018	TV-Y7	2 Seasons

	listed_in \
1	International TV Shows, TV Dramas, TV Mysteries
2	Crime TV Shows, International TV Shows, TV Act...
3	Docuseries, Reality TV
4	International TV Shows, Romantic TV Shows, TV ...
5	TV Dramas, TV Horror, TV Mysteries
...	...
8795	Anime Series, Kids' TV
8796	International TV Shows, TV Dramas
8797	Kids' TV
8800	International TV Shows, Romantic TV Shows, TV ...
8803	Kids' TV, Korean TV Shows, TV Comedies

	description	year_added
1	After crossing paths at a party, a Cape Town t...	2021
2	To protect his family from a powerful drug lor...	2021
3	Feuds, flirtations and toilet talk go down amo...	2021
4	In a city of coaching centers known to train I...	2021
5	The arrival of a charismatic young priest brin...	2021

```

...
8795 Now that he's discovered the Pendulum Summonin... 2018
8796 During the Mongol invasions, Yunus Emre leaves... 2017
8797 Teen surfer Zak Storm is mysteriously transpor... 2018
8800 Strong-willed, middle-class Kashaf and carefre... 2016
8803 While living alone in a spooky town, a young g... 2019

```

```
[2664 rows x 13 columns]
```

```
[29]: shows_year_df
```

```

[29]:   year  count
0  2020    595
1  2019    592
2  2021    505
3  2018    411
4  2017    349
5  2016    175
6  2015     26
7  2014      5
8  2013      5
9  2008      1

```

```

[30]: fig, ax = plt.subplots(figsize=(7, 5))
sns.displot(data=netflix_year_df, x='year', y='count')
sns.displot(data=movies_year_df, x='year', y='count')
sns.displot (data=shows_year_df, x='year', y='count')
ax.set_xticklabels(np.arange(2008, 2022, 1))
plt.title("Total content added across all years")
plt.legend(['Total', 'Movie', 'TV Show'])
plt.ylabel("Releases")
plt.xlabel("Year")
plt.show()

```


```


<ipython-input-30-2c7bf0153ba1>:5: UserWarning: FixedFormatter should only be
used together with FixedLocator


```

```
ax.set_xticklabels(np.arange(2008, 2022, 1))
```













```
[31]: fig, ax = plt.subplots(figsize=(7, 5))
sns.displot(data=netflix_year_df, x='year', y='count')
sns.displot(data=movies_year_df, x='year', y='count')
sns.displot (data=shows_year_df, x='year', y='count')
ax.set_xticks(np.arange(2008, 2021, 1))
plt.title("Total content added across all years")
plt.legend(['Total', 'Movie', 'TV Show'])
plt.ylabel("Releases")
plt.xlabel("Year")
plt.show()
```











### 4.3. Distribution of Movie Lengths and TV Show Episode Counts


```
[73]: # Extract the movie lengths and TV show episode counts
movie_lengths = df_movies['duration'].str.extract('(\d+)', expand=False).
    ↳astype(int)
tv_show_episodes = df_tv_shows['duration'].str.extract('(\d+)', expand=False).
    ↳astype(int)

# Plot the histogram
plt.figure(figsize=(10, 6))
plt.hist(movie_lengths, bins=10, color='green', label='Movies')
plt.hist(tv_show_episodes, bins=10, color='black', label='TV Shows')

# Customize the plot
plt.xlabel('Duration/Episode Count')
plt.ylabel('Frequency')
plt.title('Distribution of Movie Lengths and TV Show Episode Counts')
```

```
plt.legend()

# Show the plot
plt.show()
```



Analyzing the histograms, we can observe that most movies on Netflix have a duration of around 100 minutes. On the other hand, most TV shows on Netflix have only one season.

#### 4.4 Exploring the countries contribution with the most content of Netflix.

Next is exploring the countries by the amount of the produces content of Netflix. We need to separate all countries within a film before analysing it, then removing titles with no countries available.

```
[34]: import plotly.graph_objects as go
      from plotly.offline import init_notebook_mode, iplot
```

We need to separate all countries within a film before analyzing it, then removing titles with no countries available.

```
[35]: filtered_countries = netflix_df.set_index('title').country.str.split(', ',
      expand=True).stack().reset_index(level=1, drop=True);
      filtered_countries = filtered_countries[filtered_countries != 'Country_
      ↪Unavailable']
      iplot([go.Choropleth(
      locationmode='country names',
```

```
locations=filtered_countries,
z=filtered_countries.value_counts()
)])
```

## 4.5 Top 10 Countries Where Netflix is Popular

```
[74]: # Remove white spaces from 'country' column
netflix_df['country'] = netflix_df['country'].str.rstrip()

# Find value counts
country_counts = netflix_df['country'].value_counts()


# Select the top 10 countries
top_10_countries = country_counts.head(10)

# Plot the top 10 countries
plt.figure(figsize=(16, 10))
colors = ['green'] + ['black'] * (len(top_10_countries) - 1)
bar_plot = sns.barplot(x=top_10_countries.index, y=top_10_countries.values,
    ↪palette=colors)

plt.xlabel('Country', fontsize = 15)
plt.ylabel('Number of Titles', fontsize = 15)
plt.title('Top 10 Countries Where Netflix is Popular')
plt.xticks(rotation = 45, fontsize = 10)
plt.yticks(rotation = 45, fontsize = 10)

# Add count values on top of each bar
for index, value in enumerate(top_10_countries.values):
    bar_plot.text(index, value, str(value), ha='center', va='bottom')

plt.show()
```



#### 4.6 Top 10 Actors by Movie/TV Show Count

```
[75]: # Count the occurrences of each actor
cast_counts = netflix_df['cast'].value_counts()[1:]

# Select the top 10 actors
top_10_cast = cast_counts.head(10)

plt.figure(figsize=(16, 8))
colors = ['green'] + ['black'] * (len(top_10_cast) - 1)
bar_plot = sns.barplot(x=top_10_cast.index, y=top_10_cast.values,
    palette=colors)

plt.xlabel('Actor', fontsize = 15)
plt.ylabel('Number of Appearances', fontsize = 15)
plt.title('Top 10 Actors by Movie/TV Show Count')
plt.xticks(rotation = 45, fontsize = 10)
plt.yticks(rotation = 45, fontsize = 10)


import textwrap
max_width = 20
```

```

bar_plot.set_xticklabels(textwrap.fill(x.get_text(), max_width) for x in
    ↪ bar_plot.get_xticklabels())
# Add count values on top of each bar
for index, value in enumerate(top_10_cast.values):
    bar_plot.text(index, value, str(value), ha='center', va='bottom')

plt.show()

```



The bar chart shows that David Attenborough has the highest appearances in movies and TV shows

#### 4.7 Top 10 Directors by Movie/TV Show Count

```

[76]: # Count the occurrences of each actor
director_counts = netflix_df['director'].value_counts()[1:]

# Select the top 10 actors
top_10_directors = director_counts.head(10)

plt.figure(figsize=(16, 8))
colors = ['green'] + ['black'] * (len(top_10_directors) - 1)
bar_plot = sns.barplot(x=top_10_directors.index, y=top_10_directors.values,
    ↪ palette=colors)

```




```

plt.xlabel('Director')
plt.ylabel('Number of Movies/TV Shows')
plt.title('Top 10 Directors by Movie/TV Show Count')
plt.xticks(rotation = 45, fontsize = 10)
plt.yticks(rotation = 45, fontsize = 10)

# Add count values on top of each bar
for index, value in enumerate(top_10_directors.values):
    bar_plot.text(index, value, str(value), ha='center', va='bottom')

plt.show()

```



The bar chart displays the top 10 directors with the most movies or TV shows. Rajiv Chilaka seems to have directed the most content in the Netflix library.

#### 4.8 Top 10 Categories by Movie/TV Show Count

```

[39]: netflix_df['listed_in'] = netflix_df['listed_in'].str.strip()

# Count the occurrences of each actor
listed_in_counts = netflix_df['listed_in'].value_counts()

# Select the top 10 actors
top_10_listed_in = listed_in_counts.head(10)

```

```


plt.figure(figsize=(12, 8))
bar_plot = sns.barplot(x=top_10_listed_in.index, y=top_10_listed_in.values)

# Customize the plot
plt.xlabel('Category')
plt.ylabel('Number of Movies/TV Shows')
plt.title('Top 10 Categories by Movie/TV Show Count')
plt.xticks(rotation=45)

#splitting xticks
import textwrap
max_width = 20
bar_plot.set_xticklabels(textwrap.fill(x.get_text(), max_width) for x in
    ↪bar_plot.get_xticklabels())
# Add count values on top of each bar
for index, value in enumerate(top_10_listed_in.values):
    bar_plot.text(index, value, str(value), ha='center', va='bottom')

# Show the plot
plt.show()

```



## 4.9 Movies & TV Shows Added Over Time

```
[78]: # Filter the DataFrame to include only Movies and TV Shows
df_movies = netflix_df[netflix_df['type'] == 'Movie']
df_tv_shows = netflix_df[netflix_df['type'] == 'TV Show']


# Group the data by year and count the number of Movies and TV Shows
# added in each year
movies_count = df_movies['year_added'].value_counts().sort_index()
tv_shows_count = df_tv_shows['year_added'].value_counts().sort_index()

# Create a line chart to visualize the trends over time
plt.figure(figsize=(16, 8))
plt.plot(movies_count.index, movies_count.values, color='green',
label='Movies', linewidth=2)
plt.plot(tv_shows_count.index, tv_shows_count.values, color='aqua',
label='TV Shows', linewidth=2)

# Fill the area under the line charts
plt.fill_between(movies_count.index, movies_count.values, color='g')
plt.fill_between(tv_shows_count.index, tv_shows_count.values, color='c')

# Customize the plot
plt.xlabel('Year', fontsize = 15)
plt.ylabel('Count', fontsize = 15)
plt.title('Movies & TV Shows Added Over Time')
plt.legend()

# Show the plot
plt.show()
```



The line chart illustrates the number of movies and TV shows added to Netflix over time. It visually represents the growth and trends in content additions, with separate lines for films and TV shows.

Netflix saw its real growth starting from the year 2015, & we can see it added more Movies than TV Shows over the years.

Also, it is interesting that the content addition dropped in 2020. This could be due to the pandemic situation.

Next, we explore the distribution of content additions across different months. This analysis helps us identify patterns and understand when Netflix introduces new content.

#### 4.10 Content Added by Month

```
[79]: # Extract the month from the 'date_added' column
netflix_df['month_added'] = pd.to_datetime(netflix_df['date_added']).dt.
    month_name()

# Define the order of the months
month_order = ['January', 'February', 'March', 'April', 'May', 'June', 'July',
               'August', 'September', 'October', 'November', 'December']

# Count the number of shows added in each month
monthly_counts = netflix_df['month_added'].value_counts().loc[month_order]

# Determine the maximum count
max_count = monthly_counts.max()

# Set the color for the highest bar and the rest of the bars
```

```

colors = ['green' if count == max_count else 'black' for count in
    ↪monthly_counts]

# Create the bar chart
plt.figure(figsize=(16, 8))
bar_plot = sns.barplot(x=monthly_counts.index, y=monthly_counts.values,
    ↪palette=colors)


# Customize the plot
plt.xlabel('Month', fontsize = 15)
plt.ylabel('Count', fontsize = 15)
plt.title('Content Added by Month')

# Add count values on top of each bar
for index, value in enumerate(monthly_counts.values):
    bar_plot.text(index, value, str(value), ha='center', va='bottom')

# Rotate x-axis labels for better readability
plt.xticks(rotation = 45, fontsize = 10)
plt.yticks(rotation = 45, fontsize = 10)

# Show the plot
plt.show()

```



The bar chart shows that July and December are the months when Netflix adds the most content to its library. This information can be valuable for viewers who want to anticipate new releases

during these months.

Another crucial aspect of Netflix's content analysis is understanding the distribution of ratings. By examining the count of each rating category, we can determine the most prevalent types of content on the platform.

#### 4.11 Distribution of Ratings


```
[80]: # Count the occurrences of each rating
rating_counts = netflix_df['rating'].value_counts()

# Create a bar chart to visualize the ratings
plt.figure(figsize=(16, 8))
colors = ['green'] + ['black'] * (len(rating_counts) - 1)
sns.barplot(x=rating_counts.index, y=rating_counts.values, palette=colors)

# Customize the plot
plt.xlabel('Rating', fontsize = 15)
plt.ylabel('Count', fontsize = 15)
plt.title('Distribution of Ratings')

# Rotate x-axis labels for better readability
plt.xticks(rotation=45)

# Show the plot
plt.show()
```



Upon analyzing the bar chart, we can observe the distribution of ratings on Netflix. It helps us

identify the most common rating categories and their relative frequency.

#### 4.12 The Trend of Movie/TV Show Lengths Over the Years

We can plot line charts to understand how movie lengths and TV show episode counts have evolved over the years. Identifying patterns or shifts in content duration by analyzing these trends.

We start by extracting the movie lengths and TV show episode counts from the 'duration' column. Then, we create line plots to visualize the changes in movie lengths and TV show episodes over the years.

```
[43]: import seaborn as sns
import matplotlib.pyplot as plt

# Extract the movie lengths and TV show episodes from the 'duration' column
movie_lengths = df_movies['duration'].str.extract('(\d+)', expand=False).
    ↪astype(int)
tv_show_episodes = df_tv_shows['duration'].str.extract('(\d+)', expand=False).
    ↪astype(int)


# Create line plots for movie lengths and TV show episodes
plt.figure(figsize=(16, 8))

plt.subplot(2, 1, 1)
sns.lineplot(data=df_movies, x='release_year', y=movie_lengths, color=colors[0])
plt.xlabel('Release Year', fontsize = 15)
plt.ylabel('Movie Length', fontsize = 15)
plt.title('Trend of Movie Lengths Over the Years')

plt.subplot(2, 1, 2)
sns.lineplot(data=df_tv_shows, x='release_year',
    ↪y=tv_show_episodes,color=colors[1])
plt.xlabel('Release Year', fontsize = 15)
plt.ylabel('TV Show Episodes', fontsize = 15)
plt.title('Trend of TV Show Episodes Over the Years')

# Adjust the layout and spacing
plt.tight_layout()

# Show the plots
plt.show()
```



Analyzing the line charts, we observe exciting patterns. We can see that movie length initially increased until around 1963-1964 and then gradually dropped, stabilizing around an average of 100 minutes. This suggests a shift in audience preferences over time.

Regarding TV show episodes, we have noticed a consistent trend since the early 2000s, where most TV shows on Netflix have one to three seasons. This indicates a preference for shorter series or limited series formats among viewers.

#### 4.13 Distribution of Movie Lengths and TV Show Episode Counts

Understanding the Duration of movies and TV shows provides insights into the content's length and helps viewers plan their watching time. By examining the distribution of movie lengths and TV show durations, we can better understand the content available on Netflix.

To achieve this, we extract the movie lengths, and TV show episode counts from the 'duration' column. We then plot histograms and box plots to visualize the distribution of movie lengths and TV show durations.

```
[81]: # Extract the movie lengths and TV show episode counts
movie_lengths = df_movies['duration'].str.extract('(\d+)', expand=False).
    ↪astype(int)
tv_show_episodes = df_tv_shows['duration'].str.extract('(\d+)', expand=False).
    ↪astype(int)


# Plot the histogram
plt.figure(figsize=(10, 6))
plt.hist(movie_lengths, bins=10, color='green', label='Movies')
plt.hist(tv_show_episodes, bins=10, color='black', label='TV Shows')

# Customize the plot
plt.xlabel('Duration/Episode Count')
```



```
plt.ylabel('Frequency')
plt.title('Distribution of Movie Lengths and TV Show Episode Counts')
plt.legend()

# Show the plot
plt.show()
```



Analyzing the histograms, we can observe that most movies on Netflix have a duration of around 100 minutes. On the other hand, most TV shows on Netflix have only one season.

Additionally, by examining the box plots, we can see that movies longer than approximately 2.5 hours are considered outliers. For TV shows, finding those with more than four seasons is uncommon.

#### 4.14 Most Common Words in Titles and Descriptions

Analyzing the most common words used in titles and descriptions can provide insights into the themes and content focus on Netflix. We can generate word clouds to uncover these patterns based on the titles and descriptions of Netflix's content.

```
[45]: from wordcloud import WordCloud

# Concatenate all the titles into a single string
text = ' '.join(netflix_df['title'])

wordcloud = WordCloud(width = 800, height = 800,
```

```
background_color = 'white',
min_font_size = 10).generate(text)

# plot the WordCloud image
plt.figure(figsize = (8, 8), facecolor = None)
plt.imshow(wordcloud)
plt.axis("off")
plt.tight_layout(pad = 0)

plt.show()
```




Examining the word cloud for titles, we observe that terms like “Love,” “Girl,” “Man,” “Life,” and “World” are frequently used, indicating the presence of romantic, coming-of-age, and drama genres.

in Netflix's content library.

#### 4.15 Top 20 Genres on Netflix: Count Plot

```
[46]: filtered_genres = netflix_df.set_index('title').listed_in.str.split(', ',
expand=True).stack().reset_index(level=1, drop=True);
plt.figure(figsize=(4,5))
g = sns.countplot(y = filtered_genres,
order=filtered_genres.value_counts().index[:20])
plt.title('Top 20 Genres on Netflix')
plt.xlabel('Titles')
plt.ylabel('Genres')
plt.show()
```



From the graph, we know that International Movies take the first place, followed by dramas and comedies.

#### 4.2 For categorical variable(s):

##### Boxplot

*Duration Distribution for Movies and TV Shows*


Analysing the duration distribution for movies and TV shows allows us to understand the typical length of content available on Netflix. We can create box plots to visualize these distributions and identify outliers or standard durations.

```
[47]: netflix_movies_df = netflix_df[netflix_df.type.str.contains("Movie")]
netflix_movies_df['duration'] = netflix_movies_df['duration'].str.
    ↪extract('(\d+)',
expand=False).astype(int)
# Creating a boxplot for movie duration
plt.figure(figsize=(10, 6))
sns.boxplot(data=netflix_movies_df, x='type', y='duration')
plt.xlabel('Content Type')
plt.ylabel('Duration')
plt.title('Distribution of Duration for Movies')
plt.show()
```

<ipython-input-47-03847279cf44>:2: SettingWithCopyWarning:

A value is trying to be set on a copy of a slice from a DataFrame.  
Try using `.loc[row_indexer,col_indexer] = value` instead

See the caveats in the documentation: [https://pandas.pydata.org/pandas-docs/stable/user\\_guide/indexing.html#returning-a-view-versus-a-copy](https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy)




[47]:

```
[48]: netflix_shows_df = netflix_df[netflix_df.type.str.contains("TV Show")]
netflix_shows_df['duration'] = netflix_shows_df['duration'].str.extract('(\d+)',
expand=False).astype(int)
# Creating a boxplot for movie duration
plt.figure(figsize=(3, 6))
sns.boxplot(data=netflix_shows_df, x='type', y='duration')
plt.xlabel('Content Type')
plt.ylabel('Duration')
plt.title('Distribution of Duration for Shows')
plt.show()
```

<ipython-input-48-54aee4305ca4>:2: SettingWithCopyWarning:

A value is trying to be set on a copy of a slice from a DataFrame.  
Try using `.loc[row_indexer,col_indexer] = value` instead

See the caveats in the documentation: [https://pandas.pydata.org/pandas-docs/stable/user\\_guide/indexing.html#returning-a-view-versus-a-copy](https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy)



Analysing the movie box plot, we can see that most movies fall within a reasonable duration range, with few outliers exceedingly approximately 2.5 hours. This suggests that most movies on Netflix are designed to fit within a standard viewing time. For TV shows, the box plot reveals that most shows have one to four seasons, with very few outliers having longer durations. This aligns with the earlier trends, indicating that Netflix focuses on shorter series formats.

### 4.3 For correlation: Heatmaps, Pairplots

#### Genre Correlation Heatmap:

```
[49]: # Extracting unique genres from the 'listed_in' column
genres = netflix_df['listed_in'].str.split(', ', expand=True).stack().unique()

# Create a new DataFrame to store the genre data
genre_data = pd.DataFrame(index=genres, columns=genres, dtype=float)
```

```

# Fill the genre data DataFrame with zeros
genre_data.fillna(0, inplace=True)

# Iterate over each row in the original DataFrame and update the genre data
↳ DataFrame
for _, row in netflix_df.iterrows():
    listed_in = row['listed_in'].split(', ')
    for genre1 in listed_in:
        for genre2 in listed_in:
            genre_data.at[genre1, genre2] += 1


# Create a correlation matrix using the genre data
correlation_matrix = genre_data.corr()

# Create the heatmap
plt.figure(figsize=(20, 16))
sns.heatmap(correlation_matrix, annot=False, cmap='coolwarm')

# Customize the plot
plt.title('Genre Correlation Heatmap')
plt.xticks(rotation=90)
plt.yticks(rotation=0)

# Show the plot
plt.show()

```




The heatmap demonstrates the correlation between different genres. By analysing the heatmap, we can identify strong positive correlations between specific genres, such as TV Dramas and International TV Shows, Romantic TV Shows, and International TV Shows.

### Pairplot:

Pair plot is used to understand the best set of features to explain a relationship between two variables or to form the most separated clusters. It also helps to form some simple classification models by drawing some simple lines or make linear separation in our data-set.

```
[50]: sns.pairplot(netflix_df , hue = 'rating')
plt.show()
```





## 5. Missing Value & Outlier check (Treatment optional)

### What is an outlier?

In a random sampling from a population, an outlier is defined as an observation that deviates abnormally from the standard data. In simple words, an outlier is used to define those data values which are far away from the general values in a dataset. An outlier can be broken down into out-of-line data. For example, let us consider a row of data [10, 15, 22, 330, 30, 45, 60]. In this dataset, we can easily conclude that 330 is way off from the rest of the values in the dataset, thus 330 is an outlier. It was easy to figure out the outlier in such a small dataset, but when the dataset is huge, we need various methods to determine whether a certain value is an outlier or necessary information.

### Why do we need to treat outliers?

Outliers can lead to vague or misleading predictions while using machine learning models. Specific models like linear regression, logistic regression, and support vector machines are susceptible to outliers. Outliers decrease the mathematical power of these models, and thus the output of the models becomes unreliable. However, outliers are highly subjective to the dataset. Some outliers may portray extreme changes in the data as well.

## Visual Detection

**Box plots** are a simple way to visualize data through quantiles and detect outliers. IQR(Interquartile Range) is the basic mathematics behind boxplots. The top and bottom whiskers can be understood as the boundaries of data, and any data lying outside it will be an outlier.

*For categorical variable(s): Boxplot*

### Duration Distribution for Movies and TV Shows

Analysing the duration distribution for movies and TV shows allows us to understand the typical length of content available on Netflix. We can create box plots to visualize these distributions and identify outliers or standard durations.


```
[51]: netflix_movies_df = netflix_df[netflix_df.type.str.contains("Movie")]
netflix_movies_df['duration'] = netflix_movies_df['duration'].str.
    .extract('(\d+)')
    .expand=False).astype(int)
# Creating a boxplot for movie duration
plt.figure(figsize=(10, 6))
sns.boxplot(data=netflix_movies_df, x='type', y='duration')
plt.xlabel('Content Type')
plt.ylabel('Duration')
plt.title('Distribution of Duration for Movies')
plt.show()
```

<ipython-input-51-03847279cf44>:2: SettingWithCopyWarning:

A value is trying to be set on a copy of a slice from a DataFrame.

Try using `.loc[row_indexer,col_indexer] = value` instead

See the caveats in the documentation: [https://pandas.pydata.org/pandas-docs/stable/user\\_guide/indexing.html#returning-a-view-versus-a-copy](https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy)




```
[52]: netflix_shows_df = netflix_df[netflix_df.type.str.contains("TV Show")]
netflix_shows_df['duration'] = netflix_shows_df['duration'].str.extract('(\d+)',
expand=False).astype(int)
# Creating a boxplot for movie duration
plt.figure(figsize=(3, 6))
sns.boxplot(data=netflix_shows_df, x='type', y='duration')
plt.xlabel('Content Type')
plt.ylabel('Duration')
plt.title('Distribution of Duration for Shows')
plt.show()
```

<ipython-input-52-54aee4305ca4>:2: SettingWithCopyWarning:

A value is trying to be set on a copy of a slice from a DataFrame.  
Try using `.loc[row_indexer,col_indexer] = value` instead

See the caveats in the documentation: [https://pandas.pydata.org/pandas-docs/stable/user\\_guide/indexing.html#returning-a-view-versus-a-copy](https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy)



Analysing the movie box plot, we can see that most movies fall within a reasonable duration range, with few outliers exceedingly approximately 2.5 hours. This suggests that most movies on Netflix are designed to fit within a standard viewing time. For TV shows, the box plot reveals that most shows have one to four seasons, with very few outliers having longer durations. This aligns with the earlier trends, indicating that Netflix focuses on shorter series formats.

### What are Missing values?

In a dataset, we often see the presence of empty cells, rows, and columns, also referred to as Missing values. They make the dataset inconsistent and unable to work on. Many machine learning algorithms return an error if parsed with a dataset containing null values. Detecting and treating missing values is essential while analyzing and formulating data for any purpose.

### Detecting missing values

There are several ways to detect missing values in Python. `isnull()` function is widely used for the same purpose. `dataframe.isnull().values.any()` allows us to find whether

we have any null values in the dataframe.

```
[53]: netflix = pd.read_csv("Business Case Netflix.csv")
```

```
[54]: print('\nColumns with missing value:')
      print(netflix.isnull().any())
```

```
Columns with missing value:
show_id      False
type         False
title        False
director     True
cast         True
country      True
date_added   True
release_year False
rating       True
duration     True
listed_in    False
description  False
dtype: bool
```

From the info, we know that there are 8807 entries and 12 columns to work with for this EDA. There are a few columns that contain null values, “director,” “cast,” “country,” “date\_added,” “rating” and “duration”.

**dataframe.isnull().sum()** this func on displays the total number of null values in each column.

```
[55]: netflix.T.apply(lambda x: x.isnull().sum(), axis = 1)
```

```
[55]: show_id      0
      type        0
      title       0
      director    2634
      cast        825
      country     831
      date_added   10
      release_year  0
      rating       4
      duration     3
      listed_in    0
      description  0
      dtype: int64
```

```
[56]: netflix.isnull().sum().sum()
```

```
[56]: 4307
```

There are a total of 4307 null values across the en re dataset with 2634 missing points under “director”, 825 under “cast”, 831 under “country”, 11 under “date\_added”, 4 under “ra ng” and 3 under “dura on”. We will have to handle all null data points before we can dive into EDA and modelling.

## Remedies to the outliers and missing values

**Imputation is a treatment method for missing value by filling it in using certain techniques.**

Can use mean, mode, or use predic ve modelling. In this case study, we will discuss the use of the fillna function from Pandas for this imputation. Drop rows containing missing values. Can use the dropna function from Pandas

```
[57]: netflix_df.director.fillna("No Director", inplace=True)
netflix_df.cast.fillna("No Cast", inplace=True)
netflix_df.country.fillna("Country Unavailable", inplace=True)
netflix_df.dropna(subset=["date_added", "duration", "rating"], inplace=True)
```

## Check missing value

```
[58]: netflix.isnull().any()
```

```
[58]: show_id      False
type            False
title           False
director        True
cast            True
country         True
date_added      True
release_year    False
rating          True
duration        True
listed_in       False
description     False
dtype: bool
```

For missing values, the easiest way to get rid of them would be to delete the rows with the missing data. However, this wouldn’t be beneficial to our EDA since there is a loss of information. Since “director”, “cast”, and “country” contain the majority of null values, we chose to treat each missing value as unavailable. The other two labels “date\_added”, “duration” and “rating” contain an insignificant portion of the data so they drop from the dataset. Finally, we can see that there are no more missing values in the data frame.

## 6. Insights based on Non-Graphical and Visual Analysis

### 6.1 Comments on the range of attributes

### 6.2 Comments on the distribution of the variables and relationship between them

### 6.3 Comments for each univariate and bivariate plot

Non-Graphical Analysis:

**Directors Count:** We have no director count as 4621 and the director which has the maximum count is Rajiv Chilaka with a count of 19 and the director which has least count are 5 of the directors named Raymie Muzquiz, Stu Livingston, Joe Menendez, Eric Bross, Will Eisenberg, Mozez Singh which has only 1 count.

**Top countries where netflix is popular:** The country which has the maximum count is United States with a count of 2809 and the country with least count are Romania, Bulgaria, Hungary, Uruguay, Guatemala, France, Senegal, Belgium, Mexico, United States, Spain, Colombia, United Arab Emirates, Jordan with a single count of 1.

**Movies and Tv shows added over time on netflix:** The content which was maximum added on netflix in a year was 2018 with a count of 1146 and the minimum count of 1 was in the year 1959, 1925, 1961, 1947, 1966.

**Movies and Tv shows count on netflix:** The movie type content has the maximum count is 6126 and the tv show content has the count of 2664.

**Cast who played maximum role in movies and tv shows on netflix:** The no cast count has the maximum count which is 825 after that the David Attenborough has greater count of 19 and then least count with 1 are Sanjay Dutt, Arjun Kapoor, Kriti Sanon, Lika Berning, Bobby van Jaarsveld, Lisa Vicari, Dennis Mojen, Walid Al-Atiyat, Piotr Cyrrus, Mikołaj Kubacki, Anna Radwan, Vicky Kaushal, Sarah-Jane Dias and many more.

Visual Analysis:

### 1. Pie Plot

**Range of attributes:** In the Pie Plot we have shown the distribution of two content type, Tv show and Movie. Movies have 69.7 percentage and Tv shows have 30.3 percentage. So, clearly we can see through the analysis through Pie Plot that movies are more in number than Tv shows on netflix.

**Distribution of the variables and relationship between them:** Here in the Pie plot we have shown the relation between two of the content that is Tv show and Movie. The difference between two of them can be seen in the graph. The red colour of the portion shows movie and the black colour of the portion shows Tv show. the percentage of movie is higher than tv show which says that netflix has more movie content than Tv show.

**Univariate analysis using a pie chart:** The pie chart is a circular visual that displays the relative sizes here for two of the categories, Tv show & movie. Each slice of a pie chart represents a category and each category's size is proportional to its fraction of the total size of the data.

### 2. Bar Plot

Bar plot: In the bar plot we can see that top 10 categories by Movie/TV Show Count as the number of Movies/TV Shows which is allocated in y label and category which allocated in x label where Dramas, International Movies is maximum and Dramas, International Movies, Romantic Movies is minimum

### 3. Box Plot

Box plots has provided a quick visual summary of the variability of values i.e, duration on y-axis in a netflix dataset. They show the median, upper and lower quartiles, minimum and maximum

values, and any outliers in the dataset. Outliers shows that the some of the movie content has occurrences passed to the maximum duration.

#### 4. Hist Plot

The hist plot is a popular graphing tool. It is used to summarize discrete or continuous data that are measured on an interval scale. It is often used to illustrate the major features of the distribution of the data in a convenient form.

#### 5. Heat maps

Heatmaps are used in various forms of analytics but are most commonly used to show user behavior on specific web pages or webpage templates. Heatmaps can be used to show where users have clicked on a page, how far they have scrolled down a page, or used to display the results of eye-tracking tests.

### 7. Business Insights

1. Quantity: Our analysis revealed that Netflix had added more movies than TV shows, aligning with the expectation that movies dominate their content library.
2. Content Addition: July emerged as the month when Netflix adds the most content, closely followed by December, indicating a strategic approach to content release.
3. Genre Correlation: Strong positive associations were observed between various genres, such as TV dramas and international TV shows, romantic and international TV shows, and independent movies and dramas. These correlations provide insights into viewer preferences and content interconnections.
4. Movie Lengths: The analysis of movie durations indicated a peak around the 1960s, followed by a stabilization around 100 minutes, highlighting a trend in movie lengths over time.
5. TV Show Episodes: Most TV shows on Netflix have one season, suggesting a preference for shorter series among viewers.
6. Common Themes: Words like love, life, family, and adventure were frequently found in titles and descriptions, capturing recurring themes in Netflix content.
6. Rating Distribution: The distribution of ratings over the years offers insights into the evolving content landscape and audience reception.
7. Data-Driven Insights: Our data analysis journey showcased the power of data in unraveling the mysteries of Netflix's content landscape, providing valuable insights for viewers and content creators.
8. Continued Relevance: As the streaming industry evolves, understanding these patterns and trends becomes increasingly essential for navigating the dynamic landscape of Netflix and its vast library.

### 8. Recommendations

1. As from the analysis, we know that movies content are more on netflix than tv shows.
2. Netflix should focus some movies to be launched directly from netflix platform to reach more and more subscribers inspite of movies to be launched somewhere else which creates a less excitement to watch.
3. The netflix which releases a new content, there is nothing wrong in releasing such type, but sometimes we also want to watch something old movies beloved by multiple generations-one that we know won't disappoint. That's why some old times movies should also be listed of some most celebrated actors and actresses.
4. Some films are so great they belong to the ages. From war movies to biopics to iconic comedies, dramas and thrillers, these flicks should be dubbed in multiple languages, so that it can be



- watched in some small-small countries like Indonesia, Hong-Kong etc. to get subscribed with the users from there also by giving some offers to get people subscribed to the netflix platform.
5. Most of the movies released in Netflix is in a year 2019 so we need to go on increasing this value in order to attract people by showing that getting subscription is usefull as netflix is releasing more movies per year.
  6. Some movies can be released directly into Netflix which has some positive talk which may help in improving subscriptions.
  7. Netflix Should focus on a Cast who has immense following and make use of it by doing a TV Shows or web series and Movies.