

← d20 2



HTML

CSS

JS

OUTPUT



Himanshu Patil

just now • 0 views

web



0

0



PRIVATE

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <script
  src="https://ajax.googleapis.com/ajax/libs/jquery
  /3.7.1/jquery.min.js"></script>
5 </script>
6 $(document).ready(function(){
7   $("p").click(function(){
8     $(this).hide();
9   });
10 });
11 </script>
12 </head>
13 <body>
14 <p>If you click on me, I will disappear.</p>
15 <p>Click me away!</p>
16 <p>Click me too!</p>
17
18 </body>
19 </html>
```

TAB

<

>

/

=

"

RUN



 d20 2

HTML

CSS

JS

OUTPUT

If you click on me, I will disappear.

Click me away!

Click me too!

 d20 1

HTML

CSS

JS

OUTPUT



Himanshu Patil

just now • 0 views

web



0

 0

PRIVATE

```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <title>Page Title</title>
5   </head>
6   <body>
7     <script>
8       function myfunction(p1, p2) {
9         return p1*p2;
10      }
11      let result = myfunction(4, 3);
12      document.write(result);
13    </script>
14  </body>
15 </html>
```

TAB

<

>

/

=

"

RUN 

← d20 1



HTML

CSS

JS

OUTPUT

12

 d20 5

HTML

CSS

JS

OUTPUT



Himanshu Patil

just now • 0 views

web



0

 0

PRIVATE

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <script
  src="https://ajax.googleapis.com/ajax/libs/jquery
  /3.7.1/jquery.min.js"></script>
5 </script>
6 $(document).ready(function(){
7   $("button").click(function(){
8     $("div").animate({left: '250px'});
9   });
10 });
11 </script>
12 </head>
13 <body><button>Start Animation</button>
14
15 <p>By default, all HTML elements have a static
  position, and cannot be moved. To manipulate the
  position, remember to first set the CSS position
  property of the element to relative, fixed, or
  absolute!</p>
16
17 <div
  style="background:#98bf21;height:100px;width:100p
  x;position:absolute;"></div>
18
19 </body>
20 </html>
```

TAB

<

>

/

=

"

RUN 

 d20 5

HTML

CSS

JS

OUTPUT

By default, all HTML elements have a static position, and cannot be moved. To manipulate the position, remember to first set the CSS position property of the element to relative, fixed, or absolute!



 d20 4

HTML

CSS

JS

OUTPUT



Himanshu Patil

just now • 0 views

web



0

 0

PRIVATE

```
1  !DOCTYPE html>
2  <html>
3  <head>
4  <script
   src="https://ajax.googleapis.com/ajax/libs/jquery
   /3.7.1/jquery.min.js"></script>
5  </script>
6  $(document).ready(function(){
7      $("#flip").click(function(){
8          $("#panel").slideDown("slow");
9      });
10 });
11 </script>
12 <style>
13 #panel, #flip {
14     padding: 5px;
15     text-align: center;
16     background-color: #e5eccc;
17     border: solid 1px #c3c3c3;
18 }
19
20 #panel {
21     padding: 50px;
22     display: none;
23 }
24 </style>
25 </head>
26 <body>
27
28 <div id="flip">Click to slide down panel</div>
29 <div id="panel">Hello world!</div>
30
31 </body>
32 </html>
```

TAB

<

>

/

=

"

RUN 

← d20 4



HTML

CSS

JS

OUTPUT

!DOCTYPE html>

Click to slide down panel

← d20 3



HTML

CSS

JS

OUTPUT



Himanshu Patil

just now • 0 views

web



0

0



PRIVATE

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <script
  src="https://ajax.googleapis.com/ajax/libs/jquery
  /3.7.1/jquery.min.js"></script>
5 <script>
6 $(document).ready(function(){
7   $("#hide").click(function(){
8     $("p").hide();
9   });
10  $("#show").click(function(){
11    $("p").show();
12  });
13 });
14 </script>
15 </head>
16 <body>
17   <p>If you click on the "Hide" button, I will
  disappear.</p>
18
19   <button id="hide">Hide</button>
20   <button id="show">Show</button>
21
22 </body>
23 </html>
24
25 </body>
```

TAB

<

>

/

=

"

RUN





If you click on the "Hide" button, I will disappear.

 d20 9

HTML

CSS

JS

OUTPUT



Himanshu Patil

just now • 0 views

web



0

 0

PRIVATE

```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <title>Page Title</title>
5   </head>
6   <body>
7     Enter Number
8     <input type="text" id="num1">
9     <button type="button"
10    onclick="evenodd()">Button</button>
11    <script>
12      function evenodd (p1) {
13        p1=document.getElementById("num1").value;
14        if (p1 % 2 == 0) {
15          document.write(p1 + "is
16          even");
17        } else {
18          document.write(p1 + "is odd");
19        }
20      }
21    </script>
22  </body>
23 </html>
```

TAB

<

>

/

=

"

RUN 

← d20 9



HTML

CSS

JS

OUTPUT

Enter Number

Button

 d20 8

HTML

CSS

JS

OUTPUT



Himanshu Patil

just now • 0 views

web



0

 0

PRIVATE

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <script
  src="https://ajax.googleapis.com/ajax/libs/jquery
  /3.7.1/jquery.min.js"></script>
5 </script>
6 $(document).ready(function(){
7   $("#hide").click(function(){
8     $("p").hide();
9   });
10  $("#show").click(function(){
11    $("p").show();
12  });
13 });
14 </script>
15 </head>
16 <body>
17   <p>If you click on the "Hide" button, I will
  disappear.</p>
18
19 <button id="hide">Hide</button>
20 <button id="show">Show</button>
21
22 </body>
23 </html>
24
25 </body>
```

TAB

<

>

/

=

"

RUN 



If you click on the "Hide" button, I will disappear.

 d20 7

HTML

CSS

JS

OUTPUT



Himanshu Patil

just now • 0 views

web



0

 0

PRIVATE

```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <title>Page Title</title>
5   </head>
6   <body>
7     Enter Number
8     <input type="text" id="num1">
9     <button type="button"
10    onclick="evenodd()">Button</button>
11    <script>
12      function evenodd (p1) {
13        p1=document.getElementById("num1").value;
14        if (p1 % 2 == 0) {
15          document.write(p1 + "is
16          even");
17        } else {
18          document.write(p1 + "is odd");
19        }
20      }
21    </script>
22  </body>
23 </html>
```

Saved

← d20 7



HTML

CSS

JS

OUTPUT

Enter Number

Button

 d20 6

HTML

CSS

JS

OUTPUT



Himanshu Patil

just now • 0 views

web



0

 0

PRIVATE

```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <title>Page Title</title>
5   </head>
6   <body>
7     <script type="text/javascript">
8       x=1;
9       a=10;
10      b=20;
11      switch(x)
12      {
13        case 1:
14          document.write(a+b);
15          break;
16        case 2:
17          document.write(a-b);
18          break;
19        case 3:
20          document.write(a/b);
21          break;
22        default:
23          document.write("please select valid
choise");
24          break;
25      }
26    </script>
27  </body>
28 </html>
```

TAB

<

>

/

=

"

RUN 

← d20 6



HTML

CSS

JS

OUTPUT

30