Himanshu Singh Rawout MCA T'ED' Roll. NO. 39.

Broblem 2 Write an HTML program to create a Table to show your class sime dable Objective to understand tables in HTML& its working. Description. Atable in HTML consists of table cells inside rows & colums. Each table cell is difined by a tag and Each table rowstarts with <to> tag. and table headers are defined by (th ) tag. Source Code! <! DOCTYPE html) < html) < body> <h1 celign = "LENTER"> TimeTable </h1> (st) width = "100" > (br) < b) Day</b/>
/b) (b) <1.td> < b> < br > 9:55-10:80<1b> < tel align z "Center" height = "50" width = "100"> < 6> (b) (br) 11: LO-12:05 (16) <1td> <br/>
<br/>
<br/>
La:05-1:00</b> <11d> <b7 < b1>12:05-1:00</b> (td-align z"Center" height = "80" width="100") < 67< box > 1:00 -1:55</b> <br/>

```
< Hd align= "Center" heigh = "80" width= "100">
    <1td>
    <tcl calign = "Center"height = "50" width = "100">
    <b><b><br/>4:05-5:00</b>
    <+67
    < 10> Monday < 16>
    (Ital)
   Colab 
   OSLab
   Std> Break
    TMC-103
    TMC-105
  <118)
 (t/)
     Trusday < 1 b> (1td)
    Cital > FAC < Ital>
    TMC-LO4 < Hdely
     TMC-101
     < H) TMC-105(1td)
      < H)TMC-102</td>
   (141)
  <*/>
</
       Wednesday < 1 b > < |td >
      >(itd)
      > < 1.5d>.
      Colspan = "2" > R-Lab
      > TMC-107(Ms. Anshu) < 1td>
      tMC-102
      TMC-106<11d>
      TMC-101
    <1+8>
    < 167

    \( \text{d align = "Center" \( \text{b} \) thrusday \( \text{1b} \) \( \text{Itd} \)

       <!td><!td><.
       (td) < 1td)
       Ltd> < ltd>
```

```
TMC-103 <1td>7
   TMC-107(Ms. Neelam) 
   ( td) TMC-104 (/td)
   TMC-102<1td>
</187
(18)
   \ align="Center" < b> foiday < 1b > < ker > 
    <1.td>
   ) TM C-104
   ) TMC-103 < Itd>
   > TMC-LOS
   TMC-107 (Ms. Anshu) 
 </18>
(11)
 align z "Center" < b> Saturday < 16> 
  Scripting lab Laba < 1.td >
 TMC-LOG 21td>
 TMC-101<1td>
  TMC-106
(141)
 (Itable)
 <1body>
 (html)
```