### Acoustical Cloaking using Metamaterials

Himanshu Sharma 21ME33001

April 11, 2025

- Periodic artificially structured materials with very small units compared to the wavelength
- Offer unusual properties like negative refraction, bulk density, and bulk modulus
- negative parameters lead to phenomena such as as the Doppler effect reverse and super lens

- Periodic artificially structured materials with very small units compared to the wavelength
- Offer unusual properties like negative refraction, bulk density, and bulk modulus
- negative parameters lead to phenomena such as as the Doppler effect reverse and super lens

- Periodic artificially structured materials with very small units compared to the wavelength
- Offer unusual properties like negative refraction, bulk density, and bulk modulus
- negative parameters lead to phenomena such as as the Doppler effect reverse and super lens

- Periodic artificially structured materials with very small units compared to the wavelength
- Offer unusual properties like negative refraction, bulk density, and bulk modulus
- negative parameters lead to phenomena such as as the Doppler effect reverse and super lens

- Noise reduction through absorption and insulation
- Acoustic non-destructive testing
- Invisible cloaking for defense

- Noise reduction through absorption and insulation
- Acoustic non-destructive testing
- Invisible cloaking for defense

- Noise reduction through absorption and insulation
- Acoustic non-destructive testing
- Invisible cloaking for defense

- Noise reduction through absorption and insulation
- Acoustic non-destructive testing
- Invisible cloaking for defense



Figure: Locally resonating structure type AMM




Figure: Conventional Helmholtz resonator




Figure: Helmholtz resonator type AMM




Figure: Membrane type AMM






Figure: Space-coiled structure type AMM

#### Active acoustic metamaterials




#### Previous studies on acoustic cloaking

■ Cummer and Schurig (2007)



Previous studies on acoustic cloaking

■ Torrent and Sánchez-Dehesa (2008)



Previous studies on acoustic cloaking

$$ho_1 = rac{r + \sqrt{(2rR_1 - R_1^2)}}{r - R_1}
ho_{
m b}, \ c_1 = rac{R_2 - R_1}{R_2} rac{r}{r - R_1}c_{
m b}, \ 
ho_2 = 
ho_{
m b}^2/
ho_1, \ c_2 = c_1 = c, \ B_1 = 
ho_1c_1^2, \ B_2 = 
ho_2c_2^2.$$

# Model setup





Figure: Geometry and mesh

## Conservations laws

- Conservation of mass
- Conservation of momentum

$$abla \cdot (-oldsymbol{
ho}^{-1} 
abla 
ho_{
m t}) - rac{\omega^2}{B_{
m b}} 
ho_{
m t} = 0$$

## Results



## Results




Figure: Total acoustic pressure along cloak boundary (Pa)

## Results




Figure: Effect of frequency on cloaking

# Thank you!