

TITLE - File Explorer Application (Linux Console-Based)

A C++ file explorer based console application that allows users to explore, manage, and manipulate files and directories within the Linux operating system.

CODE:

Below is the full source code of the File Explorer Application implemented in **C++** for **Linux/WSL** environments.

fileexplorer.cpp :-

```
#include <iostream>
#include <dirent.h>
#include <sys/stat.h>
#include <unistd.h>
#include <cstring>
#include <fstream>
#include <algorithm>
#include <vector>
#include <string>

using namespace std;

string currentPath;

void clearScreen() {
    cout << "\033[2J\033[1;1H";
}

void pauseScreen() {
    cout << "\nPress Enter to continue...";
    cin.ignore();
    cin.get();
}

string getInput(const string& prompt) {
    string input;
    cout << prompt;
    getline(cin, input);
    return input;
}

void listFiles() {
    cout << "\n--- Contents of: " << currentPath << " ---\n\n";

    DIR* dir = opendir(currentPath.c_str());
    if (dir == nullptr) {
        cerr << "Error: Cannot open directory.\n";
        pauseScreen();
        return;
    }

    struct dirent* entry;
    vector<string> directories;
    vector<string> files;

    while ((entry = readdir(dir)) != nullptr) {
        string name = entry->d_name;
        if (name == "." || name == "..") continue;

        string fullPath = currentPath + "/" + name;
        struct stat info;

        if (stat(fullPath.c_str(), &info) == 0) {
            if (S_ISDIR(info.st_mode)) {
                directories.push_back(name);
            } else {
                files.push_back(name);
            }
        }
    }
}
```

```

    closedir(dir);

    sort(directories.begin(), directories.end());
    sort(files.begin(), files.end());

    cout << "Directories:\n";
    for (const auto& dir : directories) {
        cout << " [DIR] " << dir << "\n";
    }

    cout << "\nFiles:\n";
    for (const auto& file : files) {
        cout << " [FILE] " << file << "\n";
    }

    cout << "\nTotal: " << directories.size() << " directories, "
        << files.size() << " files\n";
    pauseScreen();
}

void changeDirectory() {
    string newPath = getInput("\nEnter directory path: ");

    if (newPath.empty()) {
        cout << "Invalid path.\n";
        pauseScreen();
        return;
    }

    string targetPath;
    if (newPath[0] == '/') {
        targetPath = newPath;
    } else {
        targetPath = currentPath + "/" + newPath;
    }

    struct stat info;
    if (stat(targetPath.c_str(), &info) == 0 && S_ISDIR(info.st_mode)) {
        currentPath = targetPath;
        cout << "Changed to: " << currentPath << "\n";
    } else {
        cout << "Error: Invalid directory path.\n";
    }
    pauseScreen();
}

void navigateUp() {
    if (currentPath == "/") {
        cout << "\nAlready at root directory.\n";
        pauseScreen();
        return;
    }

    size_t lastSlash = currentPath.find_last_of('/');
    if (lastSlash == 0) {
        currentPath = "/";
    } else if (lastSlash != string::npos) {
        currentPath = currentPath.substr(0, lastSlash);
    }

    cout << "\nNavigated to: " << currentPath << "\n";
    pauseScreen();
}

void goHome() {
    const char* homeDir = getenv("HOME");
    if (homeDir != nullptr) {
        currentPath = homeDir;
        cout << "\nNavigated to home: " << currentPath << "\n";
    } else {
        cout << "\nError: Cannot determine home directory.\n";
    }
    pauseScreen();
}

```

```

void createFile() {
    string filename = getInput("\nEnter file name: ");

    if (filename.empty()) {
        cout << "Invalid filename.\n";
        pauseScreen();
        return;
    }

    string fullPath = currentPath + "/" + filename;

    ofstream file(fullPath);
    if (file.is_open()) {
        file.close();
        cout << "File created successfully: " << filename << "\n";
    } else {
        cout << "Error: Cannot create file.\n";
    }
    pauseScreen();
}

void createDirectory() {
    string dirname = getInput("\nEnter directory name: ");

    if (dirname.empty()) {
        cout << "Invalid directory name.\n";
        pauseScreen();
        return;
    }

    string fullPath = currentPath + "/" + dirname;

    if (mkdir(fullPath.c_str(), 0755) == 0) {
        cout << "Directory created successfully: " << dirname << "\n";
    } else {
        cout << "Error: Cannot create directory.\n";
    }
    pauseScreen();
}

void deleteFileOrDirectory() {
    string name = getInput("\nEnter file/directory name to delete: ");

    if (name.empty()) {
        cout << "Invalid name.\n";
        pauseScreen();
        return;
    }

    string fullPath = currentPath + "/" + name;

    cout << "Are you sure you want to delete '" << name << "'? (y/n): ";
    char confirm;
    cin >> confirm;
    cin.ignore();

    if (confirm != 'y' && confirm != 'Y') {
        cout << "Deletion cancelled.\n";
        pauseScreen();
        return;
    }

    struct stat info;
    if (stat(fullPath.c_str(), &info) == 0) {
        if (S_ISDIR(info.st_mode)) {
            if (rmdir(fullPath.c_str()) == 0) {
                cout << "Directory deleted successfully.\n";
            } else {
                cout << "Error: Cannot delete directory (may not be empty).\n";
            }
        } else {
            if (remove(fullPath.c_str()) == 0) {
                cout << "File deleted successfully.\n";
            }
        }
    }
}

```

```

        } else {
            cout << "Error: Cannot delete file.\n";
        }
    }
} else {
    cout << "Error: File/Directory not found.\n";
}
pauseScreen();
}

void copyFile() {
    string source = getInput("\nEnter source file name: ");
    string dest = getInput("Enter destination file name: ");

    if (source.empty() || dest.empty()) {
        cout << "Invalid file names.\n";
        pauseScreen();
        return;
    }

    string sourcePath = currentPath + "/" + source;
    string destPath = currentPath + "/" + dest;

    ifstream sourceFile(sourcePath, ios::binary);
    if (!sourceFile.is_open()) {
        cout << "Error: Cannot open source file.\n";
        pauseScreen();
        return;
    }

    ofstream destFile(destPath, ios::binary);
    if (!destFile.is_open()) {
        cout << "Error: Cannot create destination file.\n";
        sourceFile.close();
        pauseScreen();
        return;
    }

    destFile << sourceFile.rdbuf();
    sourceFile.close();
    destFile.close();

    cout << "File copied successfully.\n";
    pauseScreen();
}

void moveFile() {
    string source = getInput("\nEnter source file name: ");
    string dest = getInput("Enter destination file name: ");

    if (source.empty() || dest.empty()) {
        cout << "Invalid file names.\n";
        pauseScreen();
        return;
    }

    string sourcePath = currentPath + "/" + source;
    string destPath = currentPath + "/" + dest;

    if (rename(sourcePath.c_str(), destPath.c_str()) == 0) {
        cout << "File moved/renamed successfully.\n";
    } else {
        cout << "Error: Cannot move/rename file.\n";
    }
    pauseScreen();
}

void searchFiles() {
    string searchTerm = getInput("\nEnter search term: ");

    if (searchTerm.empty()) {
        cout << "Invalid search term.\n";
        pauseScreen();
        return;
    }
}

```

```

}

cout << "\nSearching for files containing '" << searchTerm << "'...\n\n";

DIR* dir = opendir(currentPath.c_str());
if (dir == nullptr) {
    cerr << "Error: Cannot open directory.\n";
    pauseScreen();
    return;
}

struct dirent* entry;
vector<string> matches;

while ((entry = readdir(dir)) != nullptr) {
    string name = entry->d_name;
    if (name == "." || name == "..") continue;

    if (name.find(searchTerm) != string::npos) {
        matches.push_back(name);
    }
}
closedir(dir);

if (matches.empty()) {
    cout << "No files found matching '" << searchTerm << "'.\n";
} else {
    cout << "Found " << matches.size() << " match(es):\n";
    for (const auto& match : matches) {
        cout << "  - " << match << "\n";
    }
}
pauseScreen();
}

void changePermissions() {
    string filename = getInput("\nEnter file/directory name: ");

    if (filename.empty()) {
        cout << "Invalid name.\n";
        pauseScreen();
        return;
    }

    string fullPath = currentPath + "/" + filename;

    struct stat info;
    if (stat(fullPath.c_str(), &info) != 0) {
        cout << "Error: File/Directory not found.\n";
        pauseScreen();
        return;
    }

    string permStr = getInput("Enter permissions in octal format (e.g., 755): ");

    try {
        int perm = stoi(permStr, nullptr, 8);

        if (chmod(fullPath.c_str(), perm) == 0) {
            cout << "Permissions changed successfully.\n";
        } else {
            cout << "Error: Cannot change permissions.\n";
        }
    } catch (...) {
        cout << "Error: Invalid permission format.\n";
    }
    pauseScreen();
}

void displayPermissions() {
    string filename = getInput("\nEnter file/directory name: ");

    if (filename.empty()) {
        cout << "Invalid name.\n";
    }
}

```

```

        pauseScreen();
        return;
    }

    string fullPath = currentPath + "/" + filename;

    struct stat info;
    if (stat(fullPath.c_str(), &info) != 0) {
        cout << "Error: File/Directory not found.\n";
        pauseScreen();
        return;
    }

    cout << "\nPermissions for: " << filename << "\n";
    cout << "Octal: " << oct << (info.st_mode & 0777) << dec << "\n";
    cout << "String: ";
    cout << (S_ISDIR(info.st_mode) ? "d" : "-");
    cout << ((info.st_mode & S_IRUSR) ? "r" : "-");
    cout << ((info.st_mode & S_IWUSR) ? "w" : "-");
    cout << ((info.st_mode & S_IXUSR) ? "x" : "-");
    cout << ((info.st_mode & S_IRGRP) ? "r" : "-");
    cout << ((info.st_mode & S_IWGRP) ? "w" : "-");
    cout << ((info.st_mode & S_IXGRP) ? "x" : "-");
    cout << ((info.st_mode & S_IROTH) ? "r" : "-");
    cout << ((info.st_mode & S_IWOTH) ? "w" : "-");
    cout << ((info.st_mode & S_IXOTH) ? "x" : "-");
    cout << "\n";
    pauseScreen();
}

void displayMenu() {
    clearScreen();
    cout << "=====\n";
    cout << "    LINUX FILE EXPLORER APPLICATION    \n";
    cout << "=====\n";
    cout << "Current Directory: " << currentPath << "\n";
    cout << "=====\n\n";
    cout << "File Operations:\n";
    cout << "  1. List files and directories\n";
    cout << "  2. Change directory\n";
    cout << "  3. Navigate to parent directory\n";
    cout << "  4. Go to home directory\n";
    cout << "File Manipulation:\n";
    cout << "  5. Create new file\n";
    cout << "  6. Create new directory\n";
    cout << "  7. Delete file/directory\n";
    cout << "  8. Copy file\n";
    cout << "  9. Move/Rename file\n\n";
    cout << "Search:\n";
    cout << " 10. Search files\n\n";
    cout << "Permissions:\n";
    cout << " 11. Change permissions\n";
    cout << " 12. Display permissions\n\n";
    cout << "  0. Exit\n";
    cout << "=====\n";
}

int main() {
    char cwd[1024];
    if (getcwd(cwd, sizeof(cwd)) != nullptr) {
        currentPath = string(cwd);
    } else {
        currentPath = "/";
    }

    int choice;

    while (true) {
        displayMenu();
        cout << "Enter your choice: ";
        cin >> choice;
        cin.ignore();

        switch (choice) {

```


```
        case 1:
            listFiles();
            break;
        case 2:
            changeDirectory();
            break;
        case 3:
            navigateUp();
            break;
        case 4:
            goToHome();
            break;
        case 5:
            createFile();
            break;
        case 6:
            createDirectory();
            break;
        case 7:
            deleteFileOrDirectory();
            break;
        case 8:
            copyFile();
            break;
        case 9:
            moveFile();
            break;
        case 10:
            searchFiles();
            break;
        case 11:
            changePermissions();
            break;
        case 12:
            displayPermissions();
            break;
        case 0:
            cout << "\nExiting File Explorer. Goodbye!\n";
            return 0;
        default:
            cout << "\nInvalid choice. Please try again.\n";
            pauseScreen();
    }
}

return 0;
}
```

FULL SCREENSHOTS:

1. Menu

Description: Displays the main menu of the File Explorer with all available operations.



```
Linux File Explorer Application
=====
Current Directory: /mnt/c/Users/HP/Desktop/File Explorer Application
=====

File Operations:
1. List files and directories
2. Change directory
3. Navigate to parent directory
4. Go to home directory

File Manipulation:
5. Create new file
6. Create new directory
7. Delete file/directory
8. Copy file
9. Move/Rename file


Search:
10. Search files

Permissions:
11. Change permissions
12. Display permissions

0. Exit
=====
Enter your choice: _
```

2. Change Directory

Description: Demonstrates changing from one directory to another using user input.



```
3. Navigate to parent directory
4. Go to home directory

File Manipulation:
5. Create new file
6. Create new directory
7. Delete file/directory
8. Copy file
9. Move/Rename file

Search:
10. Search files

Permissions:
11. Change permissions
12. Display permissions


0. Exit
=====
Enter your choice: 2

Enter directory path: /mnt/c/Users/HP/Desktop
Changed to: /mnt/c/Users/HP/Desktop

Press Enter to continue...
```

3. List Files and Directories

Description: Shows listing of all files and folders in the current directory.



```
11. Change permissions
12. Display permissions

0. Exit
=====
Enter your choice: 1

--- Contents of: /mnt/c/Users/HP/Desktop ---

Directories:
[DIR] 19-Recursion
[DIR] BLOGIFY
[DIR] File Explorer Application
[DIR] System Monitor Tool
[DIR] portfolio

Files:
[FILE] 2241014080_HimanshuNayak_SOA.pdf
[FILE] 3rd Year.pdf
[FILE] desktop.ini

Total: 5 directories, 3 files

Press Enter to continue..._
```

4. Navigate to Parent Directory

Description: Demonstrates navigating one level up in the directory tree.

```
himanshu_nayak@DESKTOP-G3248QO: /mnt/c/Users/HP/Desktop/File Explorer Application
Current Directory: /mnt/c/Users/HP/Desktop
=====

File Operations:
 1. List files and directories
 2. Change directory
 3. Navigate to parent directory
 4. Go to home directory

File Manipulation:
 5. Create new file
 6. Create new directory
 7. Delete file/directory
 8. Copy file
 9. Move/Rename file

Search:
10. Search files

Permissions:
11. Change permissions
12. Display permissions

 0. Exit
=====
Enter your choice: 3

Navigated to: /mnt/c/Users/HP

Press Enter to continue..._
```

5. Go to Home Directory

Description: Moves directly to the user's home directory.

```
himanshu_nayak@DESKTOP-G3248QO: /mnt/c/Users/HP/Desktop/File Explorer Application
Current Directory: /mnt/c/Users/HP
=====

File Operations:
 1. List files and directories
 2. Change directory
 3. Navigate to parent directory
 4. Go to home directory

File Manipulation:
 5. Create new file
 6. Create new directory
 7. Delete file/directory
 8. Copy file
 9. Move/Rename file

Search:
10. Search files

Permissions:
11. Change permissions
12. Display permissions

 0. Exit
=====
Enter your choice: 4

Navigated to home: /home/himanshu_nayak

Press Enter to continue...
```

6. Create New File

Description: Demonstrates creating a new file in the current working directory.

```
himanshu_nayak@DESKTOP-G3248QD: /mnt/c/Users/HP/Desktop/File Explorer Application
=====
LINUX FILE EXPLORER APPLICATION
=====
Current Directory: /mnt/c/Users/HP/Desktop
=====

File Operations:
1. List files and directories
2. Change directory
3. Navigate to parent directory
4. Go to home directory

File Manipulation:
5. Create new file
6. Create new directory
7. Delete file/directory
8. Copy file
9. Move/Rename file

Search:
10. Search files

Permissions:
11. Change permissions
12. Display permissions

0. Exit
=====
Enter your choice: 5

Enter file name: a.txt
File created successfully: a.txt

Press Enter to continue....
```

7. Create New Directory

Description: Demonstrates creating a new directory in the current path.

```
himanshu_nayak@DESKTOP-G3248QD: /mnt/c/Users/HP/Desktop/File Explorer Application
12. Display permissions

0. Exit
=====
Enter your choice: 5

Enter file name: a.txt
File created successfully: a.txt

Press Enter to continue....

=====
LINUX FILE EXPLORER APPLICATION
=====
Current Directory: /mnt/c/Users/HP/Desktop
=====

File Operations:
1. List files and directories
2. Change directory
3. Navigate to parent directory
4. Go to home directory

File Manipulation:
5. Create new file
6. Create new directory
7. Delete file/directory
8. Copy file
9. Move/Rename file

Search:
10. Search files

Permissions:
11. Change permissions
12. Display permissions

0. Exit
=====
Enter your choice: 6

Enter directory name: Demo Folder
Directory created successfully: Demo Folder
```

8. List of New Files and Directories Created

Description: Shows updated directory contents after creating new files and folders.

```
himanshu_nayak@DESKTOP-G3248QD: /mnt/c/Users/HP/Desktop/File Explorer Application
File Operations:
1. List files and directories
2. Change directory
3. Navigate to parent directory
4. Go to home directory

File Manipulation:
5. Create new file
6. Create new directory
7. Delete file/directory
8. Copy file
9. Move/Rename file

Search:
10. Search files

Permissions:
11. Change permissions
12. Display permissions

0. Exit
=====
Enter your choice: 1

--- Contents of: /mnt/c/Users/HP/Desktop ---


Directories:
[DIR] 19-Recursion
[DIR] BLOGSPY
[DIR] Demo Folder
[DIR] File Explorer Application
[DIR] System Monitor Tool
[DIR] portfolio

Files:
[FILE] 2241014080_HimanshuNayak_SQA.pdf
[FILE] 3rd Year.pdf
[FILE] a.txt
[FILE] desktop.ini

Total: 6 directories, 4 files
```

9. Created New Files and Directories in The Demo Folder

Description: Displays structure after creating files and directories inside “Demo” folder.



```
=====
Linux FILE EXPLORER APPLICATION
=====
Current Directory: /mnt/c/Users/HP/Desktop/Demo Folder
=====

File Operations:
1. List files and directories
2. Change directory
3. Navigate to parent directory
4. Go to home directory

File Manipulation:
5. Create new file
6. Create new directory
7. Delete file/directory
8. Copy file
9. Move/Rename file

Search:
10. Search files

Permissions:
11. Change permissions
12. Display permissions

0. Exit
=====
Enter your choice: 1

--- Contents of: /mnt/c/Users/HP/Desktop/Demo Folder ---

Directories:
[DIR] Hi


Files:
[FILE] a.txt
[FILE] b.txt
[FILE] c.txt

Total: 1 directories, 3 files

Press Enter to continue...
```

10. File Deleted in The Demo Folder

Description: Example of successfully deleting a file from the Demo folder.



```
=====
Linux FILE EXPLORER APPLICATION
=====
Current Directory: /mnt/c/Users/HP/Desktop/Demo Folder
=====

File Operations:
1. List files and directories
2. Change directory
3. Navigate to parent directory
4. Go to home directory

File Manipulation:
5. Create new file
6. Create new directory
7. Delete file/directory
8. Copy file
9. Move/Rename file

Search:
10. Search files

Permissions:
11. Change permissions
12. Display permissions

0. Exit
=====
Enter your choice: 7

Enter file/directory name to delete: c.txt
Are you sure you want to delete 'c.txt'? (y/n): y
File deleted successfully.

Press Enter to continue...
```

11. Directory Deleted in The Demo Folder

Description: Example of successfully deleting a directory from the Demo folder.

```
Linux File Explorer Application
=====
Enter your choice: 7

Enter file/directory name to delete: c.txt
Are you sure you want to delete 'c.txt'? (y/n): y
File deleted successfully.

Press Enter to continue...

=====
LINUX FILE EXPLORER APPLICATION
=====
Current Directory: /mnt/c/Users/HP/Desktop/Demo Folder
=====

File Operations:
1. List files and directories
2. Change directory
3. Navigate to parent directory
4. Go to home directory

File Manipulation:
5. Create new file
6. Create new directory
7. Delete file/directory
8. Copy file
9. Move/Rename file

Search:
10. Search files

Permissions:
11. Change permissions
12. Display permissions

0. Exit
=====
Enter your choice: 7

Enter file/directory name to delete: Hi
Are you sure you want to delete 'Hi'? (y/n): y
Directory deleted successfully.

Press Enter to continue...
```

12. Copying File

Description: Demonstrates copying a file to another name within the directory

```
Linux File Explorer Application
=====
File Operations:
1. List files and directories
2. Change directory
3. Navigate to parent directory
4. Go to home directory

File Manipulation:
5. Create new file
6. Create new directory
7. Delete file/directory
8. Copy file
9. Move/Rename file

Search:
10. Search files

Permissions:
11. Change permissions
12. Display permissions

0. Exit
=====
Enter your choice: 8

Enter source file name: a.txt
Enter destination file name: b.txt
File copied successfully.

Press Enter to continue...
```

13. Moving and Renaming File

Description: Demonstrates renaming or moving a file within the directory

```
Linux File Explorer Application
=====
Current Directory: /mnt/c/Users/HP/Desktop/Demo Folder
=====

File Operations:
1. List files and directories
2. Change directory
3. Navigate to parent directory
4. Go to home directory

File Manipulation:
5. Create new file
6. Create new directory
7. Delete file/directory
8. Copy file
9. Move/Rename file

Search:
10. Search files

Permissions:
11. Change permissions
12. Display permissions

0. Exit
=====
Enter your choice: 9

Enter source file name: b.txt
Enter destination file name: c.txt
File moved/renamed successfully.

Press Enter to continue...
```

14. Search File in That Directory

Description: Searches for a file in the current directory based on a search term.

```
Linux File Explorer Application
Current Directory: /mnt/c/Users/HP/Desktop/Demo Folder

File Operations:
1. List files and directories
2. Change directory
3. Navigate to parent directory
4. Go to home directory

File Manipulation:
5. Create new file
6. Create new directory
7. Delete file/directory
8. Copy file
9. Move/Rename file

Search:
10. Search files

Permissions:
11. Change permissions
12. Display permissions

0. Exit
Enter your choice: 10

Enter search term: a

Searching for files containing 'a'...

Found 1 match(es):
- a.txt

Press Enter to continue...
```

15. Change Permissions of a Specific File

Description: Modifies file permissions using octal input (e.g., 755).

```
Linux File Explorer Application
Current Directory: /mnt/c/Users/HP/Desktop/Demo Folder

File Operations:
1. List files and directories
2. Change directory
3. Navigate to parent directory
4. Go to home directory

File Manipulation:
5. Create new file
6. Create new directory
7. Delete file/directory
8. Copy file
9. Move/Rename file

Search:
10. Search files

Permissions:
11. Change permissions
12. Display permissions

0. Exit
Enter your choice: 11

Enter file/directory name: a.txt
Enter permissions in octal format (e.g., 755): 755
Permissions changed successfully.

Press Enter to continue...
```

16. Display the Permissions of That File

Description: Displays permission details of a selected file in both octal and string form.

```
himanshu_nayak@DESKTOP-G3248QO: /mnt/c/Users/HP/Desktop/File Explorer Application
=====
LINUX FILE EXPLORER APPLICATION
=====
Current Directory: /mnt/c/Users/HP/Desktop/Demo Folder
=====

File Operations:
1. List files and directories
2. Change directory
3. Navigate to parent directory
4. Go to home directory

File Manipulation:
5. Create new file
6. Create new directory
7. Delete file/directory
8. Copy file
9. Move/Rename file

Search:
10. Search files

Permissions:
11. Change permissions
12. Display permissions

0. Exit
=====
Enter your choice: 12

Enter file/directory name: c.txt

Permissions for: c.txt
Octal: 777
String: -rwxrwxrwx

Press Enter to continue...
```

17. Exiting the File Explorer Application

Description: Shows program termination message when the user exits the explorer.

```
himanshu_nayak@DESKTOP-G3248QO: /mnt/c/Users/HP/Desktop/File Explorer Application
=====
LINUX FILE EXPLORER APPLICATION
=====
Current Directory: /mnt/c/Users/HP/Desktop/Demo Folder
=====

File Operations:
1. List files and directories
2. Change directory
3. Navigate to parent directory
4. Go to home directory

File Manipulation:
5. Create new file
6. Create new directory
7. Delete file/directory
8. Copy file
9. Move/Rename file

Search:
10. Search files

Permissions:
11. Change permissions
12. Display permissions

0. Exit
=====
Enter your choice: 0

Exiting File Explorer. Goodbye!
himanshu_nayak@DESKTOP-G3248QO: /mnt/c/Users/HP/Desktop/File Explorer Application$
```

GitHub Repository Link: <https://github.com/Himanshu-n17/File-Explorer-Application.git>