Program 1:

Demonstrate all the text formatting tags in a single HTML page.

Source code:

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Lab Manual Program-1</title>
  </head>
  <body>
    <div>
      <strong>bold</strong> <br />
      <i>italic</i> <br />
      <u>underline</u><br />
      <big>Big Tag</big><br />
      <small>Small Tag</small>
    </div> <div>
      subscript H<sub>2</sub>O <br />
      superscript E = mc<sup>2</sup>
    </div>
    <div>highlighted text : <mark> this is highlighted text </mark></div>
    <div>  inserted text : <ins> this text is inserted </ins> <br />
      deleted text :<del> this text is deleted </del>
    </div> <div>
      code tag : <code>button</code><br />
      keyboard Tag : <kbd> Ctrl + C </kbd>
    </div>
  </body>
</html>
```

Output:


Lab Manual Program-1
127.0.0.1:5500/manual/program1.html
bold
italic
underline
Big Tag
Small Tag
subscript H_2O
superscript $E = mc^2$
highlighted text : this is highlighted text
inserted text : this text is inserted
deleted text : ~~this text is deleted~~
code tag : button
keyboard Tag : Ctrl + C

Program 2:

Write a HTML code to draw the following Figure :

```
            *
         *  *  *
      *  *  *  *  *
   *  *  *  *  *  *  *
```

Source code :

```
<!doctype html>
<html lang="en">

<head>
   <title>Lab Manual Program-2</title>
</head>

<body>
   <h2>
      <pre>
         *
        * * *
       * * * * *
      * * * * * * *
      </pre>
   </h2>
</body>
</html>
```

Output:



Program 3:

Create a web page to print the following table:

List of Course-wise Subjects

Sr. No.	Course	Subject	Marks		Category		Practical/ Theory
			Internal	External	Internal	External	
1	MBA	Management Accounting	30	70	-	✓	Theory
		Information Technology	30	70	-	✓	T and P
		Basics of Marketing	30	70	-	✓	Theory
		E-Commerce	50	-	✓	-	Theory
2	MCM	Visual Basic	30	70	-	✓	T and P
		Internet Technology	30	70	-	✓	T and P
		Network Technology	30	70	-	✓	Theory
		VB.Net	30	70	-	✓	T and P
		Linux	30	70	-	✓	T and P
		ISA	50	-	✓	-	Theory

Source code :

```
<!DOCTYPE html>
<html>
<head>
  <title>Lab Manual Program-3</title>
</head>
<body> <h2 align="center">List of Course-wise Subjects</h2>
  <table border="1" cellspacing="0" cellpadding="8" align="center">
    <tr>
      <td rowspan="2">Sr. No.</td>
      <td rowspan="2">Course</td>
      <td rowspan="2">Subject</td>
      <td colspan="2">Marks</td>
      <td colspan="2">Category</td>
      <td rowspan="2">Practical / Theory</td>
    </tr>
    <tr>
      <td>Internal</td>
      <td>External</td>
      <td>Internal</td>
```

```
    <td>External</td>
</tr>
<tr>
    <td rowspan="4">1</td>
    <td rowspan="4">MBA</td>
    <td>Management Accounting</td>
    <td>30</td>
    <td>70</td>
    <td>-</td>
    <td>✓</td>
    <td>Theory</td>
</tr>
<tr>
    <td>Information Technology</td>
    <td>30</td>
    <td>70</td>
    <td>-</td>
    <td>✓</td>
    <td>T and P</td>
</tr>
<tr>
    <td>Basics of Marketing</td>
    <td>30</td>
    <td>70</td>
    <td>-</td>
    <td>✓</td>
    <td>Theory</td>
</tr>
<tr>
    <td>E-Commerce</td>
    <td>50</td>
```

```
        <td>-</td>
        <td>✓</td>
        <td>-</td>
        <td>Theory</td>
    </tr>
    <tr>
        <td rowspan="6">2</td>
        <td rowspan="6">MCM</td>
        <td>Visual Basic</td>
        <td>30</td>
        <td>70</td>
        <td>-</td>
        <td>✓</td>
        <td>T and P</td>
    </tr>
    <tr>
        <td>Internet Technology</td>
        <td>30</td>
        <td>70</td>
        <td>-</td>
        <td>✓</td>
        <td>T and P</td>
    </tr>
    <tr>
        <td>Network Technology</td>
        <td>30</td>
        <td>70</td>
        <td>-</td>
        <td>✓</td>
        <td>Theory</td>
    </tr>
```

```
        <tr>
            <td>VB.Net</td>
            <td>30</td>
            <td>70</td>
            <td>-</td>
            <td>✓</td>
            <td>T and P</td>
        </tr>
        <tr>
            <td>Linux</td>
            <td>30</td>
            <td>70</td>
            <td>-</td>
            <td>✓</td>
            <td>T and P</td>
        </tr>
        <tr>
            <td>ISA</td>
            <td>50</td>
            <td>-</td>
            <td>✓</td>
            <td>-</td>
            <td>Theory</td>
        </tr>
    </table>
</body>
</html>
```

Output:

Lab Manual Program-3

127.0.0.1:5500/manual/program3.html Summarize

List of Course-wise Subjects

Sr. No.	Course	Subject	Marks		Category		Practical / Theory
			Internal	External	Internal	External	
1	MBA	Management Accounting	30	70	-	✓	Theory
		Information Technology	30	70	-	✓	T and P
		Basics of Marketing	30	70	-	✓	Theory
		E-Commerce	50	-	✓	-	Theory
2	MCM	Visual Basic	30	70	-	✓	T and P
		Internet Technology	30	70	-	✓	T and P
		Network Technology	30	70	-	✓	Theory
		VB.Net	30	70	-	✓	T and P
		Linux	30	70	-	✓	T and P
		ISA	50	-	✓	-	Theory

Program 4

Using table related tags align the images with hyperlinks.

Source code :

```
<!DOCTYPE html>
<html>

<head>
    <title>Lab Manual Program-4</title>
</head>

<body>
    <h2 align="center">Table With Images</h2>
    <table border="1" cellpadding="15" cellspacing="0" align="center">
        <tr>
            <td align="center">
                <a href="https://www.myvi.in/" target="_blank">
                    <img src="/image/vodaphone.png" width="120">
                </a>
            </td>
```

```
    <td align="center">
        <a href="https://www.axis.com" target="_blank">
            <img src="/image/axis.png" width="80">
        </a>
    </td>
    <td align="center">
        <a href="https://www.tata.com/business/tata-teleservices" target="_blank">
            <img src="/image/indicom.jpg" width="80">
        </a>
    </td>
    <td align="center">
        <a href="https://www.airtel.in/" target="_blank">
            <img src="/image/Airtel-logo.png" width="70">
        </a>
    </td>
</tr>
<tr>
    <td align="center">
        <a href="https://www.docomo.ne.jp/english/" target="_blank">
            <img src="/image/docomo.png" width="120">
        </a>
    </td>
    <td align="center" colspan="2">
        <b>Table With Images</b>
    </td>
    <td align="center">
        <a href="https://www.aircel.com/" target="_blank">
            <img src="/image/aircel-logo.jpg" width="90">
        </a>
    </td>
</tr>
<tr>
```

```html
            <td align="center">
                <a href="https://www.telenor.com/" target="_blank">
                    <img src="/image/Uninor.jpg" width="90">
                </a>
            </td>
            <td align="center">
                <a href="https://www.mtc.com.na/" target="_blank">
                    <img src="/image/mtc.jpg" width="100">
                </a>
            </td>
            <td align="center">
                <a href="http://hutch.lk/" target="_blank">
                    <img src="/image/hutch.gif" width="100">
                </a>
            </td>
            <td align="center">
                <a href="https://www.docomo.ne.jp/english/" target="_blank">
                    <img src="/image/docomo.png" width="100">
                </a>
            </td>
        </tr>
    </table>
</body>
</html>
```

Output:


html
Table With Images
TATA indicom
airtel
TATA DOCOMO
Table With Images
AIRCEL
uninor
MTC
HUTCH
TATA DOCOMO

Program 5

Create a web page with the following using HTML:

I. To embed an image map in a web page
II. II. To fix the hot spots
III. III. Show all the related information when the hot spots are clicked.

Source code :

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <title>Lab Manual Program-5 </title>
</head>
<body>
   <h2>Image Map Using HTML</h2>
   <img src="img1.png" usemap="#imagemap" width="400" height="300" alt="Image Map">
   <map name="imagemap">
      <area shape="rect" coords="0,0,400,75"
           href="https://www.google.com" alt="Google">

      <area shape="rect" coords="0,75,400,150"
           href="https://www.youtube.com" alt="YouTube">

      <area shape="rect" coords="0,150,400,225"
           href="https://www.instagram.com" alt="Instagram">

      <area shape="rect" coords="0,225,400,300"
           href="https://www.facebook.com" alt="Facebook">
   </map>
</body>
</html>
```

Output:


127.0.0.1:5500/5.html
Image Map Using HTML
Google
YouTube
Instagram
Facebook

Program 6

Write a HTML code for the following snapshot.

Source code :

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Form Example</title>
</head>
<body bgcolor="#dbe7f6">
<form>
    <fieldset>
        <legend>Basic information</legend>
        Full name:
        <input type="text" name="fullname"><br><br>
        Birth date:
        <input type="date" name="birthdate"><br><br>
        Gender:
        <input type="radio" name="gender"> Male
        <input type="radio" name="gender"> Female
        <br><br>
        Address:
```

```html
        <input type="text" name="address"><br><br>
        Phone number:
        <input type="tel" name="phone"><br><br>
    </fieldset>
    <br>
    <fieldset>
        <legend>Extra information</legend>
        Interests:
        <input type="checkbox"> Books
        <input type="checkbox"> Movies
        <input type="checkbox"> Videogames
        <br><br>
        Favorite color:
        <input type="color">
        <br><br>
    </fieldset>
    <br>
    <input type="submit" value="Send data">
    <input type="reset" value="Reset form">
</form>
</body>
</html>

</html>
```

Output:



Lab Manual Program-6
127.0.0.1:5500/manual/program6.html
Basic information
Full name:
Himanshu
Birth date:
dd-mm-yyyy
Gender:
Male
Female
Address:
Phone number:
Extra information
Interests:
Books
Movies
Videogames
Favorite color:
Send data
Reset form

Program 7

Create a web page of customer profile for data entry of customer's in a Hotel, The profile should include Name, Address, Age, gender, Room Type (A/C, Non-A/C or Deluxe), Type of payment (Cash, Credit/Debit Card or Coupons).

Source code :

```
<!DOCTYPE html>
<html>

<head>
  <title>Lab Manual Program-7</title>
</head>

<body style="background-color:lightblue;">
  <form>
    <fieldset>
      <legend>Basic Information</legend>
      Full Name:
      <input type="text" name="name"><br><br>
      Age:
      <input type="number" name="age"><br><br>
      Gender:
      <input type="radio" name="gender" value="Male"> Male
      <input type="radio" name="gender" value="Female"> Female<br><br>
      Address:
      <input type="text" name="address"><br><br>
    </fieldset>
    <br>
    <fieldset>
      <legend>Room & Payment Information</legend>
      Room Type:<br>
      <input type="radio" name="room" value="AC"> A/C
      <input type="radio" name="room" value="Non-AC"> Non-A/C
```

```
            <input type="radio" name="room" value="Deluxe"> Deluxe<br><br>
            Type of Payment:<br>
            <input type="radio" name="payment" value="Cash"> Cash
            <input type="radio" name="payment" value="Card"> Credit/Debit Card
            <input type="radio" name="payment" value="Coupons"> Coupons<br><br>
        </fieldset>
        <br>
        <input type="submit" value="Send Data">
        <input type="reset" value="Reset Form">
    </form>
</body>
</html>
```

Output:


Lab Manual Program-7
127.0.0.1:5500/manual/program7.html
Basic Information
Full Name: Himanshu raturi
Age: 21
Gender: Male Female
Address:
Room & Payment Information
Room Type:
A/C Non-A/C Deluxe
Type of Payment:
Cash Credit/Debit Card Coupons
Send Data
Reset Form

Program 8

Demonstrate the use of following HTML5 Tags:

I. <Video>

II. <Audio>

III. <Header>

IV. <Footer>

V. <Nav>

VI. <Embed>

VII. <Datalist>

VIII. <Bdi>

IX. <Article>

X. <Output>

Source code :

```
<!doctype html>
<html lang="en">
<head>
   <title>Lab Manual Program-8</title>
</head>
<body>
   <header>
      <h1>This is Header.</h1>
   </header>
   <nav>
      <a href="#" target="_blank">Home</a>
      <a href="#" target="_blank">Projects</a>
      <a href="#" target="_blank">Academic</a>
      <a href="#" target="_blank">About Me</a>
   </nav>
   <h3>Video element</h3>
   <video controls autoplay loop muted width="250"
```

```
        src="/video/Detailed_Google_Cloud_Computing_Foundations_Summary[1].mp4"
alt="Video here"></video>
    <h3>Audio element</h3>
    <audio controls autoplay loop muted src="/audio/1.mpeg"></audio>
    <h3>Embed Element</h3>
    <embed type="image/jpg" src="/image/axis.png" width="250" height="150"></embed>
    <h3>Datalist Element</h3>
    <form>
        <label for="browser">Choose your browser from the list:</label>
        <input list="browser" name="browser" id="datalist-tag">
        <datalist id="browser">
            <option value="Edge">
            <option value="Firefox">
            <option value="Google Chrome">
            <option value="Opera">
            <option value="Safari">
        </datalist>
        <input type="submit">
    </form>
    <h3>The bdi Element</h3>
    <p>In the example below, usernames are shown along with the number of points in a contest. If
the bdi element is not
        supported in the browser, the username of the Arabic user would confuse the text (the
bidirectional algorithm
        would put the colon and the number "90" next to the word "User" rather than next to the word
"points").</p>
    <ul>
        <li>User <bdi>hrefs</dbi>:60 points</li>
        <li>User <bdi>jdoe</dbi>:80 points</li>
        <li>User <bdi>إيان</dbi>:90 points</li>
    </ul>
    <h3>Article element</h3>
    <article>
```

```
        <h4>Google Chrome</h4>
        <p>Google Chrome is a web browser developed by Google, released in 2008. Chrome is the world's most popular web
           browser today!</p>
    </article>
    <article>
        <h4>Mozilla Firefox</h4>
        <p>Mozilla Firefox is an open-source web browser developed by Mozilla. Firefox has been the second most popular
           web browser since January, 2018.</p>
    </article>
    <h3>Output Element</h3>
    <form oninput="x.value=parseInt(a.value)+parseInt(b.value)">
        <input type="range" id="a" value="50">
        +<input type="number" id="b" value="25">
        =<output name="x" for="a b"></output>
    </form>
    <footer>
        &copy; All Right Reserved.
    </footer>
</body>
</html>
```

<u>Output:</u>


Lab Manual Program-8
127.0.0.1:5500/manual/program8.html
This is Header.
Home Projects Academic About Me
Video element
Detailed
Overview:
Google Cloud
Computing
Foundations
Audio element
0:06 / 0:24
Embed Element


Datalist Element
Choose your browser from the list:
Submit
Edge
Firefox
Google Chrome
Opera
Safari
The bdi Element
User hrefs:60 points
User jdoe:80 points
User points 90:إيان
Article element
Google Chrome
Google Chrome is a web browser developed by Google, released in 2008. Chrome is the world's most popular web browser today!
Mozilla Firefox
Mozilla Firefox is an open-source web browser developed by Mozilla. Firefox has been the second most popular web browser since January, 2018.
Output Element
25
© All Right Reserved.

Program 9

Design an HTML page to create the following list.

1. **Programming Languages**
    - **Python**
        - Frameworks
            1. Django
            2. Flask
        - Libraries
            - NumPy
            - Pandas
            - Matplotlib
    - **Java**
        - Core Concepts
            - OOP
            - Multithreading
            - Exception Handling
        - Frameworks
            1. Spring
            2. Hibernate
2. **Web Development**
    1. **Frontend**
        - HTML
        - CSS
        - JavaScript
            - React
            - Vue.js
            - Angular
    2. **Backend**
        - Node.js
        - PHP
        - Ruby on Rails

Source code :

```
<!doctype html>
<html lang="en">
<head>
  <title>Lab Manual Program-9</title>
</head>
<body>
  <ol>
    <li><b>Programming Language</b></li>
    <ul>
      <li><b>Python</b></li>
      <ul>
        <li>Frameworks</li>
        <ol>
          <li>Django</li>
          <li>Flask</li>
        </ol>
        <li>Libraries</li>
        <ul>
```

```
            <li>NumPy</li>
            <li>Pandas</li>
            <li>Matplotlib</li>
          </ul>
        </ul>
        <li><b>Java</b></li>
        <ul>
          <li>Core concepts</li>
          <ul>
            <li>OOP</li>
            <li>Multithreading</li>
            <li>Exception Handling</li>
          </ul>
          <li>Frameworks</li>
          <ol>
            <li>Spring</li>
            <li>Hibernate</li>
          </ol>
        </ul>
      </ul>
      <li><b>Web Development</b></li>
      <ol>
        <li><b>Frontend</b></li>
        <ul>
          <li>HTML</li>
          <li>CSS</li>
          <li>JavaScript</li>
          <ul>
            <li>React</li>
            <li>Vue.js</li>
            <li>Angular</li>
          </ul>
```

```
            </ul>
            <li><b>Backend</b></li>
            <ul>
                <li>Node.js</li>
                <li>PHP</li>
                <li>Ruby on Rails</li>
            </ul>
        </ol>
    </ol>
</body>
</html>
```

Output:


Lab Manual Program-9
127.0.0.1:5500/manual/program9.html
1. Programming Language
Python
Frameworks
1. Django
2. Flask
Libraries
NumPy
Pandas
Matplotlib
Java
Core concepts
OOP
Multithreading
Exception Handling
Frameworks
1. Spring
2. Hibernate
2. Web Development
1. Frontend
HTML
CSS
JavaScript
React
Vue.js
Angular
2. Backend
Node.js
PHP
Ruby on Rails

CASCADING STYLE SHEET:

Program 1

Create a web page to show all hyperlinks with following specification: Default color is pink.

- Active color is blue.
- Visited color is Green.
- Hyperlink should be without underline.

Source CODE:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<title>Hyperlink Styling</title>
<style>
a:link {
color: pink;
text-decoration: none;
}
a:visited {
color: green;
text-decoration: none;
}
a:active {
color: blue;
text-decoration: none;
}
a:hover {
```

```
color: red;
text-decoration: none;

}

</style>
</head>
<body>
<h2>Styled Hyperlinks</h2>
<p>
   <a href="https://www.google.com" target="_blank">Google</a><br><br>
   <a href="https://www.wikipedia.org" target="_blank">Wikipedia</a><br><br>
   <a href="https://www.github.com" target="_blank">GitHub</a>
</p>
</body>
</html>
```

OUTPUT:


127.0.0.1:5500/all/question10.html
Styled Hyperlinks
Google
Wikipedia
GitHub

Program 2

Create Box Shadow and text Shadow using CSS3.

Source Code:

```
<!DOCTYPE html>

<html lang="en">

<head><meta charset="UTF-8">

<title>Box Shadow and Text Shadow</title>

<style>

.box {

width: 300px;

height: 150px;

background-color: rgb(236, 235, 144);

margin: 40px auto;

padding: 20px;

text-align: center;

box-shadow: 5px 5px 10px gray;

}


h2 {
text-align: center;

color: rgb(21, 173, 89);

text-shadow: 2px 2px 5px gray;}

</style>
</head>
<body><h2>This is the example of Text Shadow </h2>
<div class="box">

<p style="color:rgba(71, 2, 2, 0.774)">Example of Box Shadow</p></div></body></html>
```

OUTPUT:



127.0.0.1:5500/all/question11.html
This is the example of Text Shadow
Example of Box Shadow

Program 3.

Create Rounded Corners using css3.

Source Code:

```
<!DOCTYPE html>
<html>
<head>
<title>Rounded Image</title>
<style>
.box {
width: 300px;

margin: 50px auto;

padding: 15px;

background-color: #f2f2f2;

text-align: center;

border-radius: 20px;

}
.box img {

width: 100%;

border-radius: 15px;

}


</style>
</head>
<body>
<div class="box">
<img src="https://s3.amazonaws.com/images.seroundtable.com/google-amp-
1454071566.jpg" alt="Sample Image"><p style="color:rgba(95, 2, 2,
0.623)">Rounded Image using CSS3</p>
</div>

</body>

</html>
```

OUTPUT:



127.0.0.1:5500/all/question12.html
Google
Rounded Image using CSS3

Program 4

Create a web page to show newspaper layout effects on contents given in web page (i.e. inmultiple columns).

Source Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <style>
    h1,h3{
      text-shadow: 2px 10px 4px ;
    }
    .first{
      column-count: 3;
      display: flex;
    }
    .second{
      background-color: aqua;
      box-shadow: 10px 10px 10px ;
      text-align: left;
      border-radius: 10px;
    }


    .second{
      transition: all;
    }
    .second:hover{
```

```
            background-color: blueviolet;
            opacity: 2;

        }

        .box {

            width: 250px;

            padding: 25px;

            background-color: lightblue;

            text-align: center;

            font-size: 22px;

            cursor: pointer;

            border-radius: 10px;

            transition: transform 0.3s, box-shadow 0.3s;

        }

        .box:hover {

            transform: scale(1.1);

            box-shadow: 0 10px 20px rgba(0,0,0,0.3);

        }

    </style>

</head>

<body>

    <h1>Toofan Express </h1>

    <div class="first">

        <div class="second">

            <h3>Dehradun</h3>

            Lorem ipsum dolor sit amet consectetur adipisicing elit. Voluptatibus cumque
dolorum aliquid aperiam! Neque amet ducimus similique porro et soluta necessitatibus, ad
eius eaque omnis repellat, magni possimus suscipit unde, nam beatae eos nihil laborum sed
sunt. Tempora, vero exercitationem?

        </div>
```

```html
        <div class="second">
            <h3>Dehli</h3>
            Lorem ipsum dolor sit amet consectetur adipisicing elit. In doloribus magni eaque cupiditate odit modi sunt voluptatem culpa expedita laboriosam deleniti dolorem fuga at architecto minima, nisi debitis. Vero, eum! Labore corporis alias, earum fugiat laudantium est ipsum aut aperiam?
        </div>
        <div class="second">
            <h3>Miyawala</h3>
            Lorem ipsum dolor sit amet consectetur adipisicing elit. In doloribus magni eaque cupiditate odit modi sunt voluptatem culpa expedita laboriosam deleniti dolorem fuga at architecto minima, nisi debitis. Vero, eum! Labore corporis alias, earum fugiat laudantium est ipsum aut aperiam?
        </div>
    </div>


    <br>
    <!-- <br>
    <h3>Pehle modi hai fir amit shah aayega fir yogi fir hemant vishwa sharma 2050 tk kahi ni jaara modi.</h3> -->
    <hr style="height: 3px; color: black;">
    <div class="second">
        Lorem, ipsum dolor sit amet consectetur adipisicing elit. Et excepturi ipsam reprehenderit tempore quidem suscipit quod nemo officiis consequatur fuga amet ut accusantium, rerum, quam repudiandae dolores ullam unde quasi? Itaque alias fugiat recusandae quae nobis nostrum. Beatae, architecto illum.
    </div>
    <br><br>
</body>
</html>
```

<u>OUTPUT:</u>


127.0.0.1:5501/css2/news.html
maths
visa
DSA Sheet.pdf - Go...
Preliminary questio...
All Bookmarks
Toofan Express
Dehradun
Lorem ipsum dolor sit amet consectetur adipisicing elit. Voluptatibus cumque dolorum aliquid aperiam! Neque amet ducimus similique porro et soluta necessitatibus, ad eius eaque omnis repellat, magni possimus suscipit unde, nam beatae eos nihil laborum sed sunt. Tempora, vero exercitationem?
Dehli
Lorem ipsum dolor sit amet consectetur adipisicing elit. In doloribus magni eaque cupiditate odit modi sunt voluptatem culpa expedita laboriosam deleniti dolorem fuga at architecto minima, nisi debitis. Vero, eum! Labore corporis alias, earum fugiat laudantium est ipsum aut aperiam?
Miyawala
Lorem ipsum dolor sit amet consectetur adipisicing elit. In doloribus magni eaque cupiditate odit modi sunt voluptatem culpa expedita laboriosam deleniti dolorem fuga at architecto minima, nisi debitis. Vero, eum! Labore corporis alias, earum fugiat laudantium est ipsum aut aperiam?
Lorem, ipsum dolor sit amet consectetur adipisicing elit. Et excepturi ipsam reprehenderit tempore quidem suscipit quod nemo officiis consequatur fuga amet ut accusantium, rerum, quam repudiandae dolores ullam unde quasi? Itaque alias fugiat recusandae quae nobis nostrum. Beatae, architecto illum.

Program 5:

Create a web page to show transition effect in such a way so that elements gradually change from one style to another style.

Source Code:

```
<!DOCTYPE html>

<html>

<head>

<title>CSS3 Transition Effect</title>

<style>

body {

font-family: Arial;

background-color: #f2f2f2;

padding: 30px;

}

h2 {

text-align: center;

}

.box {

width: 400px;

margin: 40px auto;

padding: 20px;

background-color: lightblue;

color: black;

text-align: justify;

transition:
```

```
background-color 1.5s,
color 1.5s,

transform 1.5s,

box-shadow 1.5s,

border-radius 1.5s;

}
.box:hover {

background-image: url("https://s3.amazonaws.com/images.seroundtable.com/google-amp-1454071566.jpg"); background-color: #ffb6c1;

color: rgb(239, 239, 245);

transform: scale(1.05);

box-shadow: 10px 10px 20px gray;

border-radius: 25px;

}
</style>

</head>

<body>

<h2>CSS3 Transition Example</h2>

<div class="box">CSS3 transition property allows elements to change from one style to another gradually instead of changing suddenly. When the mouse pointer is placed over this box, you can observe smooth changes in background color, text color, size, shadow, and rounded corners.
<br><br>

Transitions make web pages more interactive and user-friendly.

They are widely used in modern web design to improve visual appeal
and user experience.
</div>
</body>
</html>
```

OUTPUT:


127.0.0.1:5500/all/question14.html
CSS3 Transition Example
CSS3 transition property allows elements to change from one style to another gradually instead of changing suddenly. When the mouse pointer is placed over this box, you can observe smooth changes in background color, text color, size, shadow, and rounded corners.
Transitions make web pages more interactive and user-friendly. They are widely used in modern web design to improve visual appeal and user experience.


127.0.0.1:5500/all/question14.html
CSS3 Transition Example
CSS3 transition property allows elements to change from one style to another gradually instead of changing suddenly. When the mouse pointer is placed over this box, you can observe smooth changes in background color, text color, size, shadow, and rounded corners.
Transitions make web pages more interactive and user-friendly. They are widely used in modern web design to improve visual appeal and user experience.

Progarm 6:

Create a web page to show fixed background image (this image will not scroll with the rest of the page).

Source Code:

```
<!DOCTYPE html>
<html>
<head>
<title>Fixed Image</title>
<style>
body{
   margin:0;
   font-family:Arial, sans-serif;
   background-image:url("par.jpg");
   background-size:cover;
   background-position:center;
   background-attachment:fixed;
   background-repeat:no-repeat;
}
.content{
   height:2000px;
   background:rgb(255,255,255,0.4);
   padding:20px;
}
</style>
</head>
<body>
<div class="content">
   <h1>Fixed Background </h1>
   <p> <b>Scroll down the page.</b></p>
   <p>keep scrolloing</p>
</div></body></html>
```

OUTPUT:



Program 7:

Create a web page to position a background image and repeat the image horizontally or vertically.

Source Code:

```
<!DOCTYPE html>
<html>
<head>
<title>Background Image Repeat</title>
<style>
body{
   font-family:Arial;
}
.horizontal{
   height:200px;
   border:2px solid black;
   margin:20px;
   background-image:url("par.jpg");
   background-repeat:repeat-x;
   background-position:top left;
}
.vertical{
   height:300px;
   border:2px solid black;
   margin:20px;
   background-image:url("par.jpg");
   background-repeat:repeat-y;
   background-position:top left;
}
</style>
```

```
</head>
<body>
<h2>Horizontal Repeat</h2>
<div class="horizontal"></div>
<h2>Vertical Repeat</h2>
<div class="vertical"></div>
</body>
</html>
```

OUTPUT:



Program 8:

Create an HTML page to demonstrate all types of CSS position properties (static, relative, absolute, fixed, and sticky).

Source Code:

```
<!DOCTYPE html>
<html>
<head>
<title>CSS Positions</title>
<style>
body{
    font-family:Arial;
    height:2000px;
    margin:0;
}
.box{
    width:200px;
    height:80px;
    color:white;
    padding:10px;
    margin:20px;
}
.static{
    position:static;
    background:gray;
}
.relative{
    position:relative;
    left:40px;
    top:10px;
    background:green;
```

```
}
.container{
    position:relative;
    height:200px;
    border:2px solid black;
    margin:20px;
}
.absolute{
    position:absolute;
    right:10px;
    top:10px;
    background:red;
}
.fixed{
    position:fixed;
    bottom:10px;
    right:10px;
    background:blue;
}
.sticky{
    position:sticky;
    top:0;
    background:orange;
}
</style>
</head>
```

```
<body>
<h2 class="box sticky">Sticky</h2>
<div class="box static">
   Static
</div>
<div class="box relative">
   Relative
</div>
<div class="container">
   <div class="box absolute">
      Absolute
   </div>
</div>
<div class="box fixed">
   Fixed
</div>
</body>
</html>
```

OUTPUT:


Sticky
Static
Relative
Absolute
Fixed


Sticky
Relative
Absolute
Fixed

Program 9:

Design a web page using CSS which includes the following:

i. Use different font styles

ii. Set background image for both the page and single elements on page.

iii. Control the repetition of image with background-repeat property

iv. Define style for links as a:link, a:active, a:hover, a:visited

v. Add customized cursors for links.

vi. Work with layers.

Source Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<title>Web Page using CSS</title>
<style>
body{
background-image: url("https://picsum.photos/1200/800");
background-repeat: no-repeat;
background-size: cover;
font-family: Arial, sans-serif;
}
h1{
font-family: Georgia, serif; text-
align: center;
color: darkblue;
}
p{
font-family: "Courier New", monospace;
font-size: 16px;
}
```

```
.box{
background-image: url("https://picsum.photos/400/200");
background-repeat: repeat-x;
padding: 15px;
margin: 20px; color:
white;
}
a:link{
color: blue;
text-decoration: none;
}
a:visited{
color:purple;
}
a:hover{ color:
red;
text-decoration: underline;
cursor: url("https://cur.cursors-4u.net/cursors/cur-2/cur117.cur"), pointer;
}
a:active{
color:green;
}
.layer1{
position: absolute;
top:300px;
left: 200px;
font-size: 40px; color:
blue;
z-index: 1;
}
.layer2{
```

```
position: absolute; top:

320px;

left: 220px; font-size:

40px; color: red;

z-index: 2;

}

</style>

</head>
<body>
<h1>Web Page using CSS</h1>
<div class="box">

<p>Welcome to Web page using CSS.CSS stands for Cascading Style Sheets and is used
to style web pages.</p>

</div>
<center>

    <a href="#">Register</a>

    </center>

    <div class="layer1">LAYER 1</div>

    <div class="layer2">LAYER 2</div>

    </body>

    </html>
```

OUTPUT


Web Page using CSS
Welcome to Web page using CSS. CSS stands for Cascading Style Sheets and is used to style web pages.
Register
LAYER 1
LAYER 2


Web Page using CSS
Welcome to Web page using CSS. CSS stands for Cascading Style Sheets and is used to style web pages.
Register
LAYER 1
LAYER 2

JavaScript

Q1: Design a web page to validate credit card numbers per the specifications below. The following tables outline the major credit cards you want to validate and allow prefixes and lengths.

Card Type	Prefix	Length
Master Card	51–55	16
Visa	4	13,16
American Express	34,37	15

Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Credit Card Validation</title>
  <script src="script.js"></script>
</head>
<body>
  <div>
    <fieldset>
      <legend>Credit Card Validation</legend>
      <label>Card Type:</label>
      <input type="text" id="cardt" placeholder="Visa / MasterCard / American Express">
      <br><br>
      <label>Card Number:</label>
      <input type="text" id="cardn">
      <br><br>
      <button onclick="validateCard()">Validate</button>
      <br><br>
      <div id="output"></div>
```

```
        </fieldset>
    </div>
</body>
</html>
```

Script.js

```
function validateCard() {
    let cardType = document.getElementById("cardt").value.toLowerCase();
    let cardNumber = document.getElementById("cardn").value;
    let len = cardNumber.length;
    let result = "";
    if (cardType == "visa") {
        if (cardNumber.startsWith("4") && (len === 13 || len === 16)) {
            result = "Valid Visa Card";
        } else {
            result = "Invalid Visa Card";
        }
    }
    else if (cardType === "mastercard") {
        let prefix = parseInt(cardNumber.substring(0, 2));
        if (len === 16 && prefix >= 51 && prefix <= 55) {
            result = "Valid MasterCard";
        } else {
            result = "Invalid MasterCard";
        }
    }
    else if (cardType === "american express") {
        if (len === 15 && (cardNumber.startsWith("34") || cardNumber.startsWith("37"))) {
            result = "Valid American Express Card";
        } else {
```

```
            result = "Invalid American Express Card";
        }
    }
    else {
        result = "Unknown Card Type";
    }
    document.getElementById("output").innerHTML = result;
}
```

OUTPUT:





Q 2: Design a web page to validate the following according to the standard conditions.

a. Name

b. E-Mail-id

c. Password.

<u>Index.html:</u>

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>Document</title>
   <script src="script.js"></script>
</head>
<body>
   <fieldset method="get">
      <legend>MAIL VERIFIER</legend>
      <label for="Name">NAME:</label>
      <input type="text" id="name" placeholder="Enter your name"><br> <br>
      <label for="E-mail">Email:</label>
      <input type="text" id="email" placeholder="Enter your mail"><br><br>
      <label for="Password">Password:</label>
      <input type="password" id="password" placeholder="Enter password"> <br><br>
      <button onclick="x()">Verify</button><br><br>
      <div id="output"></div>
   </fieldset>
</body>
</html>
```

<u>Script.js</u>

```
function x(){
```

```
        let e,p,result;
        e=document.getElementById("email").value.toLowerCase();
        p=document.getElementById("password").value;
        if(!e.endsWith("@gmail.com")){
            result="Invalid Email";
        }
        else{
            if(e=="shubham@gmail.com"&&p=="shubham@01")
            result="Verified";
            else if(e=="rohit@gmail.com"&&p=="rohit@01")
            result="Verified";
            else
            result="Not Verified";
        }
        document.getElementById("output").innerHTML=result;
    }
```

OUTPUT:





Q3: Store some country names and their capitals. Ask the user to select a country and its capital from two lists. If the match is correct, display “Correct answer”; otherwise, display an error message and tell the correct answer.

<u>Index.html:</u>

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Country Capital Quiz</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      text-align: center;
      margin-top: 50px;
    }
    select, button {
      padding: 10px;
      margin: 10px;
      font-size: 16px;
    }
    #output {
      margin-top: 20px;
      font-size: 20px;
      font-weight: bold;
    }
  </style>
  <script src="script.js"></script>
</head>
<body>
```

```html
    <h2>Country & Capital Quiz</h2>
    <label>Country:</label><br>
    <select id="country">
      <option value="">-- Select Country --</option>
      <option value="India">India</option>
      <option value="Russia">Russia</option>
      <option value="Japan">Japan</option>
      <option value="America">America</option>
      <option value="China">China</option>
    </select><br>
    <label>Capital:</label><br>
    <select id="capital">
      <option value="">-- Select Capital --</option>
      <option value="New Delhi">New Delhi</option>
      <option value="Moscow">Moscow</option>
      <option value="Tokyo">Tokyo</option>
      <option value="Washington D.C">Washington D.C</option>
      <option value="Beijing">Beijing</option>
    </select> <br>
    <button onclick="verify()">Verify</button>
    <div id="output"></div>
</body>
</html>
```

<u>Script.js</u>

```javascript
      function verify() {
        let c = document.getElementById("country").value;
        let cap = document.getElementById("capital").value;
        let output = document.getElementById("output");
        const capitals = {
          "India": "New Delhi",
```

```
        "America": "Washington D.C",
        "Japan": "Tokyo",
        "Russia": "Moscow",
        "China": "Beijing"
    };
    if (c === "" || cap === "") {
        output.innerHTML = "Please select both country and capital";
        output.style.color = "orange";
        return;
    }
    if (capitals[c] === cap) {
        output.innerHTML = "Correct Answer!";
        output.style.color = "green";
    } else {
        output.innerHTML = "Wrong Answer!";
        output.style.color = "red";
    }
}
```

OUTPUT:


Country Capital Quiz
Ask Gemini
127.0.0.1:5501/javascript/ques3.html
Country & Capital Quiz
Country:
-- Select Country --
Capital:
-- Select Capital --
Verify


Country & Capital Quiz
Country:
Japan
Capital:
Tokyo
Verify
Correct Answer!


Country & Capital Quiz
Country:
India
Capital:
Beijing
Verify
Wrong Answer!

Q 4: Design the simple Calculator.

<u>Index.html:</u>

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Calculator</title>
    <style>
        body{
            display: flex;
            justify-content: center;
            align-items: center;
            height: 100vh;
            background: #f2f2f2;
            font-family: Arial, sans-serif;
        }
        .calculator{
            background: #ffffff;
            padding: 15px;
            border-radius: 10px;
            box-shadow: 0 8px 20px rgba(0,0,0,0.15);
        }
        #show{
            width: 100%;
            height: 45px;
            font-size: 18px;
            text-align: right;
            margin-bottom: 10px;
            padding-right: 8px;
```

```
        }
        button{
            width: 55px;
            height: 45px;
            margin: 3px;
            font-size: 16px;
            border: none;
            border-radius: 6px;
            cursor: pointer;
            background: #e0e0e0;
        }
    </style>
    <script src="script.js"></script>
</head>
<body>
<div class="calculator">
    <input type="text" id="show">
    <br>
    <button onclick="x('(')">(</button>
    <button onclick="x(')')">)</button>
    <button onclick="x('%')">%</button>
    <button onclick="del()">&cross;</button>
    <button class="clear" onclick="document.getElementById('show').value=''">AC</button>
    <br>
    <button onclick="x('1')">1</button>
    <button onclick="x('2')">2</button>
    <button onclick="x('3')">3</button>
    <button class="op" onclick="x('+')">+</button>
    <br>
    <button onclick="x('4')">4</button>
```

```html
    <button onclick="x('5')">5</button>
    <button onclick="x('6')">6</button>
    <button class="op" onclick="x('-')">-</button>
    <br>
    <button onclick="x('7')">7</button>
    <button onclick="x('8')">8</button>
    <button onclick="x('9')">9</button>
    <button class="op" onclick="x('*')">*</button>
    <br>
    <button onclick="x('0')">0</button>
    <button onclick="x('.')">.</button>
    <button class="equal" onclick="calculate()">=</button>
    <button class="op" onclick="x('/')">/</button>
</div>
</body>
</html>
```

Script.js

```javascript
function x(a){
    document.getElementById("show").value += a;
}
function calculate(){
    let result = eval(document.getElementById("show").value);
    document.getElementById("show").value = result;
}
function del(){
    let box = document.getElementById("show");
    box.value = box.value.slice(0, -1);
}
```

OUTPUT:



Calculator
Ask Gemini
127.0.0.1:5501/javascript/ques4.html
( ) % X AC
1 2 3 +
4 5 6 -
7 8 9 *
0 . = /

12+32
( ) % X AC
1 2 3 +
4 5 6 -
7 8 9 *
0 . = /

44
( ) % X AC
1 2 3 +
4 5 6 -
7 8 9 *
0 . = /

Q 6: Design a web page that implements a running clock.

Index.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Clock</title>
  <style>
    .time{
      background-color: gray;
      border: 3px solid black;
      border-radius: 50px;
      height: 200px;
      box-shadow: 10px 10px 60px #00ffcc,
            -10px -10px 60px #00ffcc;
      font-size: 120px;
      display: flex;
      justify-content: center;
      align-items: center;


    }
    body{
      margin: 0;
      height: 100vh;
      display: flex;
      justify-content: center;
      align-items: center;
      background: linear-gradient(135deg,rgb(72, 72, 112),rgb(17, 1, 1));
    }
```

```
    </style>
    <script src="script.js"></script>
    <link rel="stylesheet" href="style.css">
</head>
<body>
    <div  id="clk" class="time">
    </div>
</body>
</html>
```

Script.js

```
function x(){
    let x = "#" + Math.floor(Math.random() * 123456).toString(16).padStart(6, '0');
    document.getElementById("na").style.backgroundColor=x;
}
function y(){
    let now= new Date().toLocaleTimeString();
    document.getElementById("clk").innerHTML=now;
}
setInterval(y,1000);
```

OUTPUT:



Q 7: Write a code for a web application that accepts the user's birthdate in a textbox and displays the day of the week in a message box at the click of a button

Index.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>Birthday Day Finder</title>
   <style>
      body {
         font-family: Arial, sans-serif;
         text-align: center;
         margin-top: 50px;
      }
      .container {
         display: inline-block;
      }
      input, button {
         padding: 10px;
         font-size: 16px;
      }
      .modal {
         display: none;
         position: fixed;
         top: 0;
         left: 0;
         width: 100%;
         height: 100%;
         background: rgba(0,0,0,0.5);
      }
```

```
        .modal-content {
            background: white;
            padding: 20px;
            margin: 15% auto;
            width: 300px;
            border-radius: 10px;
        }
    </style>
    <script src="script.js"></script>
</head>

<body>
    <div class="container">
        <fieldset>
            <legend>Info</legend>
            <label>Birthday:</label>
            <input type="text" id="bd" placeholder="YYYY-MM-DD">
            <br><br>
            <button onclick="findDay()">Find Day</button>
        </fieldset>
    </div>
    <div id="modal" class="modal">
        <div class="modal-content">
            <p id="message"></p>
            <button onclick="closeModal()">OK</button>
        </div>
    </div>
</body>
</html>
```

Script.js

```
function findDay() {
    let x = document.getElementById("bd").value;
    let message = document.getElementById("message");
    let modal = document.getElementById("modal");
    let dt = new Date(x);
    let days = ["Sunday", "Monday", "Tuesday", "Wednesday", "Thursday", "Friday", 
"Saturday"];
    if (!x || isNaN(dt.getTime())) {
        message.innerHTML = "Invalid date! Use format YYYY-MM-DD";
    } else {
        let day = days[dt.getDay()];
        message.innerHTML = "You were born on: <b>" + day + "</b>";
    }
    modal.style.display = "block";
}
function closeModal() {
    document.getElementById("modal").style.display = "none";
}
```

OUTPUT:



Birthday Day Finder
Ask Gemini
127.0.0.1:5501/javascript/ques7/index.html
Info
Birthday:
2023-01-01
Find Day



You were born on: **Sunday**
OK

Q 8: Write a script that inputs a telephone number as a string in the form (555)555-555. The script should use the strings method split to extract the area code as a token and the last four digits of the phone numbers as a token. Display the area code in one test field and the seven-digit phone number in another text field.

<u>Index.html:</u>

```
<!DOCTYPE html>

<html lang="en">

<head>

   <meta charset="UTF-8">

   <meta name="viewport" content="width=device-width, initial-scale=1.0">

   <title>Mobile Number Verifier</title>

   <style>

     body {

         font-family: Arial;

         text-align: center;

         margin-top: 50px;

      }

      input {

         padding: 8px;

         font-size: 16px;

      }

      #output {

         margin-top: 20px;

      }

   </style>

   <script src="script.js"></script>

</head>

<body>

   <div>

      <div id="input">

         <label for="Mob no">Mobile Number:</label><br><br>
```

```
            <input type="text" id="mob" placeholder="(555)555-555"><br><br>
            <input type="submit" onclick="verify()"><br><br>
        </div>
        <div id="output">
            <label for="" >Area Code: </label>
            <input type="text" name="" id="area-code"><br><br>
            <label for="">Remaining mobile no:</label>
            <input type="text" name="" id="rem-num">
        </div>
    </div>
</body>
</html>
```

Script.js

```
function verify(){
    let n=document.getElementById("mob").value;
    let ac=n.split(")");
    document.getElementById("area-code").value=ac[0].split("(")[1];
    document.getElementById("rem-num").value=ac[1];
}
```

OUTPUT:



Q 9: Develop and demonstrate an HTML file that includes a JavaScript script that uses functions for the following problems:

a. Parameter: A string Output: The position in the string of the left-most vowel

b. Parameter: A number Output: The number with its digits in the reverse order.

<u>Index.html:</u>

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <script src="script.js"></script>
</head>
<body>
  <div style="border: solid 2px;">
    <h1>Question 9</h1>
    <div id="str" style="border: solid 2px; border-radius: 50px; text-align: center;"><br>
      <label for="string">Enter the String:</label>
      <input type="text" id="st"><br><br>
      <label for="Output">Position of leftmost vowel:</label>
      <input type="text" id="pos"><br><br>
      <button type="submit" onclick="findpos()">find</button>
      <br><br>
    </div>
    <div id="int" style="border: solid 2px; border-radius: 50px; text-align: center;"><br>
      <label for="string">Enter the Number:</label>
      <input type="text" id="num"><br><br>
      <label for="Output">Number in reverse order:</label>
      <input type="text" id="rev"><br><br>
      <button type="submit" onclick="findreverse()">find</button><br><br>
    </div>
```

```
        <br>
        </div>
    </div>
</body>
</html>
```

Script.js

```
function findpos(){
    let str1=document.getElementById("st").value;
    let n=str1.length;
    for(let i=0;i<n;i++){
        if("aeiouAEIOU".includes(str1[i])){
            document.getElementById("pos").value=i+1;
            return;
        }
    }
    document.getElementById("pos").value="vowel does not exist in the string";
}
function findreverse(){
    let str1=document.getElementById("num").value;
    let n=str1.length;
    let arr=str1.split("");
    for(let i=0;i<n/2;i++){
        let t=arr[i];
        arr[i]=arr[n-i];
        arr[n-i]=t;
    }
    str1=arr.join("");
    document.getElementById("rev").value=str1;
}
```

OUTPUT:


Document
Ask Gemini
127.0.0.1:5501/javascript/ques9/index.html
Question 9
Enter the String: Shubham Joshi
Position of leftmost vowel: 3
find
Enter the Number: 909284
Number in reverse order: 482909
find

Q 10: Write a JavaScript function that takes a string that has lower and upper case letters as a parameter and converts upper case letters to lower case and lower case letters to upper case.

<u>Index.html:</u>

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <script src="script.js"></script>
</head>
<body>
    <label for="input">Enter the string:</label>
    <input type="text" id="in"><br><br>
    <button onclick="find()">reverse</button><br><br>
    <label for="output">String after operation:</label>
    <input type="text" id="ot">
</body>
</html>
```

<u>Script.js</u>

```javascript
function find(){
    let s=document.getElementById("in").value;
    let n=s.length;
    let output="";
    for(let i=0;i<n;i++){
        if(s[i].toUpperCase()!=s[i]){
            output+=s[i].toUpperCase();
        }
        else{
```

```
            output+=s[i].toLowerCase();
        }
    }
    document.getElementById("ot").value=output;
}
```

OUTPUT:





Q 11: Design a web page to perform a survey on four different models of Maruti (Maruti -K10, Zen-Astelo, Wagnor, Maruti- SX4) owned by people living in four metro cities(Delhi, Mumbai, Chennai & Kolkatta). Display tabulated report like format given below:

	Maruti-K10	Zen-Astelo	Wagnor	Maruti-SX4
Delhi				
Mumbai				
Cheenai				
Kolkatta				

Calculate the number of cars of different models in each metro city.

<u>Index.html:</u>

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <style>
    body {
      margin: 0;
      font-family: Arial, sans-serif;
      text-align: center;
      background-color: #f5f5f5;
    }
    fieldset {
      width: 400px;
      margin: 40px auto;
      padding: 20px;
      border: 2px solid #444;
      border-radius: 10px;
      background-color: #fffaf0;
```

```
    box-shadow: 0 4px 10px rgba(0, 0, 0, 0.2);
}
legend {
    font-weight: bold;
    font-size: 18px;
    padding: 5px 10px;
    color: #333;
}
table {
    margin: 20px auto;
    background-color: #f0f0f0;
    border-collapse: collapse;
}
th, td {
    padding: 10px 20px;
    text-align: center;
    border: 1px solid #ccc;
}
.controls {
    margin-top: 20px;
}
select, button {
    padding: 8px 12px;
    margin: 5px;
    font-size: 14px;
}
button {
    cursor: pointer;
    background-color: #444;
    color: white;
```

```
            border: none;
            border-radius: 5px;
        }
    </style>
    <script src="script.js"></script>
</head>
<body>
    <div>
        <h1>Car Survey</h1>
        <table style="border: solid 2px;" border="2px">
            <tr>
                <th></th>
                <th>Maruti-K 10</th>
                <th>Zen-astelo</th>
                <th>Wagnor</th>
                <th>Maruti-SX4</th>
            </tr>
            <tr>
                <td>Dehli</td>
                <td id="dm"></td>
                <td id="dz"></td>
                <td id="dw"></td>
                <td id="dms"></td>
            </tr>
            <tr>
                <td>Mumbai</td>
                <td id="mm"></td>
                <td id="mz"></td>
                <td id="mw"></td>
                <td id="mms"></td>
```

```
    </tr>
    <tr>
        <td>Chennai</td>
        <td id="cm"></td>
        <td id="cz"></td>
        <td id="cw"></td>
        <td id="cms"></td>
    </tr>
    <tr>
        <td>Kolkata</td>
        <td id="km"></td>
        <td id="kz"></td>
        <td id="kw"></td>
        <td id="kms"></td>
    </tr>
</table><br>
    <fieldset>
        <legend>CarSurvey</legend>
        <b><label for="">Car:</label></b>
        <select name="" id="car">
            <option value="Maruti-K10">Maruti-k10</option>
            <option value="Zen-astelo">Zen-astelo</option>
            <option value="Wagnor">Wagnor</option>
            <option value="Maruti-SX4">Maruti-SX4</option>
        </select><br><br>
        <b><label for="">City:</label></b>
        <select name="" id="city">
            <option value="Delhi">Delhi</option>
            <option value="Mumbai">Mumbai</option>
            <option value="Chennai">Chennai</option>
```

```html
                <option value="Kolkata">Kolkata</option>
            </select><br><br>
            <button onclick="add()">Modify</button>
        </fieldset>
    </div>
</body>
</html>
```

<u>Script.js</u>

```javascript
function add(){
        let c={
            "Delhi":'d',
            "Mumbai":'m',
            "Chennai":'c',
            "Kolkata":'k'
        }
        let m={
            "Maruti-K10":'m',
            "Zen-astelo":'z',
            "Wagnor":'w',
            "Maruti-SX4":"ms"
        }
        let cc=document.getElementById("city").value;
        let mc=document.getElementById("car").value;
        let id="";
        id+=c[cc];
        id+=m[mc];
        let n=Number(document.getElementById(id).innerHTML);
        n+=1;
        document.getElementById(id).innerHTML=n;
        let sound = document.getElementById("engineSound");
```

```
sound.currentTime = 0;
sound.play();
let car = document.getElementById("carAnimation");
car.classList.remove("move");
void car.offsetWidth;
car.classList.add("move");}
```

OUTPUT:


Document
Ask Gemini
127.0.0.1:5501/javascript/ques11/index.html
Car Survey
Maruti-K 10
Zen-astelo
Wagnor
Maruti-SX4
Dehli
Mumbai
Chennai
Kolkata
CarSurvey
Car:
Maruti-k10
City:
Delhi
Modify


Document
Ask Gemini
127.0.0.1:5501/javascript/ques11/index.html
Car Survey
Maruti-K 10
Zen-astelo
Wagnor
Maruti-SX4
Dehli
1
Mumbai
2
Chennai
2
3
Kolkata
3
CarSurvey
Car:
Maruti-k10
City:
Kolkata
Modify

PHP Program

Question: Create a web page to maintain a session using PHP.

```
<!DOCTYPE html>
<html>
<head>
   <title>Session Form</title>
</head>
<body>
   <h1>Session Management Form</h1>
   <form method="POST" action="session_handler.php">
      <label>Name:</label><br>
      <input type="text" name="username" required><br><br>
      <label>Email:</label><br>
      <input type="email" name="email" required><br><br>
      <button type="submit">Submit</button>
   </form>
</body>
</html>
```

Session_handler.php

```
<?php
session_start();
   if(isset($_SESSION['username'])){
      echo "welcome ".$_SESSION['username'];
   }
   else{
   $_SESSION['username'] = $_POST['username'];
   $_SESSION['email'] = $_POST['email'];
   echo "session created..";
   exit;
   }?>
```

OUTPUT:


localhost/form.html
Session Management Form
Name:
wxyz
Email:
wxyz@gmail.com
Submit


localhost/session_handler.php
localhost/session_handler.php
session created..


localhost/session_handler.php
localhost/session_handler.php
welcome wxyz

Question: Create a program to write & retrieve cookies

```html
<!DOCTYPE html>
<html>
<head>
   <title>Cookie Form</title>
</head>
<body>
   <h1>Cookie Management</h1>

   <form method="POST" action="cookie_set.php">
      <label>Username:</label><br>
      <input type="text" name="username" required><br><br>

      <label>Email:</label><br>
      <input type="email" name="email" required><br><br>

      <button type="submit">Set Cookie</button>
   </form>

   <hr>

   <a href="cookie_view.php">View Cookies</a>
</body>
</html>
```

Cookie_set.php

```php
<?php
   $username = $_POST['username'];
   $email = $_POST['email'];

   setcookie("username", $username);
```

```
    setcookie("email", $email);

    echo "Cookies set successfully!";
?>
```

Cookie_view.php

```
<?php
?>
<!DOCTYPE html>
<html>
<head>
    <title>View Cookies</title>
</head>
<body>
    <h1>Your Cookies</h1>
    <?php
    if (isset($_COOKIE['username'])) {
        echo "<p>Username: " . $_COOKIE['username'] . "</p>";
    }
    if (isset($_COOKIE['email'])) {
        echo "<p>Email:</strong> " . $_COOKIE['email'] . "</p>";
    }
    ?>
    <hr>
</body>
</html>
```

Output:


localhost/session_handler.php
Cookie Form
localhost/cookie_form.html
Cookie Management
Username:
abcd
Email:
abcd@gmail.com
Set Cookie
View Cookies


localhost/cookie_set.php
Cookies set successfully!


localhost/cookie_view.php
Your Cookies
Username: abcd
Email: abcd@gmail.com

Question: Write a PHP program to store page views count in SESSION, to increment the count oneach refresh, and to show the count on web page.

```php
<?php
session_start();
if (isset($_SESSION['views'])) {
   $_SESSION['views'] += 1;
} else {
   $_SESSION['views'] = 1;
}
?>
<!DOCTYPE html>
<html>
<head>
   <title>Page View Counter</title>
</head>
<body>
<h2>Page View Counter using Session</h2>
<p>
   You have visited this page
   <strong><?php echo $_SESSION['views']; ?></strong> times in this session.
</p>
</body>
</html>
```

Output:


Page View Counter
localhost/viewscount.php
Page View Counter using Session
You have visited this page 1 times in this session.


Page View Counter
localhost/viewscount.php
Page View Counter using Session
You have visited this page 6 times in this session.

Question: Write a PHP program to store current date-time in a COOKIE and display the "Last visited on date-time on the web page upon reopening of the same page.

```php
<?php
$current_time = date('Y-m-d H:i:s');
if (isset($_COOKIE['last_visit'])) {
    $last_visit = $_COOKIE['last_visit'];
    setcookie('last_visit', $current_time, time() + 365*24*60*60);
}
else {
    $last_visit = "First time visiting";
    setcookie('last_visit', $current_time, time() + 365*24*60*60);
}
?>
<!DOCTYPE html>
<html>
<head>
    <title>Last Visit Tracker</title>
</head>
<body>
    <h1>Welcome to the Website</h1>

    <p><strong>Current Time:</strong> <?php echo $current_time; ?></p>

    <p><strong>Last Visited on:</strong> <?php echo $last_visit; ?></p>

    <hr>
</body>
</html>
```

Output:


Last Visit Tracker
localhost/last_visit.php
Welcome to the Website
Current Time: 2026-04-28 14:35:41
Last Visited on: First time visiting


Last Visit Tracker
localhost/last_visit.php
Welcome to the Website
Current Time: 2026-04-28 14:35:53
Last Visited on: 2026-04-28 14:35:41


Last Visit Tracker
localhost/last_visit.php
Welcome to the Website
Current Time: 2026-04-28 14:36:23
Last Visited on: 2026-04-28 14:36:18

Question: Using PHP and MySQL, develop a program to accept book information viz. Accessionnumber, title, authors, edition and publisher from a web page and store the informationina database and to search for a book with the title specified by the user and todisplaythesearch results with proper headings.

```
<!DOCTYPE html>
<html>
<head>
  <title>Library Management System</title>
  <style>
    body {
      font-family: Arial;
      margin: 20px;
    }
    .form-section {
      border: 1px solid #ccc;
      padding: 20px;
      margin-bottom: 20px;
      width: 50%;
    }
    input, textarea {
      width: 100%;
      padding: 8px;
      margin: 5px 0;
      box-sizing: border-box;
    }
    button {
      padding: 10px 20px;
      background-color: #4CAF50;
      color: white;
      border: none;
    }
```

```
        button:hover {
            background-color: #45a049;
        }
    </style>
</head>
<body>
    <h1>Library Management System</h1>
        <div class="form-section">
        <h2>Add Book</h2>
        <form method="POST" action="finder.php">
            <label>Accession Number:</label><br>
            <input type="text" name="accession_number" required><br><br>
            <label>Title:</label><br>
            <input type="text" name="title" required><br><br>
            <label>Author:</label><br>
            <input type="text" name="author" required><br><br>
            <label>Edition:</label><br>
            <input type="text" name="edition" required><br><br>
            <label>Publisher:</label><br>
            <input type="text" name="publisher" required><br><br>
            <button type="submit" name="action" value="Add Book">Add Book</button>
        </form>
    </div>
    <div class="form-section">
        <h2>Search Book</h2>
        <form method="POST" action="finder.php">
            <label>Search by Title:</label><br>
            <input type="text" name="search_title" required><br><br>
            <button type="submit" name="action" value="Search Book">Search</button>
        </form>
```

```
    </div>
</body>
</html>
```

Finder.php

```
<?php
$conn = mysqli_connect("localhost", "root", "", "library_db");
if (!$conn) {
    die("Connection failed: " . mysqli_connect_error());
}
$action = isset($_POST['action']) ? $_POST['action'] : '';

if ($action == "Add Book") {
    $a_n = $_POST['accession_number'];
    $title = $_POST['title'];
    $author = $_POST['author'];
    $edition = $_POST['edition'];
    $publisher = $_POST['publisher'];

    $sql = "INSERT INTO books (accession_number, title, authors, edition, publisher)
            VALUES ('$a_n', '$title', '$author', '$edition', '$publisher')";
    if ($conn->query($sql) === TRUE) {
        echo "<h2>Book inserted successfully!</h2>";
    } else {
        echo "<h2>Error: " . $conn->error . "</h2>";
    }
}
else if ($action == "Search Book") {
    $search_title = $_POST['search_title'];
    $q = "SELECT * FROM books WHERE title LIKE '%$search_title%'";
    $result = $conn->query($q);
```

```
    if ($result->num_rows > 0) {
        echo "<h2>Search Results for: " . $search_title . "</h2>";
        echo "<table border='1' cellpadding='10'>";
        echo "<tr><th>Accession
Number</th><th>Title</th><th>Author</th><th>Edition</th><th>Publisher</th></tr>";
        while ($row = $result->fetch_assoc()) {
            echo "<tr>";
            echo "<td>" . $row['accession_number'] . "</td>";
            echo "<td>" . $row['title'] . "</td>";
            echo "<td>" . $row['authors'] . "</td>";
            echo "<td>" . $row['edition'] . "</td>";
            echo "<td>" . $row['publisher'] . "</td>";
            echo "</tr>";
        }
        echo "</table>";
    } else {
        echo "<h2>No books found for: " . $search_title . "</h2>";
    }
}

$conn->close();
?>
```

Output







Search Results for: The Atomic Habits

Accession Number	Title	Author	Edition	Publisher
123	The Atomic Habits	James clear	2022	Om

Back to Form

Question: Create a login form with fields for User ID and Password. Upon form submission, validate the entered credentials by matching them with existing records. If the User ID and Password are correct, display a new welcome page.

```
<!DOCTYPE html>
<html>
<head>
    <title>Login Form</title>
    <style>
        body {
            font-family: Arial;
            margin: 20px;
        }
        input {
            padding: 8px;
            margin: 10px 0;
            width: 200px;
        }
        button {
            padding: 10px 20px;
            background-color: #4CAF50;
            color: white;
            border: none;
            cursor: pointer;
        }
    </style>
</head>
<body>
    <h1>User Login</h1>
    <form method="POST" action="login_process.php">
        <label>User ID:</label><br>
        <input type="text" name="user_id" required><br>
```

```
        <label>Password:</label><br>
        <input type="password" name="password" required><br>
        <button type="submit">Login</button>
    </form>
</body>
</html>
```

Login_process.php

```
<?php
session_start();
$conn = mysqli_connect("localhost", "root", "", "library_db");
if (!$conn)
    die("Connection failed: " . mysqli_connect_error());
if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    $user_id = $_POST['user_id'];
    $password = $_POST['password'];
    $q = "SELECT * FROM users WHERE user_id = '$user_id' AND password =
'$password'";
    $result = $conn->query($q);
    if ($result->num_rows > 0) {
        $row = $result->fetch_assoc();
        $_SESSION['user_id'] = $row['user_id'];
        header("Location: welcome.php");
        exit;
    }   else {
        echo "<h1>Login Failed</h1>";
        echo "<p>Invalid User ID or Password</p>";
        echo "<a href='login_form.html'>Try Again</a>";
    }}
$conn->close();
?>
```

Output:



				user_id	password
☐	Edit	Copy	Delete	admin	admin123
☐	Edit	Copy	Delete	user	pass123







Question: Create a PHP page that displays all records from the PERS table where the Department Number (dno) matches one of the values listed on the web interface.

```
<!DOCTYPE html>
<html>
<head>
    <title>PERS Records by Department</title>
    <style>
        body {
            font-family: Arial;
            margin: 20px;
        }
        .form-container {
            border: 1px solid #ccc;
            padding: 20px;
            width: 50%;
        }
        input, select {
            padding: 8px;
            margin: 10px 0;
            width: 100%;
            box-sizing: border-box;
        }
        button {
            padding: 10px 20px;
            background-color: #4CAF50;
            color: white;
            border: none;
            cursor: pointer;
            margin-top: 10px;
        }
    </style>
```

```
</head>
<body>
  <h1>PERS Records by Department</h1>
  <div class="form-container">
    <form method="POST" action="pers_display.php">
      <label>Select Department Number(s):</label><br>
      <select name="dno[]" multiple required>
        <option value="1">Department 1</option>
        <option value="2">Department 2</option>
        <option value="3">Department 3</option>
        <option value="4">Department 4</option>
        <option value="5">Department 5</option>
      </select>
      <small>Hold Ctrl (or Cmd on Mac) to select multiple departments</small><br><br>
      <button type="submit">Display Records</button>
    </form>
  </div>
</body>
</html>
```

Pers_display.php

```
<?php
$conn = mysqli_connect("localhost", "root", "", "library_db");
if (!$conn) {
  die("Connection failed: " . mysqli_connect_error());
}
$dno_array = $_POST['dno'];
$dno_list = implode(',', $dno_array);
$q = "SELECT * FROM pers WHERE dno IN ($dno_list)";
$result = $conn->query($q);
if ($result->num_rows > 0) {
```

```
    echo "<h2>PERS Records for Selected Departments</h2>";
    echo "<table border='1' cellpadding='10'>";
    echo "<tr>";
    $fields = $result->fetch_fields();
    foreach ($fields as $field) {
        echo "<th>" . $field->name . "</th>";
    }
    echo "</tr>";
    while ($row = $result->fetch_assoc()) {
        echo "<tr>";
        foreach ($row as $value) {
            echo "<td>" . $value . "</td>";
        }
        echo "</tr>";
    }

    echo "</table>";
}
else {
    echo "<h2>No records found for selected departments</h2>";
}
?>

<br>
<a href="pers_form.html">Back to Form</a>
```

Output:

Show all | Number of rows: 25 Filter rows: Search this table

Extra options

				eid	ename	esalary	dno	designation
☐	Edit	Copy	Delete	101	John Smith	50000.00	1	Manager
☐	Edit	Copy	Delete	102	Sarah Johnson	45000.00	1	Developer
☐	Edit	Copy	Delete	103	Mike Brown	55000.00	2	Senior Developer
☐	Edit	Copy	Delete	104	Emma Davis	48000.00	2	Analyst
☐	Edit	Copy	Delete	105	Robert Wilson	52000.00	3	Manager
☐	Edit	Copy	Delete	106	Lisa Anderson	47000.00	3	Coordinator
☐	Edit	Copy	Delete	107	James Taylor	51000.00	4	Engineer
☐	Edit	Copy	Delete	108	Mary Miller	46000.00	4	Technician
☐	Edit	Copy	Delete	109	David Martinez	53000.00	5	Supervisor
☐	Edit	Copy	Delete	110	Jennifer Garcia	49000.00	5	Associate

Check all *With selected:* Edit Copy Delete Export

localhost/pers_form.html

PERS Records by Department

Select Department Number(s):

Department 1
Department 2
Department 3
Department 4
Department 5

Hold Ctrl (or Cmd on Mac) to select multiple departments

Display Records

localhost/pers_display.php

PERS Records for Selected Departments

eid	ename	esalary	dno	designation
103	Mike Brown	55000.00	2	Senior Developer
104	Emma Davis	48000.00	2	Analyst

Back to Form

REACT

Q 1: Create a functional component that accepts props and displays a personalized message.

App.js

```
import logo from './logo.svg';
import './App.css';
import Cmp2 from './Cmp2';
function App() {
  return (
    <div className="App">
      <Cmp2 name="Gehu123" age="21"/>
    </div>
  );
}
export default App;
```

Cmp2.jsx

```
function Cmp2(props) {
    return (
        <div>
            <h2>Hello {props.name}, your age is {props.age}</h2>
        </div>
    );
}
export default Cmp2;
```

OUTPUT:



Q 2: Create a functional component that accepts props and displays a personalized message.

App.js

```
import logo from './logo.svg';
import './App.css';
import Counter1 from './Counter1';
function App() {
  return (
    <div className="App">
      <Counter1/>
    </div>
  );
}export default App;
```

Counter1.jsx

```
import React, { Component } from "react";
class Counter1 extends Component {
  state = { count: 0 };
  increase = () => {
    this.setState(prev => ({ count: prev.count + 1 }));
  };
  decrease = () => {
    this.setState(prev => ({ count: prev.count - 1 }));
  };
  update() {
    return (
      <div> <h2>Count: {this.state.count}</h2>
        <button onClick={this.increase}>Increase</button>
        <button onClick={this.decrease}>Decrease</button>
      </div>
    );}}
export default Counter1;
```

OUTPUT:


React App
Ask Gemini
localhost:3000
Counter: 0
Increase
Decrease
Reset


React App
Ask Gemini
localhost:3000
Counter: 4
Increase
Decrease
Reset

Q 3: Create a functional component that maintains a counter and provides buttons to increase, decrease and reset the counter.

App.js

```
import logo from './logo.svg';
import './App.css';
import Counter from './Counter';

function App() {
  return (
    <div className="App">
      <Counter/>
    </div>
  );
}
export default App;
```

Counter.jsx

```
import { useState } from "react";
function Counter() {
    const [count, setCount] = useState(0);
    return (
        <div style={{ textAlign: "center", marginTop: "50px" }}>
            <h2>Counter: {count}</h2>
            <button onClick={() => setCount(count + 1)}>Increase</button>
            <button onClick={() => setCount(count - 1)} style={{ marginLeft: "10px" }}>
                Decrease </button>
            <button onClick={() => setCount(0)} style={{ marginLeft: "10px" }}>
                Reset </button>
        </div>
    );}
export default Counter;
```

OUTPUT:



React App
Ask Gemini
localhost:3000
Counter: 0
Increase
Decrease
Reset

React App
Ask Gemini
localhost:3000
Counter: 4
Increase
Decrease
Reset

Q 4: Create a functional component that displays a running clock and the current date.

App.js

```
import logo from './logo.svg';
import './App.css';
import Clock from './Clock';

function App() {
  return (
    <div className="App">
      <Clock/>
    </div>
  );
}
export default App;
```

Clock.jsx

```
import { useState, useEffect } from "react";
function Clock() {
    const [time, setTime] = useState(new Date());

    useEffect(() => {
        const timer = setInterval(() => {
            setTime(new Date());
        }, 1000);
        return () => clearInterval(timer);
    }, []);

    return (
        <div style={{ textAlign: "center", marginTop: "50px" }}>
            <h2>Current Time: {time.toLocaleTimeString()}</h2>
```

```
            <h3>Current Date: {time.toLocaleDateString()}</h3>
        </div>
    );
}
export default Clock;
```

OUTPUT:



Q 5: Create a component with a form that updates the state based on user input.

App.js

```
import logo from './logo.svg';
import './App.css';
import Form from './Form';
function App() {
 return (
   <div className="App">
     <Form/>
   </div>
 );
}
export default App;
```

Form.jsx

```
import { useState } from "react";
function UserForm() {
   const [formData, setFormData] = useState({
       name: "",
       email: "",
       age: ""
   });
   function handleChange(e) {
       const { name, value } = e.target;
       setFormData(prev => ({
           ...prev,
           [name]: value
       }));
 }
   function handleSubmit(e) {
```

```
        e.preventDefault();
        alert(`Name: ${formData.name}\nEmail: ${formData.email}\nAge: ${formData.age}`);
    }
    return (
        <div style={{ textAlign: "center", marginTop: "40px" }}>
            <h2>Registration Form</h2>
            <form onSubmit={handleSubmit}>
                <input type="text" name="name" placeholder="Enter Name"
                    value={formData.name} onChange={handleChange}/>
                <br /><br />
                <input type="email" name="email" placeholder="Enter Email"
                    value={formData.email} onChange={handleChange}/>
                <br /><br />

                <input
                    type="number" name="age" placeholder="Enter Age" value={formData.age}
                    onChange={handleChange} />
                <br /><br />
                <button type="submit">Submit</button>
            </form>
            <h3>Live Preview</h3>
            <p>Name: {formData.name}</p>
            <p>Email: {formData.email}</p>
            <p>Age: {formData.age}</p>
        </div>
    );
}
export default UserForm;
```

OUTPUT:


React App
Ask Gemini
localhost:3000
Registration Form
Enter Name
Enter Email
Enter Age
Submit
Live Preview
Name:
Email:
Age:


React App
Ask Gemini
localhost:3000
Registration Form
David Warner
david@gmail.com
37
Submit
Live Preview
Name: David Warner
Email: david@gmail.com
Age: 37

Q 6: Create a React application with multiple routes.

App.js

```
import logo from './logo.svg';
import './App.css';
import Route from './Route';
function App() {
  return (
    <div className="App">
      <Route/>
    </div>
  );
}
export default App;
```

Route.jsx

```
import { BrowserRouter as Router, Routes, Route, Link } from "react-router-dom";
function Home() {
    return <h2>Welcome to Home Page</h2>;
}
function About() {
    return <h2>This is About Page</h2>;
}
function Contact() {
    return <h2>This is Contact Page</h2>;
}
function App() {
    return (
        <Router>
            <div style={{ textAlign: "center", marginTop: "40px" }}>
                <h1>React Routing Example</h1>
```

```
        <nav>
          <Link to="/">Home</Link>{" | "}
          <Link to="/about">About</Link>{" | "}
          <Link to="/contact">Contact</Link>
        </nav> <br /><br />
        <Routes>
          <Route path="/" element={<Home />} />
          <Route path="/about" element={<About />} />
          <Route path="/contact" element={<Contact />} />
        </Routes>
      </div>
    </Router>
  );
}
export default App;
```

OUTPUT: