

Volunteer Dashboard

React Frontend — Pickup & Delivery Workflow

Building the volunteer-facing UI on top of the pickup/deliver APIs, plus a status-filtering bug fix along the way.

1. Volunteer Dashboard — View Accepted Donations

WHAT WE BUILT


- Fetches accepted donations from `GET /donations/accepted`
- Displays donations in a responsive grid
- Shows food name, quantity, pickup address, status
- Pickup button → `PUT /donations/{id}/pickup`
- Deliver button → `PUT /donations/{id}/deliver`

KEY CODE

```
const fetchDonations = () => {
  setLoading(true);
  axiosInstance.get("/donations/accepted")
    .then((response) => {
      setDonations(response.data.content || []);
      setLoading(false);
    })
    .catch((error) => {
      toast.error(error.response?.data || "Failed to load donations");
      setLoading(false);
    });
};

const updateDonation = (id, action) => {
  axiosInstance.put(`/donations/${id}/${action}`)
    .then(() => {
      toast.success(`Donation ${action}ed successfully!`);
      fetchDonations();
    })
    .catch((error) => {
      toast.error(error.response?.data || `Failed to ${action} donation`);
    });
};
```

2. Pickup and Deliver Flow



BACKEND METHOD	EFFECT
<code>pickUpDonation()</code>	Sets status to PICKED_UP
<code>deliverDonation()</code>	Sets status to DELIVERED

3. Bug Fix — Deliver Button Not Showing

PROBLEM

The Volunteer Dashboard was only showing **ACCEPTED** donations. **PICKED_UP** donations were not being fetched, so the Deliver button never appeared.

FIX

Changed `getAcceptedDonation()` to return both ACCEPTED and PICKED_UP statuses.

✕ Service Method — Before

```
public Page<FoodDonation> getAcceptedDonation(Pageable pageable) {
    return foodDonationRepository.findByStatus(
        DonationStatus.ACCEPTED,
        pageable
    );
}
```

✓ Service Method — After

```
public Page<FoodDonation> getAcceptedDonation(Pageable pageable) {
    return foodDonationRepository.findByStatusIn(
        List.of(DonationStatus.ACCEPTED, DonationStatus.PICKED_UP),
        pageable
    );
}
```

REPOSITORY METHOD ADDED

```
Page<FoodDonation> findByStatusIn(List<DonationStatus> statuses, Pageable pageable);
```

4. Volunteer Dashboard — Final Code

Full React component: data fetching, status badges, loading and empty states, and conditional Pickup/Deliver actions.

```
import { useState, useEffect } from "react";
import axiosInstance from "../../api/axiosInstance";
import { toast } from "react-toastify";

const VolunteerDashboard = () => {
  const [donations, setDonations] = useState([]);
  const [loading, setLoading] = useState(true);

  useEffect(() => {
    fetchDonations();
  }, []);

  const fetchDonations = () => {
    setLoading(true);
    axiosInstance.get("/donations/accepted")
      .then((response) => {
        setDonations(response.data.content || []);
        setLoading(false);
      })
      .catch((error) => {
        toast.error(error.response?.data || "Failed to load donations");
        setLoading(false);
      });
  };

  const updateDonation = (id, action) => {
    axiosInstance.put(`/donations/${id}/${action}`)
      .then(() => {
        toast.success(`Donation ${action}ed successfully!`);
        fetchDonations();
      })
      .catch((error) => {
        toast.error(error.response?.data || `Failed to ${action} donation`);
      });
  };

  const getStatusBadge = (status) => {
    const styles = {
      ACCEPTED: "bg-yellow-100 text-yellow-800",
      PICKED_UP: "bg-blue-100 text-blue-800",
      DELIVERED: "bg-green-100 text-green-800",
    };
    return styles[status] || "bg-gray-100 text-gray-800";
  };

  return (
    <div className="min-h-screen bg-gray-50 py-8 px-4">
      <div className="max-w-7xl mx-auto">
        <div className="mb-8">
          <h1>📢 Accepted Donations</h1>
          <p>View and manage donations assigned to you</p>
        </div>
      </div>
    </div>
  );
};
```

```

{loading ? (
  <div className="flex justify-center items-center h-64">
    <div className="animate-spin rounded-full h-12 w-12 border-b-2 border-blue-600"></div>
  </div>
) : donations.length === 0 ? (
  <div className="bg-white rounded-xl shadow-sm p-12 text-center">
    <p>📭</p>
    <p>No accepted donations yet</p>
  </div>
) : (
  <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-6">
    {donations.map((donation) => (
      <div key={donation.id} className="bg-white rounded-xl shadow-md overflow-hidden">
        <div className="p-5 flex flex-col flex-1">
          <h2>{donation.foodName}</h2>
          <span className={getStatusBadge(donation.status)}>
            {donation.status}
          </span>

          <div className="mt-4 pt-4 border-t flex gap-2">
            {donation.status === 'ACCEPTED' && (
              <button onClick={() => updateDonation(donation.id, 'pickup')}>
                📭 Pickup
              </button>
            )}
            {donation.status === 'PICKED_UP' && (
              <button onClick={() => updateDonation(donation.id, 'deliver')}>
                📦 Deliver
              </button>
            )}
            {donation.status === 'DELIVERED' && (
              <div>📦 Delivered</div>
            )}
          </div>
        </div>
      </div>
    )}
  </div>
);
};
};

export default VolunteerDashboard;

```

Full component (elided above for length) also renders status legend swatches and an image thumbnail per donation card — see the working source for the complete JSX.

5. Key Learnings

- Volunteer Dashboard shows **ACCEPTED** and **PICKED_UP** donations
- Pickup button appears for ACCEPTED donations
- Deliver button appears for PICKED_UP donations
- Status flow: ACCEPTED → PICKED_UP → DELIVERED
- Backend must return both statuses for the Volunteer Dashboard to work correctly

GIT COMMIT

```
git add .
git commit -m "feat: add volunteer dashboard with pickup and deliver functionality"
```

TOMORROW'S PLAN

- Admin Dashboard with real stats and data
- Add GET /users and GET /donations endpoints for admin
- Show all users with roles
- Show all donations with statuses
- Stats cards with real numbers

The volunteer-facing workflow is now fully wired end to end — next up is giving admins visibility into the whole system.