

# Cucumber Report

21 Apr 2024, 2:36:04 pm

Start : Apr 21, 2:35:12.898 pm

End : Apr 21, 2:36:03.275 pm

Duration : 50.377 s

Features



Scenarios

Steps

PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 0  
FAILED - 3  
SKIPPED - 0

PASSED - 2  
FAILED - 3  
SKIPPED - 5




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>In order to check a user should able to login into Milk Basket</u>	50.317 s	1	0	1	0	4	2	1	1
<u>To check for when the user use any saved</u>	0.040 s	2	0	2	0	6	0	2	4

#	Feature Name	Scenario Name
1	<u>In order to check a user should able to login into Milk Basket</u>	<u>To check valid login by user</u>
2	<u>To check for when the user use any saved</u>	<u>To check for saved for later items</u>
3		<u>To check for when user marked a item then it should marked in saved for later</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
<i>@Invalid</i>	1	0	1	0	1	0	1	0
<i>@Valid</i>	1	0	1	0	1	0	1	0
<i>@SavedforLaterUse</i>	2	0	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>In order to check a user should able to login into Milk Basket</u>	1	0	1	0	50.317 s
2	<u>To check for when the user use any saved</u>	2	0	2	0	0.040 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>In order to check a user should able to login into Milk Basket</u>	<u>To check valid login by user</u>	4	2	1	1	50.312 s
2	<u>To check for when the user use any saved</u>	<u>To check for saved for later items</u>	4	0	1	3	0.015 s
3		<u>To check for when user marked a item then it should marked in saved for later</u>	2	0	1	1	0.012 s

## In order to check a user should able to login into Milk Basket

<b>FAILED</b>	<b>DURATION - 50.317 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 2:35:12.898 pm // 2:36:03.215 pm /					



## To check valid login by user

<b>FAILED</b>	<b>DURATION - 50.312 s</b>		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 2:35:12.903 pm // 2:36:03.215 pm /				
In order to check a user should able to login into Milk Basket				
@Invalid @Valid				



#	Step / Hook Details	Status	Duration
1	Given User is on the Home Page of the Website "https://www.bigbasket.com/"	PASSED	4.117 s
2	When user enter the "9999459457"	PASSED	4.612 s
3	And enter the OTP  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.123) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1f1d9a044f71d3284be92090a67437b8, findElement {value=//form[@class='w-71.5 pt-4 pb-2.5']/button, using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\HIMANS~1\AppData\Local\Temp\1f1d9a044f71d3284be92090a67437b8}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58357}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58357/devtools, se:cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1f1d9a044f71d3284be92090a67437b8 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)	FAILED	40.020 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy32.click(Unknown Source) at Pages.actions.HomePageLoginActions.enterOTP(HomePageLoginActions.java:57) at Steps.LoginSteps.enter_the_OTP(LoginSteps.java:73) at ?.enter the OTP(file:///C:/Users/HimanshuNaudiyal/project/New_Bigbasket/src/test/resources/features/LoginFeature.feature:23) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
4	Then user able to login into the website	SKIPPED	0.013 s

### To check for when the user use any saved

<b>FAILED</b>	DURATION - 0.040 s	Scenarios		Steps	
/ 2:36:03.235 pm // 2:36:03.275 pm /		Total - 2		Total - 6	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 4	



### To check for saved for later items

<b>FAILED</b>	DURATION - 0.015 s		Steps	
/ 2:36:03.235 pm // 2:36:03.250 pm /			Total - 4	
To check for when the user use any saved			Pass - 0	
@SavedforLaterUse			Fail - 1	
			Skip - 3	



#	Step / Hook Details	Status	Duration
1	<p>Given user was logged in and is on the category page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.123) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1f1d9a044f71d3284be92090a67437b8, getCurrentUrl {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\HIMANS~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58357}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58357/devtoo..., se:cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1f1d9a044f71d3284be92090a67437b8     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)     at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)     at org.openqa.selenium.remote.RemoteWebDriver.getCurrentUrl(RemoteWebDriver.java:312)     at Steps.savedFoLater.user_was_logged_in_and_is_on_the_category_page(savedFoLater.java:24)     at ?.user was logged in and is on the category page(file:///C:/Users/HimanshuNaudiyal/project/New_Bigbasket/src/test/resources/features/ SavedforLater.feature:9) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.011 s
2	When user scroll to "Pre Shave Foam - Classic Menthol" item	SKIPPED	0.000 s
3	And click on saved for later tag	SKIPPED	0.000 s
4	Then the item should get marked for save for later	SKIPPED	0.000 s

**To check for when user marked a item then it should marked in saved for later**

<div>FAILED</div>	<div>DURATION - 0.012 s</div>		<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	
<div>/ 2:36:03.263 pm // 2:36:03.275 pm /</div>				
<div>To check for when the user use any saved</div>				
<div>@SavedforLaterUse</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given and user is on the saved for later page and user has already marked a item for save for later</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.123) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1f1d9a044f71d3284be92090a67437b8, findElement {value=//button[@class='Button-sc-1dr2sn8-0 Header___StyledButton-sc-19kl9m3-6 FCloq gKUOcO'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\HIMANS~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58357}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58357/devtoo..., se:cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1f1d9a044f71d3284be92090a67437b8</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy32.click(Unknown Source)  at Pages.actions.SavedForLaterActions.checkout(SavedForLaterActions.java:29)  at Steps.savedFoLater.</p>	FAILED	0.010 s

#	Step / Hook Details	Status	Duration
	and_user_is_on_the_saved_for_later_page_and_user_has_already_marked_a_item_for_save_for_later(savedFoLater.java:53) at ?.and user is on the saved for later page and user has already marked a item for save for later(file:///C:/Users/HimanshuNaudiyal/project/ New_Bigbasket/src/test/resources/features/SavedforLater.feature:17) * Not displayable characters are replaced by '?'. 		
2	Then it should get display in saved for later page	SKIPPED	0.000 s