

Cucumber Report

21 Apr 2024, 1:37:17 pm

Start : Apr 21, 1:36:19.681 pm

End : Apr 21, 1:37:16.074 pm

Duration : 56.393 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 2

SKIPPED - 0

PASSED - 0



FAILED - 3

SKIPPED - 0

PASSED - 2

FAILED - 3

SKIPPED - 5




| Feature | | Scenario | | | | Step | | | |
|---|----------|----------|---|---|---|------|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>In order to check a user should able to login into Milk Basket</u> | 56.173 s | 1 | 0 | 1 | 0 | 4 | 2 | 1 | 1 |
| <u>To check for when the user use any saved</u> | 0.110 s | 2 | 0 | 2 | 0 | 6 | 0 | 2 | 4 |

| # | Feature Name | Scenario Name |
|---|---|--|
| 1 | <u>In order to check a user should able to login into Milk Basket</u> | <u>To check valid login by user</u> |
| 2 | <u>To check for when the user use any saved</u> | <u>To check for saved for later items</u> |
| 3 | | <u>To check for when user marked a item then it should marked in saved for later</u> |

| TAG | Scenario | | | | Feature | | | |
|--------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Name | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> |
| <i>@Invalid</i> | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| <i>@Valid</i> | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| <i>@SavedforLaterUse</i> | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 |





| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | <u>In order to check a user should able to login into Milk Basket</u> | 1 | 0 | 1 | 0 | 56.173 s |
| 2 | <u>To check for when the user use any saved</u> | 2 | 0 | 2 | 0 | 0.110 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|--|---|---|---|---|----------|
| 1 | <u>In order to check a user should able to login into Milk Basket</u> | <u>To check valid login by user</u> | 4 | 2 | 1 | 1 | 56.168 s |
| 2 | <u>To check for when the user use any saved</u> | <u>To check for saved for later items</u> | 4 | 0 | 1 | 3 | 0.079 s |
| 3 | | <u>To check for when user marked a item then it should marked in saved for later</u> | 2 | 0 | 1 | 1 | 0.016 s |

In order to check a user should able to login into Milk Basket

| | | | | | |
|--------------------------------------|----------------------------|--|---|--|---|
| FAILED | DURATION - 56.173 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 4 Pass - 2 Fail - 1 Skip - 1 |  |
| / 1:36:19.681 pm // 1:37:15.854 pm / | | | | | |
| | | | | | |



To check valid login by user

| | | | | |
|--|----------------------------|--|--|---|
| FAILED | DURATION - 56.168 s |  | Steps Total - 4 Pass - 2 Fail - 1 Skip - 1 |  |
| / 1:36:19.686 pm // 1:37:15.854 pm / | | | | |
| In order to check a user should able to login into Milk Basket | | | | |
| @Invalid @Valid | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on the Home Page of the Website "https://www.bigbasket.com/" | PASSED | 4.087 s |
| 2 | When user enter the "9999459457" | PASSED | 4.648 s |
| 3 | And enter the OTP org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //*[contains(text(),'Got it')] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:168) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy32.click(Unknown Source) at Pages.actions.HomePageLoginActions.enterOTP(HomePageLoginActions.java:61) at Steps.LoginSteps.enter_the_OTP(LoginSteps.java:73) at ?.enter the OTP(file:///C:/Users/HimanshuNaudiyal/project/New_Bigbasket/src/test/resources/features/LoginFeature.feature:23) * Not displayable characters are replaced by '?'. | FAILED | 45.325 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 4 | Then user able to login into the website | SKIPPED | 0.000 s |

To check for when the user use any saved

| | | | | | |
|--------------------------------------|--------------------|--|---|--|---|
| FAILED | DURATION - 0.110 s | Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0 |  | Steps Total - 6 Pass - 0 Fail - 2 Skip - 4 |  |
| / 1:37:15.964 pm // 1:37:16.074 pm / | | | | | |



To check for saved for later items

| | | | | |
|--|--------------------|--|--|---|
| FAILED | DURATION - 0.079 s |  | Steps Total - 4 Pass - 0 Fail - 1 Skip - 3 |  |
| / 1:37:15.964 pm // 1:37:16.043 pm / | | | | |
| To check for when the user use any saved | | | | |
| @SavedforLaterUse | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | <p>Given user was logged in and is on the category page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.123) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [105b6e19fa3aaf424ba508c6a786067f, getUrl] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\HIMANS~1\AppData\Local\Temp\chrome-wk\105b6e19fa3aaf424ba508c6a786067f}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56190}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56190/devtools, se:cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 105b6e19fa3aaf424ba508c6a786067f at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</pre> | FAILED | 0.063 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getCurrentUrl(RemoteWebDriver.java:312) at Steps.savedFoLater.user_was_logged_in_and_is_on_the_category_page(savedFoLater.java:24) at ?.user was logged in and is on the category page(file:///C:/Users/HimanshuNaudiyal/project/New_Bigbasket/src/test/resources/features/ SavedforLater.feature:9) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When user scroll to "Pre Shave Foam - Classic Menthol" item | SKIPPED | 0.000 s |
| 3 | And click on saved for later tag | SKIPPED | 0.000 s |
| 4 | Then the item should get marked for save for later | SKIPPED | 0.000 s |

To check for when user marked a item then it should marked in saved for later

| | | | | |
|--|---------------------------|---|---|--|
| FAILED | DURATION - 0.016 s |  | Steps Total - 2 Pass - 0 Fail - 1 Skip - 1 |  |
| / 1:37:16.058 pm // 1:37:16.074 pm / | | | | |
| To check for when the user use any saved | | | | |
| @SavedforLaterUse | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | <p>Given and user is on the saved for later page and user has already marked a item for save for later</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.123) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [105b6e19fa3aaf424ba508c6a786067f, findElement {using=xpath, value=//button[@class='Button-sc-1dr2sn8-0 Header___StyledButton-sc- 19kl9m3-6 FCloq gKUOcO']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\HIMANS~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56190}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56190/devtoo..., se:cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, </pre> | FAILED | 0.016 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre>webauthn:virtualAuthenticators: true} Session ID: 105b6e19fa3aaf424ba508c6a786067f at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy32.click(Unknown Source) at Pages.actions.SavedForLaterActions.checkout(SavedForLaterActions.java:29) at Steps.savedFoLater. and_user_is_on_the_saved_for_later_page_and_user_has_already_marked_a_item_for_save_for_later(savedFoLater.java:53) at ?.and user is on the saved for later page and user has already marked a item for save for later(file:///C:/Users/HimanshuNaudiyal/project/ New_Bigbasket/src/test/resources/features/SavedforLater.feature:17) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | Then it should get display in saved for later page | SKIPPED | 0.000 s |