

Cucumber Report

21 Apr 2024, 11:36:13 am

Start : Apr 21, 11:35:23.130 am

End : Apr 21, 11:36:13.306 am

Duration : 50.176 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 2
FAILED - 3
SKIPPED - 5




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>In order to check a user should able to login into Milk Basket</u>	50.129 s	1	0	1	0	4	2	1	1
<u>To check for when the user use any saved</u>	0.033 s	2	0	2	0	6	0	2	4

#	Feature Name	Scenario Name
1	<u>In order to check a user should able to login into Milk Basket</u>	<u>To check valid login by user</u>
2	<u>To check for when the user use any saved</u>	<u>To check for saved for later items</u>
3		<u>To check for when user marked a item then it should marked in saved for later</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Invalid	1	0	1	0	1	0	1	0
@Valid	1	0	1	0	1	0	1	0
@SavedforLaterUse	2	0	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>In order to check a user should able to login into Milk Basket</u>	1	0	1	0	50.129 s
2	<u>To check for when the user use any saved</u>	2	0	2	0	0.033 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>In order to check a user should able to login into Milk Basket</u>	<u>To check valid login by user</u>	4	2	1	1	50.125 s
2	<u>To check for when the user use any saved</u>	<u>To check for saved for later items</u>	4	0	1	3	0.012 s
3		<u>To check for when user marked a item then it should marked in saved for later</u>	2	0	1	1	0.014 s

In order to check a user should able to login into Milk Basket

FAILED	DURATION - 50.129 s	Scenarios		Steps	
/ 11:35:23.130 am // 11:36:13.259 am /		Total - 1		Total - 4	
		Pass - 0		Pass - 2	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

To check valid login by user

<div>FAILED</div> <div>DURATION - 50.125 s</div>			Steps	
/ 11:35:23.134 am // 11:36:13.259 am /			Total - 4	
In order to check a user should able to login into Milk Basket			Pass - 2	
@Invalid @Valid			Fail - 1	
			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given User is on the Home Page of the Website "https://www.bigbasket.com/"	PASSED	4.072 s
2	When user enter the "9999459457"	PASSED	4.634 s
3	And enter the OTP org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.123) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cd7ecb4b537f18355f2a628704d31c6b, findElement {value=//form[@class='w-71.5 pt-4 pb-2.5']/button, using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\HIMANS~1\AppData\Local\Temp\chrome-remote-debugging\cd7ecb4b537f18355f2a628704d31c6b}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53314}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53314/devtools, se:cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cd7ecb4b537f18355f2a628704d31c6b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)	FAILED	40.025 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy32.click(Unknown Source) at Pages.actions.HomePageLoginActions.enterOTP(HomePageLoginActions.java:57) at Steps.LoginSteps.enter_the_OTP(LoginSteps.java:73) at ?.enter the OTP(file:///C:/Users/HimanshuNaudiyal/project/New_Bigbasket/src/test/resources/features/LoginFeature.feature:23) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
4	Then user able to login into the website	SKIPPED	0.001 s

To check for when the user use any saved



FAILED	DURATION - 0.033 s	Scenarios		Steps	
/ 11:36:13.273 am // 11:36:13.306 am /		Total - 2		Total - 6	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 4	

To check for saved for later items

<div>FAILED</div> <div>DURATION - 0.012 s</div>		<table border="1"><thead><tr><th>Scenario</th><th>Value</th></tr></thead><tbody><tr><td>1</td><td>0.01</td></tr><tr><td>2</td><td>0.005</td></tr><tr><td>3</td><td>0.005</td></tr><tr><td>4</td><td>0.005</td></tr></tbody></table>	Scenario	Value	1	0.01	2	0.005	3	0.005	4	0.005	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div> <div></div>
Scenario	Value												
1	0.01												
2	0.005												
3	0.005												
4	0.005												
/ 11:36:13.273 am // 11:36:13.285 am /													
To check for when the user use any saved													
@SavedforLaterUse													

#	Step / Hook Details	Status	Duration
1	<p>Given user was logged in and is on the category page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.123) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cd7ecb4b537f18355f2a628704d31c6b, getCurrentUrl {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\HIMANS~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53314}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53314/devtoo..., se:cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cd7ecb4b537f18355f2a628704d31c6b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getCurrentUrl(RemoteWebDriver.java:312) at Steps.savedFoLater.user_was_logged_in_and_is_on_the_category_page(savedFoLater.java:24) at ?.user was logged in and is on the category page(file:///C:/Users/HimanshuNaudiyal/project/New_Bigbasket/src/test/resources/features/ SavedforLater.feature:9) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.007 s
2	When user scroll to "Pre Shave Foam - Classic Menthol" item	SKIPPED	0.001 s
3	And click on saved for later tag	SKIPPED	0.002 s
4	Then the item should get marked for save for later	SKIPPED	0.001 s

To check for when user marked a item then it should marked in saved for later

<div>FAILED</div> <div>DURATION - 0.014 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 11:36:13.292 am // 11:36:13.306 am /				
To check for when the user use any saved				
@SavedforLaterUse				

#	Step / Hook Details	Status	Duration
1	<p>Given and user is on the saved for later page and user has already marked a item for save for later</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.123) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cd7ecb4b537f18355f2a628704d31c6b, findElement {value=//button[@class='Button-sc-1dr2sn8-0 Header___StyledButton-sc-19kl9m3-6 FCloq gKUOcO'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\HIMANS~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53314}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53314/devtoo..., se:cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cd7ecb4b537f18355f2a628704d31c6b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy32.click(Unknown Source) at Pages.actions.SavedForLaterActions.checkout(SavedForLaterActions.java:29) at Steps.savedFoLater.</pre>	FAILED	0.011 s

#	Step / Hook Details	Status	Duration
	and_user_is_on_the_saved_for_later_page_and_user_has_already_marked_a_item_for_save_for_later(savedFoLater.java:53) at ?.and user is on the saved for later page and user has already marked a item for save for later(file:///C:/Users/HimanshuNaudiyal/project/ New_Bigbasket/src/test/resources/features/SavedforLater.feature:17) * Not displayable characters are replaced by '?'. 		
2	Then it should get display in saved for later page	SKIPPED	0.001 s