Cucumber Report

| Start : Apr 21, 11:34:54.126 am	End : Apr 21, 11:35:44.946 am	Duration : 50.820 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 2 FAILED - 3 SKIPPED - 5

2

3

10

0 %

0 %

20 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
In order to check a user should able to login into Milk Basket	*50.774 s*	*1*	*0*	*1*	*0*	*4*	*2*	*1*	*1*
To check for when the user use any saved	*0.031 s*	*2*	*0*	*2*	*0*	*6*	*0*	*2*	*4*

#	Feature Name	Scenario Name
1	*In order to check a user should able to login into Milk Basket*	*To check valid login by user*
2	*To check for when the user use any saved*	*To check for saved for later items*
3		*To check for when user marked a item then it should marked in saved for later*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@Invalid	1	0	1	0	1	0	1	0
@Valid	1	0	1	0	1	0	1	0
@SavedforLaterUse	2	0	2	0	1	0	1	0

| #	Feature Name	T	P	F	S	Duration
1	In order to check a user should able to login into Milk Basket	1	0	1	0	50.774 s
2	To check for when the user use any saved	2	0	2	0	0.031 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	*In order to check a user should able to login into Milk Basket*	*To check valid login by user*	4	2	1	1	50.774 s
2	*To check for when the user use any saved*	*To check for saved for later items*	4	0	1	3	0.016 s
3		*To check for when user marked a item then it should marked in saved for later*	2	0	1	1	0.015 s

In order to check a user should able to login into Milk Basket

FAILED	DURATION - 50.774 s	Scenarios	Steps
/ 11:34:54.126 am // 11:35:44.900 am /		Total - 1 Pass - 0 Fail - 1 Skip - 0	Total - 4 Pass - 2 Fail - 1 Skip - 1

To check valid login by user

| FAILED	DURATION - 50.774 s		Steps
/ 11:34:54.126 am // 11:35:44.900 am /			Total - 4
In order to check a user should able to login into Milk Basket			Pass - 2 Fail - 1 Skip - 1
@Invalid @Valid			

#	Step / Hook Details	Status	Duration
1	Given User is on the Home Page of the Website "https://www.bigbasket.com/"	PASSED	4.611 s
2	When user enter the "9999459457"	PASSED	4.712 s
3	And enter the OTP	FAILED	40.013 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.123) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7901742f6466dc380fc4cb63fee22765, findElement {value=//form[@class='w-71.5 pt-4 pb-2.5']/button, using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\HIMANS~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53251}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53251/devtoo..., se:cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7901742f6466dc380fc4cb63fee22765
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy32.click(Unknown Source)		
	at Pages.actions.HomePageLoginActions.enterOTP(HomePageLoginActions.java:57)		
	at Steps.LoginSteps.enter_the_OTP(LoginSteps.java:73)		
	at ?.enter the OTP(file:///C:/Users/HimanshuNaudiyal/project/New_Bigbasket/src/test/resources/features/LoginFeature.feature:23)		
	* Not displayable characters are replaced by '?'.		
4	Then user able to login into the website	SKIPPED	0.000 s

To check for when the user use any saved

FAILED	DURATION - 0.031 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0	2	Steps Total - 6 Pass - 0 Fail - 2 Skip - 4	6
/ 11:35:44.915 am // 11:35:44.946 am /					

To check for saved for later items

FAILED	DURATION - 0.016 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	4
/ 11:35:44.915 am // 11:35:44.931 am /				
To check for when the user use any saved				
@SavedforLaterUse				

#	Step / Hook Details	Status	Duration
1	Given user was logged in and is on the category page	FAILED	0.000 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.123) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7901742f6466dc380fc4cb63fee22765, getCurrentUrl {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\HIMANS~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53251}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53251/devtoo..., se:cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7901742f6466dc380fc4cb63fee22765
	
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)
	    at org.openqa.selenium.remote.RemoteWebDriver.getCurrentUrl(RemoteWebDriver.java:312)
	    at Steps.savedFoLater.user_was_logged_in_and_is_on_the_category_page(savedFoLater.java:24)
	    at ?.user was logged in and is on the category page(file:///C:/Users/HimanshuNaudiyal/project/New_Bigbasket/src/test/resources/features/SavedforLater.feature:9)
	* Not displayable characters are replaced by '?'.		

2	When user scroll to "Pre Shave Foam - Classic Menthol" item	SKIPPED	0.016 s
3	And click on saved for later tag	SKIPPED	0.000 s
4	Then the item should get marked for save for later	SKIPPED	0.000 s

To check for when user marked a item then it should marked in saved for later

FAILED	DURATION - 0.015 s
/ 11:35:44.931 am // 11:35:44.946 am /	
To check for when the user use any saved	
@SavedforLaterUse	

Steps
Total - 2
Pass - 0
Fail - 1
Skip - 1

2

#	Step / Hook Details	Status	Duration
1	Given and user is on the saved for later page and user has already marked a item for save for later	FAILED	0.015 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.123) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7901742f6466dc380fc4cb63fee22765, findElement {value=//button[@class='Button-sc-1dr2sn8-0 Header___StyledButton-sc-19kl9m3-6 FCIoq gKUOcO'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\HIMANS~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53251}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53251/devtoo..., se:cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7901742f6466dc380fc4cb63fee22765 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy32.click(Unknown Source) at Pages.actions.SavedForLaterActions.checkout(SavedForLaterActions.java:29) at Steps.savedFoLater.		

#	Step / Hook Details	Status	Duration
	and_user_is_on_the_saved_for_later_page_and_user_has_already_marked_a_item_for_save_for_later(savedFoLater.java:53) at ?.and user is on the saved for later page and user has already marked a item for save for later(file:///C:/Users/HimanshuNaudiyal/project/New_Bigbasket/src/test/resources/features/SavedforLater.feature:17) * Not displayable characters are replaced by '?'.		
2	Then it should get display in saved for later page	SKIPPED	0.000 s