

Cucumber Report

19 Apr 2024, 5:01:34 pm

Start : Apr 19, 5:00:37.507 pm

End : Apr 19, 5:01:33.383 pm

Duration : 55.876 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 1
FAILED - 3
SKIPPED - 6




| Feature | | Scenario | | | | Step | | | |
|---|----------|----------|---|---|---|------|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>In order to check a user should able to login into Milk Basket</u> | 55.759 s | 1 | 0 | 1 | 0 | 4 | 1 | 1 | 2 |
| <u>To check for when the user use any saved</u> | 0.045 s | 2 | 0 | 2 | 0 | 6 | 0 | 2 | 4 |

| # | Feature Name | Scenario Name |
|---|---|--|
| 1 | <u>In order to check a user should able to login into Milk Basket</u> | <u>To check valid login by user</u> |
| 2 | <u>To check for when the user use any saved</u> | <u>To check for saved for later items</u> |
| 3 | | <u>To check for when user marked a item then it should marked in saved for later</u> |

| TAG | Scenario | | | | Feature | | | |
|-------------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| Name | T | P | F | S | T | P | F | S |
| @Invalid | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Valid | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @SavedforLaterUse | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 |





| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | <u>In order to check a user should able to login into Milk Basket</u> | 1 | 0 | 1 | 0 | 55.759 s |
| 2 | <u>To check for when the user use any saved</u> | 2 | 0 | 2 | 0 | 0.045 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|--|---|---|---|---|----------|
| 1 | <u>In order to check a user should able to login into Milk Basket</u> | <u>To check valid login by user</u> | 4 | 1 | 1 | 2 | 55.753 s |
| 2 | <u>To check for when the user use any saved</u> | <u>To check for saved for later items</u> | 4 | 0 | 1 | 3 | 0.023 s |
| 3 | | <u>To check for when user marked a item then it should marked in saved for later</u> | 2 | 0 | 1 | 1 | 0.010 s |

In order to check a user should able to login into Milk Basket

| | | | | | |
|--------------------------------------|----------------------------|-----------|---|-----------|---|
| FAILED | DURATION - 55.759 s | Scenarios |  | Steps |  |
| / 5:00:37.507 pm // 5:01:33.266 pm / | | Total - 1 | | Total - 4 | |
| | | Pass - 0 | | Pass - 1 | |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 2 | |



To check valid login by user

| | | | | |
|--|--|--|-----------|---|
| <div>FAILED</div> <div>DURATION - 55.753 s</div> | |  | Steps |  |
| / 5:00:37.513 pm // 5:01:33.266 pm / | | | Total - 4 | |
| In order to check a user should able to login into Milk Basket | | | Pass - 1 | |
| @Invalid @Valid | | | Fail - 1 | |
| | | | Skip - 2 | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on the Home Page of the Website "https://www.bigbasket.com/" | PASSED | 3.758 s |
| 2 | When user enter the "9999459457" | FAILED | 50.502 s |
| | org.openqa.selenium.NoSuchElementException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.123) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d3b875d1dee0c103272868b1f903b98d, findElement {using=xpath, value=//div[@class='flex flex-row']/input[@placeholder='Enter Phone number/ Email Id']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\HIMANS-1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61367}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61367/devtoo..., se.cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d3b875d1dee0c103272868b1f903b98d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy32.toString(Unknown Source) at java.base/java.lang.StringConcatHelper.stringOf(StringConcatHelper.java:465) at java.base/java.lang.StringConcatHelper.simpleConcat(StringConcatHelper.java:420) at org.openqa.selenium.support.ui.ExpectedConditions\$23.toString(ExpectedConditions.java:669) at java.base/java.lang.StringConcatHelper.stringOf(StringConcatHelper.java:465) at java.base/java.lang.StringConcatHelper.simpleConcat(StringConcatHelper.java:420) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:225) at Pages.actions.HomePageLoginActions.Login(HomePageLoginActions.java:39) at Steps.LoginSteps.user_enter_the(LoginSteps.java:55) at ?.user_enter_the "9999459457"(file:///C:/Users/HimanshuNaudiyal/project/New_Bigbasket/src/test/resources/features/LoginFeature.feature:22) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | And enter the OTP | SKIPPED | 0.000 s |
| 4 | Then user able to login into the website | SKIPPED | 0.000 s |

To check for when the user use any saved



| | | | | | |
|--------------------------------------|--------------------|-----------|---|-----------|---|
| FAILED | DURATION - 0.045 s | Scenarios | | Steps | |
| / 5:01:33.338 pm // 5:01:33.383 pm / | | Total - 2 |  | Total - 6 |  |
| | | Pass - 0 | | Pass - 0 | |
| | | Fail - 2 | | Fail - 2 | |
| | | Skip - 0 | | Skip - 4 | |

To check for saved for later items

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | <p>Given user was logged in and is on the category page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.123) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d3b875d1dee0c103272868b1f903b98d, getCurrentUrl {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\HIMANS~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61367}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61367/devtoo..., se:cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d3b875d1dee0c103272868b1f903b98d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getCurrentUrl(RemoteWebDriver.java:312) at Steps.savedFoLater.user_was_logged_in_and_is_on_the_category_page(savedFoLater.java:24) at ?.user was logged in and is on the category page(file:///C:/Users/HimanshuNaudiyal/project/New_Bigbasket/src/test/resources/features/ SavedforLater.feature:9) * Not displayable characters are replaced by '?'. </pre> | FAILED | 0.019 s |
| 2 | When user scroll to "Pre Shave Foam - Classic Menthol" item | SKIPPED | 0.000 s |
| 3 | And click on saved for later tag | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 4 | Then the item should get marked for save for later | SKIPPED | 0.000 s |

To check for when user marked a item then it should marked in saved for later

| | | | | |
|--|---------------------------|--|---|---|
| FAILED | DURATION - 0.010 s |  | Steps Total - 2 Pass - 0 Fail - 1 Skip - 1 |  |
| / 5:01:33.373 pm // 5:01:33.383 pm / | | | | |
| To check for when the user use any saved | | | | |
| @SavedforLaterUse | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | <p>Given and user is on the saved for later page and user has already marked a item for save for later</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.123) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d3b875d1dee0c103272868b1f903b98d, findElement {using=xpath, value=//button[@class='Button-sc-1dr2sn8-0 Header___StyledButton-sc-19kl9m3-6 FCloq gKUOcO']}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\HIMANS~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61367}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61367/devtoo..., se:cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d3b875d1dee0c103272868b1f903b98d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)</pre> | FAILED | 0.007 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy32.click(Unknown Source) at Pages.actions.SavedForLaterActions.checkout(SavedForLaterActions.java:26) at Steps.savedFoLater. and_user_is_on_the_saved_for_later_page_and_user_has_already_marked_a_item_for_save_for_later(savedFoLater.java:52) at ?.and user is on the saved for later page and user has already marked a item for save for later(file:///C:/Users/HimanshuNaudiyal/project/ New_Bigbasket/src/test/resources/features/SavedforLater.feature:18) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | Then it should get display in saved for later page | SKIPPED | 0.000 s |