

Cucumber Report

23 Apr 2024, 11:32:53 am

Start : Apr 23, 11:31:46.022 am

End : Apr 23, 11:32:51.673 am

Duration : 1 m 5.651 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 3
FAILED - 2
SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>In order to check a user should able to login into Milk Basket</u>	1 m 4.280 s	1	0	1	0	4	2	1	1
<u>In order to check</u>	1.230 s	1	0	1	0	4	1	1	2

#	Feature Name	Scenario Name
1	<u>In order to check a user should able to login into Milk Basket</u>	<u>To check valid login by user</u>
2	<u>In order to check</u>	<u>To check for all category should display when user clicks them</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Invalid	1	0	1	0	1	0	1	0
@Valid	1	0	1	0	1	0	1	0
@ShopByCategory	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>In order to check a user should able to login into Milk Basket</u>	1	0	1	0	1 m 4.280 s
2	<u>In order to check</u>	1	0	1	0	1.230 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>In order to check a user should able to login into Milk Basket</u>	<u>To check valid login by user</u>	4	2	1	1	1 m 4.274 s
2	<u>In order to check</u>	<u>To check for all category should display when user clicks them</u>	4	1	1	2	1.230 s

In order to check a user should able to login into Milk Basket

FAILED	DURATION - 1 m 4.280 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 11:31:46.022 am // 11:32:50.302 am /					



To check valid login by user

<div>FAILED</div> <div>DURATION - 1 m 4.274 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 11:31:46.028 am // 11:32:50.302 am /				
In order to check a user should able to login into Milk Basket				
@Invalid @Valid				

#	Step / Hook Details	Status	Duration
1	Given User is on the Home Page of the Website "https://www.bigbasket.com/"	PASSED	4.536 s
2	When user enter the "8920083168"	PASSED	4.810 s
3	And enter the OTP org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[contains(text(),'Got it')]"} (Session info: chrome=124.0.6367.60) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [456a6a522318236aae13fe20140291aa, findElement {using=xpath, value=//*[contains(text(),'Got it')]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.60, chrome: {chromedriverVersion: 124.0.6367.60 (8771130bd84f..., userDataDir: C:\Users\HIMANS~1\AppData\Local\Temp\124.0.6367.60 (8771130bd84f..., se.cdp: ws://localhost:65250/devtools, se.cdpVersion: 124.0.6367.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 456a6a522318236aae13fe20140291aa at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)	FAILED	53.190 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy32.click(Unknown Source) at Pages.actions.HomePageLoginActions.enterOTP(HomePageLoginActions.java:61) at Steps.LoginSteps.enter_the_OTP(LoginSteps.java:73) at ?.enter the OTP(file:///C:/Users/HimanshuNaudiyal/project/New_Bigbasket/src/test/resources/features/LoginFeature.feature:23) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
4	Then user able to login into the website	SKIPPED	0.000 s

In order to check

FAILED	DURATION - 1.230 s	Scenarios		Steps	
/ 11:32:50.443 am // 11:32:51.673 am /		Total - 1		Total - 4	
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

To check for all category should display when user clicks them

<div>FAILED</div>	<div>DURATION - 1.230 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th><th>Status</th></tr></thead><tbody><tr><td>1</td><td>0.025</td><td>Pass</td></tr><tr><td>2</td><td>1.136</td><td>Fail</td></tr><tr><td>3</td><td>0.025</td><td>Pass</td></tr><tr><td>4</td><td>0.025</td><td>Pass</td></tr></tbody></table></div>	Step	Duration (s)	Status	1	0.025	Pass	2	1.136	Fail	3	0.025	Pass	4	0.025	Pass	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
Step	Duration (s)		Status																
1	0.025		Pass																
2	1.136		Fail																
3	0.025	Pass																	
4	0.025	Pass																	
<div>/ 11:32:50.443 am // 11:32:51.673 am /</div>																			
<div>In order to check</div>																			
<div>@ShopByCategory</div>																			

#	Step / Hook Details	Status	Duration
1	Given user was already login and is on the HomePage of the website	PASSED	0.025 s
2	When user clicks the shop by category button org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button class="h-full px-2.5 lg:py-1.5 xl:py-2.5 content-center grid grid-flow-col lg:gap-x-10.5 xl:gap-x-4.5 rounded-2xs text-white bg-appleGreen-600 border border-appleGreen-600" id="headlessui-menu-button-R5bab6:" type="button" aria-haspopup="true" aria-expanded="false" data-headlessui-state="" aria-controls="headlessui-menu-items-R9bab6:">...</button> is not clickable at point (275, 82). Other element would receive the click: <div class="fixed z-50 inset-0 bg-black bg-opacity-50 backdrop-filter backdrop-blur-sm flex items-center justify-center opacity-100">...</div> (Session info: chrome=124.0.6367.60) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [456a6a522318236aae13fe20140291aa, clickElement {id=f.ADD6642C7AB2E2C7DAD6304AA8864CED.d.16C26F458242D51AE31AD5BF90F365A6.e.58}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.60, chrome: {chromedriverVersion: 124.0.6367.60 (8771130bd84f..., userDataDir: C:\Users\HIMANS~1\AppData\L..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65250}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65250/devtoo..., se:cdpVersion: 124.0.6367.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (456a6a522318236aae13fe20140291aa)] -> xpath: //div[@class='Header___StyledCategoryMenu2-sc-19kl9m3-13 ibVaum']/div/div/button] Session ID: 456a6a522318236aae13fe20140291aa at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)	FAILED	1.136 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy32.click(Unknown Source) at Pages.actions.ShopByCategoryActions.shopBycateegoryButton(ShopByCategoryActions.java:29) at Steps.ShopByCategorySteps.user_clicks_the_shop_by_category_button(ShopByCategorySteps.java:45) at ?.user clicks the shop by category button(file:///C:/Users/HimanshuNaudiyal/project/New_Bigbasket/src/test/resources/features/shopByCategory.feature:9) * Not displayable characters are replaced by '?'.		
3	And selects any category like below	SKIPPED	0.025 s
	<div>Fruits & Vegetables</div> <div>Bakery, Cakes & Dairy</div> <div>Beverages</div> <div>Snacks & Branded Foods</div> <div>Beauty & Hygiene</div>		
4	Then particular categoryName should come in the title bar	SKIPPED	0.000 s