# Cucumber Report

| Start : Apr 21, 11:03:36.483 am | End : Apr 21, 11:04:32.335 am | Duration : 55.852 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 1<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 1<br>FAILED - 2<br>SKIPPED - 0 | PASSED - 5<br>FAILED - 2<br>SKIPPED - 3 |



Features: 2



Scenarios: 3



Steps: 10



Pass % — 50 %



Pass % — 33 %



Pass % — 50 %

| Feature | | Scenario | | | | Step | | | |
| --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Name | Duration | T | P | F | S | T | P | F | S |
| *In order to check a user should able to login into Milk Basket* | 54.479 s | 1 | 1 | 0 | 0 | 4 | 4 | 0 | 0 |
| *To check for when the user  use any saved* | 1.344 s | 2 | 0 | 2 | 0 | 6 | 1 | 2 | 3 |

| # | Feature Name | Scenario Name |
|---|---|---|
| 1 | *To check for when the user  use any saved* | *To check for saved for later items* |
| 2 | | *To check for when user marked a item then it should marked in saved for later* |

| TAG | Scenario | | | | Feature | | | |
|---|---|---|---|---|---|---|---|---|
| **Name** | **T** | **P** | **F** | **S** | **T** | **P** | **F** | **S** |
| *@Invalid* | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| *@Valid* | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| *@SavedforLaterUse* | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | *In order to check a user should able to login into Milk Basket* | 1 | 1 | 0 | 0 | 54.479 s |
| 2 | *To check for when the user  use any saved* | 2 | 0 | 2 | 0 | 1.344 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | In order to check a user should able to login into Milk Basket | To check valid login by user | 4 | 4 | 0 | 0 | 54.474 s |
| 2 | To check for when the user  use any saved | To check for saved for later items | 4 | 1 | 1 | 2 | 0.143 s |
| 3 | | To check for when user marked a item then it should marked in saved for later | 2 | 0 | 1 | 1 | 1.176 s |

## In order to check a user should able to login into Milk Basket

| PASSED | DURATION - 54.479 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 1 | | Total - 4 | |
| / 11:03:36.483 am // 11:04:30.962 am / | | Pass - 1 | 1 | Pass - 4 | 4 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

## To check valid login by user

| PASSED | DURATION - 54.474 s | | Steps | |
|---|---|---|---|---|
| / 11:03:36.488 am // 11:04:30.962 am / | | | Total - 4 | |
| In order to check a user should able to login into Milk Basket | | | Pass - 4 | 4 |
| | | | Fail - 0 | |
| @Invalid @Valid | | | Skip - 0 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User is on the Home Page of the Website "https://www.bigbasket.com/" | PASSED | 3.695 s |
| 2 | When user  enter the  "9999459457" | PASSED | 4.555 s |
| 3 | And enter the OTP | PASSED | 44.758 s |
| 4 | Then user able to login into the website | PASSED | 0.001 s |

## To check for when the user  use any saved

| FAILED | DURATION - 1.344 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 2 | | Total - 6 | |
| / 11:04:30.991 am // 11:04:32.335 am / | | Pass - 0 | 2 | Pass - 1 | 6 |
| | | Fail - 2 | | Fail - 2 | |
| | | Skip - 0 | | Skip - 3 | |

## To check for saved for later items

| | |
|---|---|
| *FAILED* | *DURATION - 0.143 s* |
| */ 11:04:30.992 am // 11:04:31.135 am /* | |
| *To check for when the user use any saved* | |
| @SavedforLaterUse | |

**Steps**
Total - 4
Pass - 1
Fail - 1
Skip - 2

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given user was logged in and is on the category page | PASSED | 0.041 s |
| 2 | When user scroll to "Pre Shave Foam - Classic Menthol" item | FAILED | 0.100 s |
| | org.openqa.selenium.JavascriptException: javascript error: {"status":32,"value":"Unable to locate an element with the xpath expression //*[contains(text(),'Pre Shave Foam - Classic Menthol'] because of the following error:\nSyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[contains(text(),'Pre Shave Foam - Classic Menthol']' is not a valid XPath expression."}  (Session info: chrome=123.0.6312.123) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fdbe8ad3375cff6827ff33bf2a84c16c, findElement {value=//*[contains(text(),'Pre Shave Foam - Classic Menthol'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\HIMANS~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51225}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51225/devtoo..., se:cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: fdbe8ad3375cff6827ff33bf2a84c16c<br>    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)<br>    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)<br>    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)<br>    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)<br>    at Steps.savedFoLater.ScrooltoElement(savedFoLater.java:66)<br>    at Steps.savedFoLater.user_scroll_to_item(savedFoLater.java:33) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at ?.user scroll to "Pre Shave Foam - Classic Menthol" item(file:///C:/Users/HimanshuNaudiyal/project/New_Bigbasket/src/test/resources/features/SavedforLater.feature:10)<br>* Not displayable characters are replaced by '?'. | | |
| 3 | And click on saved for later tag | SKIPPED | 0.000 s |
| 4 | Then the item should get marked for save for later | SKIPPED | 0.000 s |

## To check for when user marked a item then it should marked in saved for later

| FAILED | DURATION - 1.176 s |
|---|---|
| / 11:04:31.159 am // 11:04:32.335 am / | |
| To check for when the user  use any saved | |
| @SavedforLaterUse | |

Steps
Total - 2
Pass - 0
Fail - 1
Skip - 1

2

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given and user is on the saved for later page and user has already marked a item for save for later | FAILED | 1.156 s |
| | org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button color="rossoCorsa" pattern="filled" class="Button-sc-1dr2sn8-0 Header___StyledButton-sc-19kl9m3-6 FCIoq gKUOcO">...</button> is not clickable at point (1074, 32). Other element would receive the click: <path fill="#fff" d="M0 0h24v24H0z"></path>   (Session info: chrome=123.0.6312.123) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [fdbe8ad3375cff6827ff33bf2a84c16c, clickElement {id=f. C404D09E91D35737B7BB55DD6539EDF3.d.FC50FC994F7BDD51DD2DF450CF7DDDD6.e.83}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\HIMANS~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51225}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51225/devtoo..., se:cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (fdbe8ad3375cff6827ff33bf2a84c16c)] -> xpath: //button[@class='Button-sc-1dr2sn8-0 Header___StyledButton-sc-19kl9m3-6 FCIoq gKUOcO']] Session ID: fdbe8ad3375cff6827ff33bf2a84c16c<br>    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)<br>    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)<br>at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223)<br>at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76)<br>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:580)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)<br>at jdk.proxy2/jdk.proxy2.$Proxy32.click(Unknown Source)<br>at Pages.actions.SavedForLaterActions.checkout(SavedForLaterActions.java:29)<br>at Steps.savedFoLater.<br>and_user_is_on_the_saved_for_later_page_and_user_has_already_marked_a_item_for_save_for_later(savedFoLater.java:53)<br>at ?.and user is on the saved for later page and user has already marked a item for save for later(file:///C:/Users/HimanshuNaudiyal/project/New_Bigbasket/src/test/resources/features/SavedforLater.feature:18)<br>* Not displayable characters are replaced by '?'. | | |
| 2 | Then it should get display in saved for later page | SKIPPED | 0.000 s |