

# Cucumber Report

22 Apr 2024, 1:15:27 pm

Start : Apr 22, 1:14:30.682 pm

End : Apr 22, 1:15:26.518 pm

Duration : 55.836 s

Features

Scenarios

Steps

PASSED - 1  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 1  
SKIPPED - 0

PASSED - 4  
FAILED - 1  
SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>In order to check a user should able to login into Milk Basket</u>	55.694 s	1	1	0	0	4	4	0	0
<u>In order to check</u>	0.104 s	1	0	1	0	4	0	1	3

#	Feature Name	Scenario Name
1	<u>In order to check</u>	<u>To check for all category should display when user clicks them</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Invalid	1	1	0	0	1	1	0	0
@Valid	1	1	0	0	1	1	0	0
@ShopByCategory	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>In order to check a user should able to login into Milk Basket</u>	1	1	0	0	55.694 s
2	<u>In order to check</u>	1	0	1	0	0.104 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>In order to check a user should able to login into Milk Basket</u>	<u>To check valid login by user</u>	4	4	0	0	55.689 s
2	<u>In order to check</u>	<u>To check for all category should display when user clicks them</u>	4	0	1	3	0.103 s

### In order to check a user should able to login into Milk Basket



<b>PASSED</b>	DURATION - 55.694 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 1:14:30.682 pm // 1:15:26.376 pm /					

### To check valid login by user



<b>PASSED</b>	DURATION - 55.689 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 1:14:30.687 pm // 1:15:26.376 pm /				
In order to check a user should able to login into Milk Basket				
@Invalid @Valid				

#	Step / Hook Details	Status	Duration
1	Given User is on the Home Page of the Website "https://www.bigbasket.com/"	PASSED	3.981 s
2	When user enter the "8920083168"	PASSED	5.199 s
3	And enter the OTP	PASSED	44.501 s
4	Then user able to login into the website	PASSED	0.001 s

### In order to check

<b>FAILED</b>	DURATION - 0.104 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 1:15:26.414 pm // 1:15:26.518 pm /					

### To check for all category should display when user clicks them

<div>FAILED</div> <div>DURATION - 0.103 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 1:15:26.415 pm // 1:15:26.518 pm /				
In order to check				
@ShopByCategory				

#	Step / Hook Details	Status	Duration
1	<p>Given user was already login and is on the HomePage of the website</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class Steps.ShopByCategorySteps  at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)  at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)  at io.cucumber.core.runner.TestStep.run(TestStep.java:56)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)  at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)  at java.base/java.lang.reflect.Method.invoke(Method.java:580)  at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)  at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)  at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)  at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)  at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)  at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)  at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)  at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)</p>	FAILED	0.023 s



#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.util.ArrayList.forEach(ArrayList.java:1597) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:74) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 43 more Caused by: java.lang.StackOverflowError at Pages.actions.ShopByCategoryActions.&lt;init&gt;(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.&lt;init&gt;(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.&lt;init&gt;(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.&lt;init&gt;(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.&lt;init&gt;(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.&lt;init&gt;(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.&lt;init&gt;(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.&lt;init&gt;(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.&lt;init&gt;(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.&lt;init&gt;(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.&lt;init&gt;(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.&lt;init&gt;(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.&lt;init&gt;(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.&lt;init&gt;(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.&lt;init&gt;(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.&lt;init&gt;(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.&lt;init&gt;(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.&lt;init&gt;(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.&lt;init&gt;(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.&lt;init&gt;(ShopByCategoryActions.java:18) </pre>		

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]



[illegible]

#	Step / Hook Details	Status	Duration
	at Pages.actions.ShopByCategoryActions.<init>(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.<init>(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.<init>(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.<init>(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.<init>(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.<init>(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.<init>(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.<init>(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.<init>(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.<init>(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.<init>(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.<init>(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.<init>(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.<init>(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.<init>(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.<init>(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.<init>(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.<init>(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.<init>(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.<init>(ShopByCategoryActions.java:18) at Pages.actions.ShopByCategoryActions.<init>(ShopByCategoryActions.java:18)		
2	When user clicks the shop by category button	SKIPPED	0.001 s
3	And selects any category like below	SKIPPED	0.009 s
	<div>Fruits &amp; Vegetables Bakery, Cakes &amp; Dairy Beverages Snacks &amp; Branded Foods Beauty &amp; Hygiene</div>		
4	Then particular categoryName should come in the title bar	SKIPPED	0.001 s