

# Cucumber Report

23 Apr 2024, 2:48:20 pm

Start : Apr 23, 2:47:13.249 pm

End : Apr 23, 2:48:17.395 pm

Duration : 1 m 4.146 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 3  
FAILED - 2  
SKIPPED - 3




| Feature   |             | Scenario |   |   |   | Step |   |   |   |
|---|-------------|----------|---|---|---|------|---|---|---|
| Name  | Duration    | T        | P | F | S | T    | P | F | S |
| <u>In order to check a user should able to login into Milk Basket</u> | 1 m 2.883 s | 1        | 0 | 1 | 0 | 4    | 2 | 1 | 1 |
| <u>In order to check</u>  | 1.195 s     | 1        | 0 | 1 | 0 | 4    | 1 | 1 | 2 |

| # | Feature Name  | Scenario Name   |
|---|---|---|
| 1 | <u>In order to check a user should able to login into Milk Basket</u> | <u>To check valid login by user</u>                                   |
| 2 | <u>In order to check</u>  | <u>To check for all category should display when user clicks them</u> |

| <b>TAG</b>      | <b>Scenario</b> |          |          |          | <b>Feature</b> |          |          |          |
|-----------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| <b>Name</b>     | <b>T</b>        | <b>P</b> | <b>F</b> | <b>S</b> | <b>T</b>       | <b>P</b> | <b>F</b> | <b>S</b> |
| @Invalid        | 1               | 0        | 1        | 0        | 1              | 0        | 1        | 0        |
| @Valid          | 1               | 0        | 1        | 0        | 1              | 0        | 1        | 0        |
| @ShopByCategory | 1               | 0        | 1        | 0        | 1              | 0        | 1        | 0        |





| # | Feature Name  | T | P | F | S | Duration    |
|---|---|---|---|---|---|-------------|
| 1 | <u>In order to check a user should able to login into Milk Basket</u> | 1 | 0 | 1 | 0 | 1 m 2.883 s |
| 2 | <u>In order to check</u>  | 1 | 0 | 1 | 0 | 1.195 s     |





| # | Feature Name  | Scenario Name   | T | P | F | S | Duration    |
|---|---|---|---|---|---|---|-------------|
| 1 | <u>In order to check a user should able to login into Milk Basket</u> | <u>To check valid login by user</u>                                   | 4 | 2 | 1 | 1 | 1 m 2.879 s |
| 2 | <u>In order to check</u>  | <u>To check for all category should display when user clicks them</u> | 4 | 1 | 1 | 2 | 1.195 s     |

## In order to check a user should able to login into Milk Basket

|                                      |                               |  |   |  |   |
|--------------------------------------|-------------------------------|--|---|--|---|
| <b>FAILED</b>                        | <b>DURATION - 1 m 2.883 s</b> | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 |  | Steps<br>Total - 4<br>Pass - 2<br>Fail - 1<br>Skip - 1 |  |
| / 2:47:13.249 pm // 2:48:16.132 pm / |                               |  |   |  |   |



## To check valid login by user

|  |                               |  |  |   |
|--|-------------------------------|--|--|---|
| <b>FAILED</b>  | <b>DURATION - 1 m 2.879 s</b> |  | Steps<br>Total - 4<br>Pass - 2<br>Fail - 1<br>Skip - 1 |  |
| / 2:47:13.253 pm // 2:48:16.132 pm /                           |                               |  |  |   |
| In order to check a user should able to login into Milk Basket |                               |  |  |   |
| @Invalid @Valid  |                               |  |  |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on the Home Page of the Website "https://www.bigbasket.com/"  | PASSED | 3.716 s  |
| 2 | When user enter the "8920083168"  | PASSED | 4.612 s  |
| 3 | And enter the OTP<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"///*[contains(text(),'Got it')]"} (Session info: chrome=124.0.6367.60) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [435b4d7deff3c75f509b8e4f13dd3842, findElement {value=//*[contains(text(),'Got it')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.60, chrome: {chromedriverVersion: 124.0.6367.60 (8771130bd84f..., userDataDir: C:\Users\HIMANS~1\AppData\Local\Microsoft\EdgeDevToolsServer\124.0.6367.60\userDataDir}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53646}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53646/devtools..., se.cdpVersion: 124.0.6367.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 435b4d7deff3c75f509b8e4f13dd3842<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) | FAILED | 53.114 s |



| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | <pre> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy32.click(Unknown Source) at Pages.actions.HomePageLoginActions.enterOTP(HomePageLoginActions.java:61) at Steps.LoginSteps.enter_the_OTP(LoginSteps.java:73) at ?.enter the OTP(file:///C:/Users/HimanshuNaudiyal/project/New_Bigbasket/src/test/resources/features/LoginFeature.feature:23) </pre> <p>* Not displayable characters are replaced by '?'.<br/> </p> |         |          |
| 4 | Then user able to login into the website   | SKIPPED | 0.000 s  |

### In order to check

|                                      |                    |           |  |           |  |
|--------------------------------------|--------------------|-----------|--|-----------|--|
| <b>FAILED</b>                        | DURATION - 1.195 s | Scenarios |  | Steps     |  |
| / 2:48:16.200 pm // 2:48:17.395 pm / |                    | Total - 1 |  | Total - 4 |  |
|                                      |                    | Pass - 0  |  | Pass - 1  |  |
|                                      |                    | Fail - 1  |  | Fail - 1  |  |
|                                      |                    | Skip - 0  |  | Skip - 2  |  |

To check for all category should display when user clicks them



|   |                               |   |   |  |
|---|-------------------------------|---|---|--|
| <div>FAILED</div>                               | <div>DURATION - 1.195 s</div> | <div></div> | <div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div> | <div></div> |
| <div>/ 2:48:16.200 pm // 2:48:17.395 pm /</div> |                               |   |   |  |
| <div>In order to check</div>                    |                               |   |   |  |
| <div>@ShopByCategory</div>                      |                               |   |   |  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given user was already login and is on the HomePage of the website  | PASSED | 0.015 s  |
| 2 | When user clicks the shop by category button<br><br>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button class="h-full px-2.5 lg:py-1.5 xl:py-2.5 content-center grid grid-flow-col lg:gap-x-10.5 xl:gap-x-4.5 rounded-2xs text-white bg-appleGreen-600 border border-appleGreen-600" id="headlessui-menu-button-R5bab6:" type="button" aria-haspopup="true" aria-expanded="false" data-headlessui-state="" aria-controls="headlessui-menu-items-R9bab6:">...</button> is not clickable at point (275, 82). Other element would receive the click: <div class="fixed z-50 inset-0 bg-black bg-opacity-50 backdrop-filter backdrop-blur-sm flex items-center justify-center opacity-100">...</div> (Session info: chrome=124.0.6367.60) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [435b4d7deff3c75f509b8e4f13dd3842, clickElement {id=f.94C38CBDA202FEA009C32EEA5B2AB530.d.D7B12C6D494A69D34B8EE3EC1F324EFB.e.58}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.60, chrome: {chromedriverVersion: 124.0.6367.60 (8771130bd84f..., userDataDir: C:\Users\HIMANS~1\AppData\L..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53646}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53646/devtoo..., se:cdpVersion: 124.0.6367.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (435b4d7deff3c75f509b8e4f13dd3842)] -> xpath: //div[@class='Header___StyledCategoryMenu2-sc-19kl9m3-13 ibVaum']/div/div/button] Session ID: 435b4d7deff3c75f509b8e4f13dd3842<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)<br>at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)<br>at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223)<br>at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76)<br>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) | FAILED | 1.142 s  |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at java.base/java.lang.reflect.Method.invoke(Method.java:580)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)<br>at jdk.proxy2/jdk.proxy2.\$Proxy32.click(Unknown Source)<br>at Pages.actions.ShopByCategoryActions.shopBycateegoryButton(ShopByCategoryActions.java:29)<br>at Steps.ShopByCategorySteps.user_clicks_the_shop_by_category_button(ShopByCategorySteps.java:45)<br>at ?.user clicks the shop by category button(file:///C:/Users/HimanshuNaudiyal/project/New_Bigbasket/src/test/resources/features/shopByCategory.feature:9)<br>* Not displayable characters are replaced by '?'. |         |          |
| 3 | And selects any category like below   | SKIPPED | 0.011 s  |
|   | <div>Fruits &amp; Vegetables</div> <div>Bakery, Cakes &amp; Dairy</div> <div>Beverages</div> <div>Snacks &amp; Branded Foods</div> <div>Beauty &amp; Hygiene</div>  |         |          |
| 4 | Then particular categoryName should come in the title bar   | SKIPPED | 0.000 s  |