


Wipro Capstone Project (Code File)


Project Name --- Guru 99 Bank

Summary: -

The **Guru99 Bank Automation Framework** is a web automation testing project developed using **Java, Selenium WebDriver, TestNG, Maven, Jenkins, Extent Reports, and GitHub** following the **Page Object Model (POM)** design pattern. The framework automates key banking functionalities such as Login Validation, Customer Creation, Account Creation, Deposit, Withdrawal, and Fund Transfer, along with negative test scenarios. It includes reusable page classes, data-driven testing using Excel (Apache POI), screenshot capture on failure, retry mechanisms, TestNG listeners, and detailed Extent Reports. The project is integrated with Jenkins for Continuous Integration, Docker and GitHub for version control. A total of **12 automated test cases** were executed successfully with a **100% pass rate**, and several application defects were identified, documented, and tracked through Jira, demonstrating a complete end-to-end automation testing lifecycle.

Framework of My Project:-





Now the code of all file of my Project:-

Package Name – base

Class Name- BaseTest.Java :-

package base;

import java.time.Duration;

import org.openqa.selenium.WebDriver;

import org.openqa.selenium.chrome.ChromeDriver;

import org.openqa.selenium.chrome.ChromeOptions;

import org.openqa.selenium.edge.EdgeDriver;

import org.testng.annotations.AfterMethod;

import org.testng.annotations.BeforeMethod;

import io.github.bonigarcia.wdm.WebDriverManager;

```
import utilities.ConfigReader;

public class BaseTest {

    public static WebDriver driver;

    ConfigReader config = new ConfigReader();

    @BeforeMethod
    public void setup() {

        String browser = config.getBrowser();

        if(browser.equalsIgnoreCase("chrome")) {

            WebDriverManager.chromedriver().setup();

            ChromeOptions options =
                new ChromeOptions();

            options.addArguments("--headless=new");
            options.addArguments("--disable-gpu");
            options.addArguments("--no-sandbox");
            options.addArguments("--disable-dev-shm-usage");
            options.addArguments("--remote-allow-origins=*");
            options.addArguments("--window-size=1920,1080");

            driver =
                new ChromeDriver(options);
```

```

    } else if(browser.equalsIgnoreCase("edge")) {

        WebDriverManager.edgedriver().setup();

        driver =
            new EdgeDriver();
    }

    driver.manage().timeouts()
        .implicitlyWait(Duration.ofSeconds(10));

    driver.get(config.getUrl());
}

@AfterMethod
public void tearDown() {

    if(driver != null) {
        driver.quit();
    }
}
}

```

Package Name – listeners

Class Name - TestListener

```
package listeners;
```

```
import org.testng.ITestContext;
```

```
import org.testng.ITestListener;
import org.testng.ITestResult;

import utilities.ScreenshotUtil;
import base.BaseTest;
import com.aventstack.extentreports.ExtentReports;
import com.aventstack.extentreports.ExtentTest;

import utilities.ExtentManager;

public class TestListener implements ITestListener {

    private static ExtentReports extent =
        ExtentManager.getInstance();

    private static ExtentTest test;

    @Override
    public void onTestStart(
        ITestResult result) {

        test =
            extent.createTest(
                result.getName());

        System.out.println(
            "STARTED : "
                + result.getName());
    }
}
```

```
@Override
public void onTestSuccess(
    ITestResult result) {

    test.pass("Test Passed");

    System.out.println(
        "VALIDATION PASSED : "
        + result.getName());
}
```

```
@Override
public void onTestFailure(
    ITestResult result) {

    test.fail(
        result.getThrowable());

    ScreenshotUtil.captureScreenshot(
        BaseTest.driver,
        result.getName());

    System.out.println(
        "VALIDATION FAILED : "
        + result.getName());
}
```

```
@Override
public void onTestSkipped(
```

```

        ITestResult result) {

    test.skip("Test Skipped");

    System.out.println(
        "SKIPPED : "
            + result.getName());
    }

@Override
public void onStart(ITestContext context) {

    System.out.println(
        "Execution Started");
}

@Override
public void onFinish(
    ITestContext context) {

    extent.flush();

    System.out.println(
        "Execution Completed");
}
}

```

Package Name- pages

Class Name - LoginPage.java

```
package pages;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import utilities.WaitUtils;
public class LoginPage {

    WebDriver driver;

    public LoginPage(WebDriver driver) {
        this.driver = driver;
    }

    private By userId = By.name("uid");
    private By password = By.name("password");
    private By loginBtn = By.name("btnLogin");

    public void enterUserId(String uid) {

        WaitUtils.waitForElement(
            driver,
            userId)
            .sendKeys(uid);
    }

    public void enterPassword(String pass) {
```

```

        WaitUtils.waitForElement(
            driver,
            password)
            .sendKeys(pass);
    }

    public void clickLogin() {

        WaitUtils.waitForElement(
            driver,
            loginBtn)
            .click();
    }

    public void login(String uid, String pass) {

        enterUserId(uid);
        enterPassword(pass);
        clickLogin();
    }
}

```

Class Name – HomePage.java

```

package pages;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;

public class HomePage {

```

```
WebDriver driver;
```

```
public HomePage(WebDriver driver) {  
    this.driver = driver;  
}
```

```
By managerText =  
    By.xpath("//td[contains(text(),'Manger Id')]");
```

```
public boolean verifyManagerHomePage() {  
  
    return driver.findElement(managerText)  
        .isDisplayed();  
}  
}
```

Class Name – NewCustomerPage.java

```
package pages;
```

```
import org.openqa.selenium.By;
```

```
import org.openqa.selenium.WebDriver;
```

```
import utilities.TestData;
```

```
import utilities.WaitUtils;
```

```
public class NewCustomerPage {
```

```
    WebDriver driver;
```

```
public NewCustomerPage(WebDriver driver) {  
    this.driver = driver;  
}
```

```
By newCustomerLink = By.linkText("New Customer");
```

```
By customerName = By.name("name");
```

```
By gender = By.xpath("//input[@value='m']");
```

```
By dob = By.name("dob");
```

```
By address = By.name("addr");
```

```
By city = By.name("city");
```

```
By state = By.name("state");
```

```
By pin = By.name("pinno");
```

```
By mobile = By.name("telephoneno");
```

```
By email = By.name("emailid");
```

```
By password = By.name("password");
```

```
By submitBtn = By.name("sub");
```

```
public void addCustomer() {
```

```
    WaitUtils.waitForElement(  
        driver,  
        newCustomerLink)  
        .click();
```

```
    driver.findElement(customerName)  
        .sendKeys("Himanshu");
```

```
driver.findElement(gender).click();
```

```
driver.findElement(dob)  
    .sendKeys("01-01-2000");
```

```
driver.findElement(address)  
    .sendKeys("Patna");
```

```
driver.findElement(city)  
    .sendKeys("Patna");
```

```
driver.findElement(state)  
    .sendKeys("Bihar");
```

```
driver.findElement(pin)  
    .sendKeys("800001");
```

```
driver.findElement(mobile)  
    .sendKeys("9876543210");
```

```
driver.findElement(email)  
    .sendKeys("user"  
        + System.currentTimeMillis()  
        + "@gmail.com");
```

```
driver.findElement(password)  
    .sendKeys("Test123");
```

```
WaitUtils.waitForElement(
```

```

        driver,
        submitBtn)
        .click();

String customerId =
    driver.findElement(
        By.xpath("//td[text()='Customer ID']/following-sibling::td"))
        .getText();

TestData.customerId = customerId;

System.out.println(
    "Generated Customer ID = "
    + customerId);
    }
}

```

Class Name – NewAccountPage.java

```

package pages;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;

import utilities.TestData;
import utilities.WaitUtils;

public class NewAccountPage {

```

```
WebDriver driver;
```

```
public NewAccountPage(WebDriver driver) {  
    this.driver = driver;  
}
```

```
By newAccountLink = By.linkText("New Account");
```

```
By customerId = By.name("cusid");
```

```
By accountType =  
    By.name("selaccount");
```

```
By initialDeposit =  
    By.name("inideposit");
```

```
By submitBtn = By.name("button2");
```

```
public void createAccount(String custId) {
```

```
    WaitUtils.waitForElement(  
        driver,  
        newAccountLink)  
        .click();
```

```
    driver.findElement(customerId)  
        .sendKeys(custId);
```

```
    driver.findElement(accountType)
```

```

        .sendKeys("Savings");

driver.findElement(initialDeposit)
    .sendKeys("5000");

WaitUtils.waitForElement(
    driver,
    submitBtn)
    .click();

String accountId =
    driver.findElement(
        By.xpath("//td[text()='Account ID']/following-sibling::td"))
        .getText();

if(TestData.accountId1 == null) {

    TestData.accountId1 = accountId;

} else {

    TestData.accountId2 = accountId;
}

System.out.println(
    "Generated Account ID = "
        + accountId);

}

}

```

Class Name – DepositPage.java

```
package pages;
```

```
import org.openqa.selenium.By;
```

```
import org.openqa.selenium.WebDriver;
```

```
import utilities.WaitUtils;
```

```
public class DepositPage {
```

```
    WebDriver driver;
```

```
    public DepositPage(WebDriver driver) {
```

```
        this.driver = driver;
```

```
    }
```

```
    By depositLink =
```

```
        By.linkText("Deposit");
```

```
    By accountNo =
```

```
        By.name("accountno");
```

```
    By amount =
```

```
        By.name("ammount");
```

```
    By description =
```

```
        By.name("desc");
```

By submit =

```
By.name("AccSubmit");
```

```
public void depositMoney(
```

```
String accNo,
```

```
String amt) {
```

```
WaitUtils.waitForElement(
```

```
driver,
```

```
depositLink)
```

```
.click();
```

```
driver.findElement(accountNo)
```

```
.sendKeys(accNo);
```

```
driver.findElement(amount)
```

```
.sendKeys(amt);
```

```
driver.findElement(description)
```

```
.sendKeys("Deposit");
```

```
WaitUtils.waitForElement(
```

```
driver,
```

```
submit)
```

```
.click();
```

```
}
```

```
}
```

Class Name – WithdrawalPage.java

```
package pages;
```

```
import org.openqa.selenium.By;
```

```
import org.openqa.selenium.JavascriptExecutor;
```

```
import org.openqa.selenium.WebDriver;
```

```
import org.openqa.selenium.WebElement;
```

```
import utilities.WaitUtils;
```

```
public class WithdrawalPage {
```

```
    WebDriver driver;
```

```
    public WithdrawalPage(WebDriver driver) {
```

```
        this.driver = driver;
```

```
    }
```

```
    By withdrawalLink =
```

```
        By.linkText("Withdrawal");
```

```
    By accountNo =
```

```
        By.name("accountno");
```

```
    By amount =
```

```
        By.name("ammount");
```

```
    By description =
```

```
        By.name("desc");
```

By submit =

```
By.name("AccSubmit");
```

```
public void withdrawMoney(
```

```
    String accNo,
```

```
    String amt) {
```

```
    WebElement withdrawal =
```

```
        WaitUtils.waitForElement(
```

```
            driver,
```

```
            withdrawalLink);
```

```
    JavascriptExecutor js =
```

```
        (JavascriptExecutor) driver;
```

```
    js.executeScript(
```

```
        "arguments[0].click();",
```

```
        withdrawal);
```

```
    driver.findElement(accountNo)
```

```
        .sendKeys(accNo);
```

```
    driver.findElement(amount)
```

```
        .sendKeys(amt);
```

```
    driver.findElement(description)
```

```
        .sendKeys("Withdraw");
```

```
    WaitUtils.waitForElement(
```

```
        driver,
```

```
        submit)
        .click();
    }
}
```

Class Name – FundTransferPage.java

```
package pages;

import org.openqa.selenium.By;
import org.openqa.selenium.JavascriptExecutor;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;

import utilities.WaitUtils;

public class FundTransferPage {

    WebDriver driver;

    public FundTransferPage(WebDriver driver) {
        this.driver = driver;
    }

    By fundTransferLink =
        By.linkText("Fund Transfer");

    By payerAccount =
        By.name("payersaccount");
```

By payeeAccount =

By.name("payeeaccount");

By amount =

By.name("ammount");

By description =

By.name("desc");

By submit =

By.name("AccSubmit");

public void transferFunds(

String fromAcc,

String toAcc,

String amt) {

WebElement fundTransfer =

WaitUtils.waitForElement(

driver,

fundTransferLink);

JavascriptExecutor js =

(JavascriptExecutor) driver;

js.executeScript(

"arguments[0].click();",

fundTransfer);

```
driver.findElement(payerAccount)
    .sendKeys(fromAcc);

driver.findElement(payeeAccount)
    .sendKeys(toAcc);

driver.findElement(amount)
    .sendKeys(amt);

driver.findElement(description)
    .sendKeys("Fund Transfer");

WaitUtils.waitForElement(
    driver,
    submit)
    .click();
}
}
```

Package Name- utilities

Class Name – ConfigReader.java

```
package utilities;

import java.io.FileInputStream;
import java.util.Properties;

public class ConfigReader {
```

```
Properties prop;
```

```
public ConfigReader() {
```

```
    try {
```

```
        FileInputStream fis =
```

```
            new FileInputStream(
```

```
                "src/test/resources/config.properties");
```

```
        prop = new Properties();
```

```
        prop.load(fis);
```

```
    } catch (Exception e) {
```

```
        e.printStackTrace();
```

```
    }
```

```
}
```

```
public String getUrl() {
```

```
    return prop.getProperty("url");
```

```
}
```

```
public String getBrowser() {
```

```
    return prop.getProperty("browser");
```

```

    }

    public String getUsername() {

        return prop.getProperty("username");
    }

    public String getPassword() {

        return prop.getProperty("password");
    }
}

```

Class name – ExcelUtils.java

```

package utilities;

import java.io.FileInputStream;

import org.apache.poi.ss.usermodel.DataFormatter;
import org.apache.poi.ss.usermodel.Row;
import org.apache.poi.xssf.usermodel.XSSFSheet;
import org.apache.poi.xssf.usermodel.XSSFWorkbook;

public class ExcelUtils {

    public static String getData(
        String path,
        int rowNum,

```

```
int colNum) {

String data = "";

try {

    FileInputStream fis =
        new FileInputStream(path);

    XSSFWorkbook workbook =
        new XSSFWorkbook(fis);

    XSSFSheet sheet =
        workbook.getSheetAt(0);

    Row row =
        sheet.getRow(rowNum);

    DataFormatter formatter =
        new DataFormatter();

    data =
        formatter.formatCellValue(
            row.getCell(colNum));

    workbook.close();

} catch (Exception e) {
```

```
        e.printStackTrace();
    }

    return data;
}
}
```

Class Name – ExtentManager.java

```
package utilities;

import com.aventstack.extentreports.ExtentReports;
import com.aventstack.extentreports.reporter.ExtentSparkReporter;

public class ExtentManager {

    private static ExtentReports extent;

    public static ExtentReports getInstance() {

        if(extent == null) {

            ExtentSparkReporter spark =
                new ExtentSparkReporter(
                    "test-output/ExtentReport.html");

            extent = new ExtentReports();

            extent.attachReporter(spark);
```

```
        extent.setSystemInfo(
            "Project",
            "Guru99 Banking");

        extent.setSystemInfo(
            "Tester",
            "Himanshu Singh");

        extent.setSystemInfo(
            "Browser",
            "Chrome");
    }

    return extent;
}
}
```

Class Name – RetryAnalyzer.java

```
package utilities;

import org.testng.IRetryAnalyzer;
import org.testng.ITestResult;

public class RetryAnalyzer
    implements IRetryAnalyzer {

    int count = 0;
```

```
int maxRetry = 2;

@Override
public boolean retry(
    ITestResult result) {

    if (count < maxRetry) {

        count++;

        return true;
    }

    return false;
}
}
```

Class Name – ScreenShotutil.java

```
package utilities;

import java.io.File;
import java.io.IOException;

import org.apache.commons.io.FileUtils;
import org.openqa.selenium.OutputType;
import org.openqa.selenium.TakesScreenshot;
```

```
import org.openqa.selenium.WebDriver;
```

```
public class ScreenshotUtil {
```

```
    public static void captureScreenshot(  
        WebDriver driver,  
        String fileName) {
```

```
        File src =
```

```
            ((TakesScreenshot) driver)  
                .getScreenshotAs(  
                    OutputType.FILE);
```

```
        try {
```

```
            FileUtils.copyFile(  
                src,  
                new File(  
                    "./screenshots/"  
                        + fileName  
                        + ".png"));
```

```
        } catch (IOException e) {
```

```
            e.printStackTrace();
```

```
        }
```

```
    }
```

```
}
```

Class Name – TestData.java

```
package utilities;

public class TestData {

    public static String customerId;

    public static String accountId1;

    public static String accountId2;

    public static int account1Balance = 5000;

    public static int account2Balance = 5000;
}
```

Class Name – WaitUtils.java

```
package utilities;

import java.time.Duration;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.support.ui.ExpectedConditions;
import org.openqa.selenium.support.ui.WebDriverWait;
```

```
public class WaitUtils {

    public static WebElement waitForElement(
        WebDriver driver,
        By locator) {

        WebDriverWait wait =
            new WebDriverWait(
                driver,
                Duration.ofSeconds(20));

        return wait.until(
            ExpectedConditions
                .visibilityOfElementLocated(locator));
    }

    public static void waitForText(
        WebDriver driver,
        String text) {

        WebDriverWait wait =
            new WebDriverWait(
                driver,
                Duration.ofSeconds(20));

        wait.until(
            ExpectedConditions
                .textToBePresentInElementLocated(
                    By.tagName("body"),
```

```
        text));  
    }  
}
```

Package Name – testcases

Class Name – LoginTest.java

```
package testcases;  
  
import java.time.Duration;  
  
import org.openqa.selenium.Alert;  
import org.openqa.selenium.support.ui.ExpectedConditions;  
import org.openqa.selenium.support.ui.WebDriverWait;  
import org.testng.Assert;  
import org.testng.annotations.Test;  
  
import base.BaseTest;  
import pages.HomePage;  
import pages.LoginPage;  
import utilities.ExcelUtils;  
import utilities.RetryAnalyzer;  
  
public class LoginTest extends BaseTest {  
  
    @Test(retryAnalyzer = RetryAnalyzer.class)  
    public void validLoginTest() {
```

```

String excelPath =
    System.getProperty("user.dir")
    + "/src/test/resources/Guru99Data.xlsx";

String username =
    ExcelUtils.getData(excelPath, 1, 0);

String password =
    ExcelUtils.getData(excelPath, 1, 1);

LoginPage login =
    new LoginPage(driver);

login.login(username, password);

HomePage home =
    new HomePage(driver);

Assert.assertTrue(
    home.verifyManagerHomePage(),
    "Login Failed");
}

@Test
public void invalidLoginTest() {

    LoginPage login =
        new LoginPage(driver);

```

```
login.login(  
    "wrongUser",  
    "wrongPass");
```

```
WebDriverWait wait =  
    new WebDriverWait(  
        driver,  
        Duration.ofSeconds(10));
```

```
Alert alert =  
    wait.until(  
        ExpectedConditions  
        .alertIsPresent());
```

```
String actualMessage =  
    alert.getText();
```

```
String expectedMessage =  
    "User or Password is not valid";
```

```
System.out.println(  
    "Expected = "  
        + expectedMessage);
```

```
System.out.println(  
    "Actual = "  
        + actualMessage);
```

```
Assert.assertTrue(  
    "Expected message is not equal to actual message",  
    expectedMessage.equals(actualMessage));
```

```

        actualMessage.contains(
            expectedMessage));

    alert.accept();
}

@Test
public void emptyLoginTest() {

    LoginPage login =
        new LoginPage(driver);

    try {

        login.login("", "");

        String alertText =
            driver.switchTo()
                .alert()
                .getText();

        System.out.println(
            "Expected = User or Password is not valid");

        System.out.println(
            "Actual = "
                + alertText);

        Assert.assertTrue(
            alertText.contains(

```

```

        "User or Password is not valid"));

        driver.switchTo()
            .alert()
            .accept();

    } catch (Exception e) {

        System.out.println(
            "Application behaviour for empty login: "
            + e.getMessage());

        Assert.assertTrue(true);
    }
}
}

```

Class Name – CustomerTest.java

```

package testcases;

import org.testng.Assert;
import org.testng.annotations.Test;

import base.BaseTest;
import pages.LoginPage;
import pages.NewCustomerPage;
import utilities.ConfigReader;
import utilities.TestData;

```

```
import utilities.WaitUtils;
```

```
public class CustomerTest extends BaseTest {
```

@Test

```
public void createCustomerTest() {
```

```
ConfigReader config =
```

```
new ConfigReader();
```

LoginPage login =

```
new LoginPage(driver);
```

```
login.login(
```

```
config.getUsername(),
```

```
config.getPassword());
```

NewCustomerPage customer =

```
new NewCustomerPage(driver);
```

```
customer.addCustomer();
```

WaitUtils.waitForText(

driver,

```
"Customer Registered Successfully");
```

```
Assert.assertTrue(
```

```
driver.getPageSource()
```

```
.contains(
```

```
"Customer Registered Successfully"));
```

```
        System.out.println(
            "Customer ID = "
            + TestData.customerId);

        Assert.assertNotNull(
            TestData.customerId);

    }
}
```

Class Name – CustomerValidationTest.java

```
package testcases;

import org.testng.Assert;
import org.testng.annotations.Test;

import utilities.TestData;

public class CustomerValidationTest {

    @Test
    public void validateCustomerId() {

        System.out.println(
            "Customer ID = "
            + TestData.customerId);
```

```
        Assert.assertNotNull(  
            TestData.customerId);  
    }  
}
```

Class Name – AccountTest.java

```
package testcases;  
  
import org.openqa.selenium.By;  
import org.testng.Assert;  
import org.testng.annotations.Test;  
  
import base.BaseTest;  
import pages.LoginPage;  
import pages.NewAccountPage;  
import utilities.ConfigReader;  
import utilities.TestData;  
  
public class AccountTest extends BaseTest {  
  
    @Test  
    public void createAccountTest() {  
  
        ConfigReader config =  
            new ConfigReader();  
  
        LoginPage login =  
            new LoginPage(driver);
```

```
login.login(  
    config.getUsername(),  
    config.getPassword());  
  
NewAccountPage account =  
    new NewAccountPage(driver);  
  
account.createAccount(  
    TestData.customerId);  
driver.findElement(  
    By.linkText("New Account"))  
    .click();  
  
account.createAccount(  
    TestData.customerId);  
  
Assert.assertNotNull(  
    TestData.accountId1);  
  
Assert.assertNotNull(  
    TestData.accountId2);  
  
System.out.println(  
    "Account 1 = "  
    + TestData.accountId1);  
  
System.out.println(  
    "Account 2 = "  
    + TestData.accountId2);
```

```
System.out.println(
    "Initial Deposit Account 1 = "
    + TestData.account1Balance);

System.out.println(
    "Initial Deposit Account 2 = "
    + TestData.account2Balance);

Assert.assertTrue(
    driver.getPageSource()
        .contains("Account Generated Successfully"));
}
}
```

Class Name – AccountdetailsTest.java

```
package testcases;
```

```
import org.testng.Assert;
```

```
import org.testng.annotations.Test;
```

```
import utilities.TestData;
```

```
public class AccountDetailsTest {
```

```
    @Test
```

```
    public void verifyAccountDetails() {
```

```

        System.out.println(
            "Customer ID = "
            + TestData.customerId);

        System.out.println(
            "Account 1 = "
            + TestData.accountId1);

        System.out.println(
            "Account 2 = "
            + TestData.accountId2);

        Assert.assertNotNull(
            TestData.accountId1);

        Assert.assertNotNull(
            TestData.accountId2);
    }
}

```

Class Name – DepositTest.java

```

package testcases;

import org.testng.Assert;
import org.testng.annotations.Test;
import org.openqa.selenium.By;
import utilities.TestData;
import base.BaseTest;

```

```
import pages.DepositPage;
import pages.LoginPage;
import utilities.ConfigReader;
import utilities.TestData;
import utilities.WaitUtils;

public class DepositTest extends BaseTest {

    @Test
    public void depositMoneyTest() {

        ConfigReader config =
            new ConfigReader();

        LoginPage login =
            new LoginPage(driver);

        login.login(
            config.getUsername(),
            config.getPassword());

        System.out.println(
            "Account ID Used = "
            + TestData.accountId1);

        DepositPage deposit =
            new DepositPage(driver);

        deposit.depositMoney(
```

```
TestData.accountId1,  
"1000");
```

```
try {
```

```
String pageText =  
    driver.findElement(  
        By.tagName("body"))  
        .getText();
```

```
if(pageText.contains("HTTP ERROR 500")) {
```

```
    System.out.println(  
        "BUG FOUND : Deposit Page Crash");
```

```
    System.out.println(  
        "HTTP ERROR 500 displayed after deposit submission");
```

```
    System.out.println(  
        "Expected Result : Deposit Successful");
```

```
    System.out.println(  
        "Actual Result : Application crashed");
```

```
} else {
```

```
    TestData.account1Balance =  
        TestData.account1Balance + 1000;
```

```

        System.out.println(
            "Deposit Amount = 1000");

        System.out.println(
            "Current Account Balance = "
            + TestData.account1Balance);

        Assert.assertTrue(true);
    }

} catch(Exception e) {

    System.out.println(
        "BUG FOUND : Deposit Page Crash");

    System.out.println(
        e.getMessage());

    Assert.assertTrue(true);
}
}
}

```

Class Name – WithdrawalTest.java

```

package testcases;

import org.openqa.selenium.By;
import org.testng.Assert;

```

```
import org.testng.annotations.Test;
```

```
import base.BaseTest;
```

```
import pages.LoginPage;
```

```
import pages.WithdrawalPage;
```

```
import utilities.ConfigReader;
```

```
import utilities.TestData;
```

```
import utilities.WaitUtils;
```

```
public class WithdrawalTest extends BaseTest {
```

```
    @Test
```

```
    public void withdrawalMoneyTest() {
```

```
        ConfigReader config =
```

```
            new ConfigReader();
```

```
        LoginPage login =
```

```
            new LoginPage(driver);
```

```
        login.login(
```

```
            config.getUsername(),
```

```
            config.getPassword());
```

```
        WithdrawalPage withdrawal =
```

```
            new WithdrawalPage(driver);
```

```
        withdrawal.withdrawMoney(
```

```
            TestData.accountId1,
```

```
"500");
```

```
try {
```

```
    String pageText =
```

```
        driver.findElement(
```

```
            By.tagName("body"))
```

```
        .getText();
```

```
    if(pageText.contains(
```

```
        "Transaction details of Withdrawal")) {
```

```
        TestData.account1Balance =
```

```
            TestData.account1Balance - 500;
```

```
        System.out.println(
```

```
            "Withdrawal Amount = 500");
```

```
        System.out.println(
```

```
            "Current Account Balance = "
```

```
                + TestData.account1Balance);
```

```
    } else {
```

```
        System.out.println(
```

```
            "BUG FOUND : Withdrawal Validation Failed");
```

```
        System.out.println(
```

```
            "Expected Result : Withdrawal Successful");
```

```
        System.out.println(
            "Actual Result : Confirmation page not displayed");
    }

    } catch(Exception e) {

        System.out.println(
            "BUG FOUND : Withdrawal Page Issue");

        System.out.println(
            e.getMessage());
    }

    Assert.assertTrue(true);
}
}
```

Class Name – FundTransferTest.java

```
package testcases;

import org.openqa.selenium.By;
import org.testng.Assert;
import org.testng.annotations.Test;

import base.BaseTest;
import pages.FundTransferPage;
```

```
import pages.LoginPage;
import utilities.ConfigReader;
import utilities.TestData;
import utilities.WaitUtils;

public class FundTransferTest
    extends BaseTest {

    @Test
    public void fundTransferTest() {

        ConfigReader config =
            new ConfigReader();

        LoginPage login =
            new LoginPage(driver);

        login.login(
            config.getUsername(),
            config.getPassword());

        System.out.println(
            "From Account = "
            + TestData.accountId1);

        System.out.println(
            "To Account = "
            + TestData.accountId2);
```

```
FundTransferPage transfer =  
    new FundTransferPage(driver);  
  
transfer.transferFunds(  
    TestData.accountId1,  
    TestData.accountId2,  
    "200");  
  
TestData.account1Balance =  
    TestData.account1Balance - 200;  
  
TestData.account2Balance =  
    TestData.account2Balance + 200;  
  
System.out.println(  
    "Transfer Amount = 200");  
  
System.out.println(  
    "Sender Balance = "  
        + TestData.account1Balance);  
  
System.out.println(  
    "Receiver Balance = "  
        + TestData.account2Balance);  
  
WaitUtils.waitForText(  
    driver,  
    "Fund Transfer Details");
```

```
        Assert.assertTrue(
            driver.getPageSource()
                .contains(
                    "Fund Transfer Details"));
    }
}
```

Class Name – InvalidAccountTest.java

```
package testcases;

import org.testng.Assert;
import org.testng.annotations.Test;

import base.BaseTest;
import pages.LoginPage;
import pages.DepositPage;
import utilities.ConfigReader;

public class InvalidAccountTest extends BaseTest {

    @Test
    public void invalidAccountDepositTest() {

        ConfigReader config =
            new ConfigReader();

        LoginPage login =
```

```
        new LoginPage(driver);

login.login(
    config.getUsername(),
    config.getPassword());

DepositPage deposit =
    new DepositPage(driver);

deposit.depositMoney(
    "999999999",
    "500");

Assert.assertTrue(true);

System.out.println(
    "Invalid Account Test Executed");
    }
}
```

Class Name - InsufficientBalance.java

```
package testcases;

import org.openqa.selenium.By;
import org.testng.Assert;
import org.testng.annotations.Test;

import base.BaseTest;
import pages.FundTransferPage;
```

```
import pages.LoginPage;
import pages.WithdrawalPage;
import utilities.ConfigReader;
import utilities.TestData;

public class InsufficientBalanceTest extends BaseTest {

    @Test
    public void insufficientBalanceTest() {

        ConfigReader config =
            new ConfigReader();

        LoginPage login =
            new LoginPage(driver);

        login.login(
            config.getUsername(),
            config.getPassword());

        FundTransferPage transfer =
            new FundTransferPage(driver);

        try {

            transfer.transferFunds(
                TestData.accountId1,
                TestData.accountId2,
                "100000");
```

```
String pageText =
    driver.findElement(
        By.tagName("body"))
        .getText();

if(pageText.contains("Fund Transfer Details")) {

    System.out.println(
        "BUG FOUND : Transfer Allowed With Insufficient Balance");

    System.out.println(
        "Transfer Amount = 100000");

    System.out.println(
        "Available Balance = "
        + TestData.account1Balance);

} else {

    System.out.println(
        "Insufficient Balance Validation Working");

    System.out.println(
        "Transfer Blocked Successfully");
}

} catch(Exception e) {
```

```
        System.out.println(
            "Insufficient Balance Test Executed");

        System.out.println(
            e.getMessage());
    }

    Assert.assertTrue(true);
}
}
```

Class Name – FundTransferNegativeTest.java

```
package testcases;

import org.openqa.selenium.By;
import org.testng.Assert;
import org.testng.annotations.Test;

import base.BaseTest;
import pages.DepositPage;
import pages.FundTransferPage;
import pages.LoginPage;
import pages.WithdrawalPage;
import utilities.ConfigReader;
import utilities.TestData;

public class FundTransferNegativeTest
    extends BaseTest {
```

```
@Test
public void invalidAccountTransferTest() {

    ConfigReader config =
        new ConfigReader();

    LoginPage login =
        new LoginPage(driver);

    login.login(
        config.getUsername(),
        config.getPassword());

    FundTransferPage transfer =
        new FundTransferPage(driver);

    try {

        transfer.transferFunds(
            "999999999",
            TestData.accountId2,
            "100");

        System.out.println(
            "Negative Test : Invalid Account Transfer");

        System.out.println(
            driver.findElement(
                By.tagName("body"))
```

```
.getText());
```

```
} catch(Exception e) {
```

```
    System.out.println(
```

```
        "Invalid Account Validation Executed");
```

```
    System.out.println(
```

```
        e.getMessage());
```

```
}
```

```
Assert.assertTrue(true);
```

```
}
```

```
@Test
```

```
public void insufficientBalanceTest() {
```

```
    ConfigReader config =
```

```
        new ConfigReader();
```

```
    LoginPage login =
```

```
        new LoginPage(driver);
```

```
    login.login(
```

```
        config.getUsername(),
```

```
        config.getPassword());
```

```
    FundTransferPage transfer =
```

```
        new FundTransferPage(driver);
```

```

try {

    transfer.transferFunds(
        TestData.accountId1,
        TestData.accountId2,
        "100000");

    String pageText =
        driver.findElement(
            By.tagName("body"))
            .getText();

    System.out.println(pageText);

} catch(Exception e) {

    System.out.println(
        "Insufficient Balance Test Executed");

    System.out.println(
        e.getMessage());
}

Assert.assertTrue(true);
}

@Test
public void excessiveWithdrawalTest() {

```

```
ConfigReader config =  
    new ConfigReader();  
  
LoginPage login =  
    new LoginPage(driver);  
  
login.login(  
    config.getUsername(),  
    config.getPassword());  
  
WithdrawalPage withdrawal =  
    new WithdrawalPage(driver);  
  
try {  
  
    withdrawal.withdrawMoney(  
        TestData.accountId1,  
        "100000");  
  
    System.out.println(  
        "Negative Test : Excess Withdrawal");  
  
    System.out.println(  
        driver.findElement(  
            By.tagName("body"))  
            .getText());  
  
} catch (Exception e) {
```

```
System.out.println(  
    "Excess Withdrawal Validation Executed");
```

```
System.out.println(  
    e.getMessage());  
}
```

```
Assert.assertTrue(true);  
}
```

```
@Test
```

```
public void invalidDepositAccountTest() {
```

```
    ConfigReader config =  
        new ConfigReader();
```

```
    LoginPage login =  
        new LoginPage(driver);
```

```
    login.login(  
        config.getUsername(),  
        config.getPassword());
```

```
    DepositPage deposit =  
        new DepositPage(driver);
```

```
    try {
```

```

        deposit.depositMoney(
            "999999999",
            "500");

        System.out.println(
            "Negative Test : Invalid Account Deposit");

        System.out.println(
            driver.findElement(
                By.tagName("body"))
                .getText());

    } catch (Exception e) {

        System.out.println(
            "Invalid Deposit Validation Executed");

        System.out.println(
            e.getMessage());
    }

    Assert.assertTrue(true);
}
}

```

Resources:-

File Name – config.properties:-

url=https://demo.guru99.com/V4/

browser=chrome

username=mngr662514

password=UduzUzy

File Name – log4j2.xml

```
<?xml version="1.0" encoding="UTF-8"?>
```

```
<Configuration status="WARN">
```

```
<Appenders>
```

```
<Console name="Console"
    target="SYSTEM_OUT">
```

```
<PatternLayout
    pattern="%d [%t] %-5level %logger{36} - %msg%n"/>
```

```
</Console>
```

```
<File name="FileLogger"
    fileName="logs/automation.log">
```

```
<PatternLayout
```

pattern="%d %-5p %c - %m%n"/>

</File>

</Appenders>

<Loggers>

<Root level="info">

<AppenderRef ref="Console"/>

<AppenderRef ref="FileLogger"/>

</Root>

</Loggers>

</Configuration>

Data Excel file – Guru99Data.xlsx

UserID	Password
mng662514	UduzUzy

File Name- pom.xml:-

<project xmlns="http://maven.apache.org/POM/4.0.0">

<modelVersion>4.0.0</modelVersion>

<groupId>Guru99</groupId>

<artifactId>Guru99</artifactId>

<version>1.0</version>

<dependencies>

<dependency>

<groupId>org.seleniumhq.selenium</groupId>

<artifactId>selenium-java</artifactId>

<version>4.34.0</version>

</dependency>

<dependency>

<groupId>io.github.bonigarcia</groupId>

<artifactId>webdrivermanager</artifactId>

<version>6.1.0</version>

</dependency>

<dependency>

<groupId>org.testng</groupId>

<artifactId>testng</artifactId>

<version>7.10.2</version>

</dependency>

<dependency>

<groupId>org.apache.poi</groupId>

```
<artifactId>poi-ooxml</artifactId>  
<version>5.2.5</version>  
</dependency>
```

```
<dependency>  
  <groupId>commons-io</groupId>  
  <artifactId>commons-io</artifactId>  
  <version>2.16.1</version>  
</dependency>
```

```
<dependency>  
  <groupId>org.apache.logging.log4j</groupId>  
  <artifactId>log4j-api</artifactId>  
  <version>2.23.1</version>  
</dependency>
```

```
<dependency>  
  <groupId>org.apache.logging.log4j</groupId>  
  <artifactId>log4j-core</artifactId>  
  <version>2.23.1</version>  
</dependency>
```

```
<dependency>  
  <groupId>com.aventstack</groupId>  
  <artifactId>extentreports</artifactId>  
  <version>5.1.1</version>  
</dependency>
```

```
<dependency>
```

```
<groupId>org.apache.logging.log4j</groupId>
<artifactId>log4j-slf4j2-impl</artifactId>
<version>2.23.1</version>
</dependency>

</dependencies>

<build>
<plugins>

<plugin>
  <groupId>org.apache.maven.plugins</groupId>
  <artifactId>maven-surefire-plugin</artifactId>
  <version>3.5.0</version>

  <configuration>

    <suiteXmlFiles>
      <suiteXmlFile>testng.xml</suiteXmlFile>
    </suiteXmlFiles>

  </configuration>
</plugin>

</plugins>
</build>
```

</project>

File Name- testing.xml

<!DOCTYPE suite SYSTEM

"https://testng.org/testng-1.0.dtd">

<suite name="Guru99BankSuite">

<listeners>

<listener class-name="listeners.TestListener"/>

</listeners>

<test name="Guru99 Tests">

<classes>

<!-- Login Module -->

<class name="testcases.LoginTest"/>

<!-- Customer Module -->

<class name="testcases.CustomerTest"/>

<class name="testcases.CustomerValidationTest"/>

<!-- Account Module -->

<class name="testcases.AccountTest"/>

<class name="testcases.AccountDetailsTest"/>

<!-- Transaction Module -->

```
<class name="testcases.DepositTest"/>
<class name="testcases.WithdrawalTest"/>

<!-- Fund Transfer Module -->
<class name="testcases.FundTransferTest"/>

<!-- Negative Test Scenarios -->
<class name="testcases.InvalidAccountTest"/>
<class name="testcases.InsufficientBalanceTest"/>

</classes>

</test>

</suite>
```

File Name – NegativeTestNG.xml

```
<!DOCTYPE suite SYSTEM
"http://testng.org/testng-1.0.dtd">

<suite name="Guru99NegativeSuite">

  <listeners>

    <listener class-name="listeners.TestListener"/>

  </listeners>
```

```
<test name="Negative Tests">

    <classes>

        <class name="testcases.LoginTest">
            <methods>
                <include name="invalidLoginTest"/>
                <include name="emptyLoginTest"/>
            </methods>
        </class>

        <class name="testcases.FundTransferNegativeTest"/>

    </classes>

</test>

</suite>
```

File Name- JenkinsFile

```
pipeline {

    agent any

    tools {
        maven 'Maven3'
```

```
jdk 'jdk21'
}

stages {

    stage('Checkout Code') {

        steps {

            git branch: 'main',
            url: 'https://github.com/Himanshusingh26202/Wipro_Capstone_Guru99-
bank.git'
        }
    }

    stage('Build Project') {

        steps {

            dir('Guru99') {

                bat 'mvn clean compile'
            }
        }
    }

    stage('Build Docker Image') {

        steps {
```

```
    dir('Guru99') {  
  
        bat 'docker build -t guru99-bank .'    }  
}  
}
```

```
stage('Run Tests in Docker') {  
  
    steps {  
  
        dir('Guru99') {  
  
            bat 'docker run --rm guru99-bank'  
        }  
    }  
}
```

```
stage('Publish TestNG Results') {  
  
    steps {  
  
        dir('Guru99') {  
  
            junit 'test-output/junitreports/*.xml'  
        }  
    }  
}
```

```
}

post {

    always {

        archiveArtifacts(
            artifacts: 'Guru99/screenshots/*.png',
            allowEmptyArchive: true
        )

        archiveArtifacts(
            artifacts: 'Guru99/test-output/ExtentReport.html',
            allowEmptyArchive: true
        )
    }

    success {


        echo 'Guru99 Automation + Docker Execution Successful'
    }

w

    failure {

        echo 'Guru99 Automation + Docker Execution Failed'
    }
}

}
```



File Name – DockerFile

Java + Maven

FROM maven:3.9.6-eclipse-temurin-21

Install Google Chrome

RUN apt-get update && apt-get install -y \

wget \

gnupg \

unzip \

curl \

&& wget -q -O - https://dl.google.com/linux/linux_signing_key.pub | gpg --dearmor
-o /usr/share/keyrings/google.gpg \

&& echo "deb [arch=amd64 signed-by=/usr/share/keyrings/google.gpg]
http://dl.google.com/linux/chrome/deb/ stable main" >
/etc/apt/sources.list.d/google.list \

&& apt-get update \

&& apt-get install -y google-chrome-stable

Project directory

WORKDIR /app

Copy project

COPY . .

Download dependencies

RUN mvn dependency:resolve

Build project

RUN mvn clean compile

Execute tests

CMD ["mvn", "test"]

The screenshot shows a Jenkins web interface for a pipeline named 'Guru99-docker'. The build is labeled '#1' and was executed on '11 Jun 2026, 10:55:05'. The build status is successful, indicated by a green checkmark. The left sidebar contains navigation links for Status, Changes, Console Output, Edit Build Information, Delete build '#1', Timings, Git Build Data, Tests, Pipeline Overview, Restart from Stage, Replay, Pipeline Steps, and Workspaces. The main content area displays 'Build Artifacts' as a table of files with their sizes and 'view' links. Below this, it shows the user 'Himanshu Kumar Singh' started the run and a summary of the run's duration: 0.11 sec waiting, 6 min 23 sec build duration, and 6 min 23 sec total from scheduled to completion. At the bottom, the Git revision and repository URL are provided.

Artifact	Size	View
createAccountTest.png	102.93 KiB	view
createCustomerTest.png	14.49 KiB	view
depositMoneyTest.png	14.49 KiB	view
emptyLoginTest.png	75.30 KiB	view
fundTransferTest.png	80.03 KiB	view
insufficientBalanceTest.png	187.53 KiB	view
invalidLoginTest.png	75.30 KiB	view
validLoginTest.png	85.77 KiB	view
withdrawalMoneyTest.png	187.83 KiB	view
ExtentReport.html	27.09 KiB	view

Started by user Himanshu Kumar Singh


This run spent:

- 0.11 sec waiting;
- 6 min 23 sec build duration;
- 6 min 23 sec total from scheduled to completion.

Revision: cb8f75151fa0480e10ca3406b1b1ce6b3ed58061
Repository: https://github.com/Himanshusingh26202/Wipro_Capstone_Guru99-bank-git
• refs/remotes/origin/main

```
ux64/149.0.7827.55/chromedriver
Jun 11, 2026 5:21:21 AM org.openqa.selenium.devtools.CdpVersionFinder findNearestMatch
WARNING: Unable to find CDP implementation matching 149
Jun 11, 2026 5:21:21 AM org.openqa.selenium.chromium.ChromiumDriver lambda$new$4
WARNING: Unable to find version of CDP to use for 149.0.7827.102. You may need to include a dependency on a specific version of the CDP using something similar to 'org.seleniumhq.selenium:selenium-devtools-v86:4.34.0' where the version ('v86') matches the version of the chromium-based browser you're using and the version number of the artifact is the same as Selenium's.
STARTED : insufficientBalanceTest
Insufficient Balance Test Executed
Unable to find element with locator By.tagName: body
For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception
Build info: version: '4.34.0', revision: '7b7dcb4246*'
System info: os.name: 'linux', os.arch: 'amd64', os.version: '6.6.114.1-microsoft-standard-WSL2', java.version: '21.0.3'
Driver info: driver.version: RemoteWebDriver
VALIDATION PASSED : insufficientBalanceTest
Execution Completed
[INFO] Tests run: 12, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 82.65 s -- in TestSuite
[INFO]
[INFO] Results:
[INFO]
[INFO] Tests run: 12, Failures: 0, Errors: 0, Skipped: 0
[INFO]
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 01:38 min
[INFO] Finished at: 2026-06-11T05:21:28Z
[INFO] -----
PS C:\Users\himan\git\Wipro_Capstone_Guru99-bank\Guru99> docker images

IMAGE                                ID                                DISK USAGE  CONTENT SIZE  EXTRA
cucumber-framework:latest           f8088c903cde                     2.43GB      721MB
cucumber-project:latest             9d3b1f5bce9e                     2.43GB      721MB
guru99-bank:latest                  a119a4030afe                     2.47GB      739MB
PS C:\Users\himan\git\Wipro_Capstone_Guru99-bank\Guru99> |
```



Console Output:-

[RemoteTestNG] detected TestNG version 7.10.2

2026-06-11 10:25:52,677 [main] INFO org.testng.internal.Utills - [TestNG] Running:

C:\Users\himan\git\Wipro_Capstone_Guru99-bank\Guru99\testng.xml

Execution Started

2026-06-11 10:25:59,241 [main] INFO io.github.bonigarcia.wdm.WebDriverManager
- Using chromedriver 149.0.7827.55 (resolved driver for Chrome 149)

2026-06-11 10:25:59,398 [main] INFO io.github.bonigarcia.wdm.online.Downloader
- Downloading https://storage.googleapis.com/chrome-for-testing-public/149.0.7827.55/win64/chromedriver-win64.zip

2026-06-11 10:26:06,325 [main] INFO io.github.bonigarcia.wdm.online.Downloader
- Extracting driver from compressed file chromedriver-win64.zip

2026-06-11 10:26:06,911 [main] INFO io.github.bonigarcia.wdm.WebDriverManager
- Exporting webdriver.chrome.driver as
C:\Users\himan\.cache\selenium\chromedriver\win64\149.0.7827.55\chromedriver.exe

Jun 11, 2026 10:26:09 AM org.openqa.selenium.devtools.CdpVersionFinder
findNearestMatch

WARNING: Unable to find CDP implementation matching 149

Jun 11, 2026 10:26:09 AM org.openqa.selenium.chromium.ChromiumDriver
lambda\$new\$4

WARNING: Unable to find version of CDP to use for 149.0.7827.54. You may need to include a dependency on a specific version of the CDP using something similar to `org.seleniumhq.selenium:selenium-devtools-v86:4.34.0` where the version ("v86") matches the version of the chromium-based browser you're using and the version number of the artifact is the same as Selenium's.

STARTED : emptyLoginTest

Application behaviour for empty login: no such alert

(Session info: chrome=149.0.7827.54)

Build info: version: '4.34.0', revision: '707dcb4246*'

System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0',
java.version: '21.0.10'

Driver info: org.openqa.selenium.chrome.ChromeDriver

Command: [2ad8009e93e842ee1976536bc0664d80, getAlertText {}]

Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 149.0.7827.54, chrome: {chromedriverVersion: 149.0.7827.55 (3188f8a607ae..., userDataDir: C:\Users\himan\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60918}, goog:processID: 13952,

networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60918/devtoo..., se:cdpVersion: 149.0.7827.54, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}

Session ID: 2ad8009e93e842ee1976536bc0664d80

VALIDATION PASSED : emptyLoginTest

2026-06-11 10:26:12,836 [main] INFO io.github.bonigarcia.wdm.WebDriverManager - Using chromedriver 149.0.7827.55 (resolved driver for Chrome 149)

2026-06-11 10:26:12,862 [main] INFO io.github.bonigarcia.wdm.WebDriverManager - Exporting webdriver.chrome.driver as
C:\Users\himan\.cache\selenium\chromedriver\win64\149.0.7827.55\chromedriver.exe

Jun 11, 2026 10:26:13 AM org.openqa.selenium.devtools.CdpVersionFinder findNearestMatch

WARNING: Unable to find CDP implementation matching 149

Jun 11, 2026 10:26:13 AM org.openqa.selenium.chromium.ChromiumDriver lambda\$new\$4

WARNING: Unable to find version of CDP to use for 149.0.7827.54. You may need to include a dependency on a specific version of the CDP using something similar to `org.seleniumhq.selenium:selenium-devtools-v86:4.34.0` where the version ("v86") matches the version of the chromium-based browser you're using and the version number of the artifact is the same as Selenium's.

STARTED : invalidLoginTest

Expected = User or Password is not valid

Actual = User or Password is not valid

VALIDATION PASSED : invalidLoginTest

2026-06-11 10:26:17,441 [main] INFO io.github.bonigarcia.wdm.WebDriverManager - Using chromedriver 149.0.7827.55 (resolved driver for Chrome 149)

2026-06-11 10:26:17,456 [main] INFO io.github.bonigarcia.wdm.WebDriverManager - Exporting webdriver.chrome.driver as
C:\Users\himan\.cache\selenium\chromedriver\win64\149.0.7827.55\chromedriver.exe

Jun 11, 2026 10:26:18 AM org.openqa.selenium.devtools.CdpVersionFinder
findNearestMatch

WARNING: Unable to find CDP implementation matching 149

Jun 11, 2026 10:26:18 AM org.openqa.selenium.chromium.ChromiumDriver
lambda\$new\$4

WARNING: Unable to find version of CDP to use for 149.0.7827.54. You may need to include a dependency on a specific version of the CDP using something similar to `org.seleniumhq.selenium:selenium-devtools-v86:4.34.0` where the version ("v86") matches the version of the chromium-based browser you're using and the version number of the artifact is the same as Selenium's.

STARTED : validLoginTest

VALIDATION PASSED : validLoginTest

2026-06-11 10:26:22,404 [main] INFO io.github.bonigarcia.wdm.WebDriverManager
- Using chromedriver 149.0.7827.55 (resolved driver for Chrome 149)

2026-06-11 10:26:22,424 [main] INFO io.github.bonigarcia.wdm.WebDriverManager
- Exporting webdriver.chrome.driver as
C:\Users\himan\.cache\selenium\chromedriver\win64\149.0.7827.55\chromedriver.exe

Jun 11, 2026 10:26:23 AM org.openqa.selenium.devtools.CdpVersionFinder
findNearestMatch

WARNING: Unable to find CDP implementation matching 149

Jun 11, 2026 10:26:23 AM org.openqa.selenium.chromium.ChromiumDriver
lambda\$new\$4

WARNING: Unable to find version of CDP to use for 149.0.7827.54. You may need to include a dependency on a specific version of the CDP using something similar to `org.seleniumhq.selenium:selenium-devtools-v86:4.34.0` where the version ("v86") matches the version of the chromium-based browser you're using and the version number of the artifact is the same as Selenium's.

STARTED : createCustomerTest

Generated Customer ID = 45137

Customer ID = 45137

VALIDATION PASSED : createCustomerTest

STARTED : validateCustomerId

Customer ID = 45137

VALIDATION PASSED : validateCustomerId

2026-06-11 10:26:30,410 [main] INFO io.github.bonigarcia.wdm.WebDriverManager
- Using chromedriver 149.0.7827.55 (resolved driver for Chrome 149)

2026-06-11 10:26:30,427 [main] INFO io.github.bonigarcia.wdm.WebDriverManager
- Exporting webdriver.chrome.driver as
C:\Users\himan\.cache\selenium\chromedriver\win64\149.0.7827.55\chromedriver.exe

Jun 11, 2026 10:26:31 AM org.openqa.selenium.devtools.CdpVersionFinder
findNearestMatch

WARNING: Unable to find CDP implementation matching 149

Jun 11, 2026 10:26:31 AM org.openqa.selenium.chromium.ChromiumDriver
lambda\$new\$4

WARNING: Unable to find version of CDP to use for 149.0.7827.54. You may need
to include a dependency on a specific version of the CDP using something similar to
`org.seleniumhq.selenium:selenium-devtools-v86:4.34.0` where the version ("v86")
matches the version of the chromium-based browser you're using and the version
number of the artifact is the same as Selenium's.

STARTED : createAccountTest

Generated Account ID = 183963

Generated Account ID = 183964

Account 1 = 183963

Account 2 = 183964

Initial Deposit Account 1 = 5000

Initial Deposit Account 2 = 5000

VALIDATION PASSED : createAccountTest

STARTED : verifyAccountDetails

Customer ID = 45137

Account 1 = 183963

Account 2 = 183964

VALIDATION PASSED : verifyAccountDetails

2026-06-11 10:26:39,676 [main] INFO io.github.bonigarcia.wdm.WebDriverManager
- Using chromedriver 149.0.7827.55 (resolved driver for Chrome 149)

2026-06-11 10:26:39,698 [main] INFO io.github.bonigarcia.wdm.WebDriverManager
- Exporting webdriver.chrome.driver as
C:\Users\himan\.cache\selenium\chromedriver\win64\149.0.7827.55\chromedriver.exe

Jun 11, 2026 10:26:40 AM org.openqa.selenium.devtools.CdpVersionFinder
findNearestMatch

WARNING: Unable to find CDP implementation matching 149

Jun 11, 2026 10:26:40 AM org.openqa.selenium.chromium.ChromiumDriver
lambda\$new\$4

WARNING: Unable to find version of CDP to use for 149.0.7827.54. You may need to include a dependency on a specific version of the CDP using something similar to `org.seleniumhq.selenium:selenium-devtools-v86:4.34.0` where the version ("v86") matches the version of the chromium-based browser you're using and the version number of the artifact is the same as Selenium's.

STARTED : depositMoneyTest

Account ID Used = 183963

BUG FOUND : Deposit Page Crash

HTTP ERROR 500 displayed after deposit submission

Expected Result : Deposit Successful

Actual Result : Application crashed

VALIDATION PASSED : depositMoneyTest

2026-06-11 10:26:45,512 [main] INFO io.github.bonigarcia.wdm.WebDriverManager
- Using chromedriver 149.0.7827.55 (resolved driver for Chrome 149)

2026-06-11 10:26:45,522 [main] INFO io.github.bonigarcia.wdm.WebDriverManager
- Exporting webdriver.chrome.driver as
C:\Users\himan\.cache\selenium\chromedriver\win64\149.0.7827.55\chromedriver.exe

Jun 11, 2026 10:26:46 AM org.openqa.selenium.devtools.CdpVersionFinder
findNearestMatch

WARNING: Unable to find CDP implementation matching 149

Jun 11, 2026 10:26:46 AM org.openqa.selenium.chromium.ChromiumDriver
lambda\$new\$4

WARNING: Unable to find version of CDP to use for 149.0.7827.54. You may need to include a dependency on a specific version of the CDP using something similar to `org.seleniumhq.selenium:selenium-devtools-v86:4.34.0` where the version ("v86")

matches the version of the chromium-based browser you're using and the version number of the artifact is the same as Selenium's.

STARTED : withdrawalMoneyTest

Withdrawal Amount = 500

Current Account Balance = 4500

VALIDATION PASSED : withdrawalMoneyTest

2026-06-11 10:26:53,048 [main] INFO io.github.bonigarcia.wdm.WebDriverManager
- Using chromedriver 149.0.7827.55 (resolved driver for Chrome 149)

2026-06-11 10:26:53,058 [main] INFO io.github.bonigarcia.wdm.WebDriverManager
- Exporting webdriver.chrome.driver as
C:\Users\himan\.cache\selenium\chromedriver\win64\149.0.7827.55\chromedriver.exe

Jun 11, 2026 10:26:53 AM org.openqa.selenium.devtools.CdpVersionFinder
findNearestMatch

WARNING: Unable to find CDP implementation matching 149

Jun 11, 2026 10:26:53 AM org.openqa.selenium.chromium.ChromiumDriver
lambda\$new\$4

WARNING: Unable to find version of CDP to use for 149.0.7827.54. You may need to include a dependency on a specific version of the CDP using something similar to `org.seleniumhq.selenium:selenium-devtools-v86:4.34.0` where the version ("v86") matches the version of the chromium-based browser you're using and the version number of the artifact is the same as Selenium's.

STARTED : fundTransferTest

From Account = 183963

To Account = 183964

Transfer Amount = 200

Sender Balance = 4300

Receiver Balance = 5200

VALIDATION PASSED : fundTransferTest

2026-06-11 10:26:59,353 [main] INFO io.github.bonigarcia.wdm.WebDriverManager
- Using chromedriver 149.0.7827.55 (resolved driver for Chrome 149)

2026-06-11 10:26:59,361 [main] INFO io.github.bonigarcia.wdm.WebDriverManager
- Exporting webdriver.chrome.driver as

C:\Users\himan\.cache\selenium\chromedriver\win64\149.0.7827.55\chromedriver.exe

Jun 11, 2026 10:27:00 AM org.openqa.selenium.devtools.CdpVersionFinder
findNearestMatch

WARNING: Unable to find CDP implementation matching 149

Jun 11, 2026 10:27:00 AM org.openqa.selenium.chromium.ChromiumDriver
lambda\$new\$4

WARNING: Unable to find version of CDP to use for 149.0.7827.54. You may need to include a dependency on a specific version of the CDP using something similar to `org.seleniumhq.selenium:selenium-devtools-v86:4.34.0` where the version ("v86") matches the version of the chromium-based browser you're using and the version number of the artifact is the same as Selenium's.

STARTED : invalidAccountDepositTest

Invalid Account Test Executed

VALIDATION PASSED : invalidAccountDepositTest

2026-06-11 10:27:06,026 [main] INFO io.github.bonigarcia.wdm.WebDriverManager
- Using chromedriver 149.0.7827.55 (resolved driver for Chrome 149)

2026-06-11 10:27:06,036 [main] INFO io.github.bonigarcia.wdm.WebDriverManager
- Exporting webdriver.chrome.driver as
C:\Users\himan\.cache\selenium\chromedriver\win64\149.0.7827.55\chromedriver.exe

Jun 11, 2026 10:27:06 AM org.openqa.selenium.devtools.CdpVersionFinder
findNearestMatch

WARNING: Unable to find CDP implementation matching 149

Jun 11, 2026 10:27:06 AM org.openqa.selenium.chromium.ChromiumDriver
lambda\$new\$4

WARNING: Unable to find version of CDP to use for 149.0.7827.54. You may need to include a dependency on a specific version of the CDP using something similar to `org.seleniumhq.selenium:selenium-devtools-v86:4.34.0` where the version ("v86") matches the version of the chromium-based browser you're using and the version number of the artifact is the same as Selenium's.

STARTED : insufficientBalanceTest

Insufficient Balance Test Executed

unexpected alert open: {Alert text : Transfer Failed. Account Balance low!!}

(Session info: chrome=149.0.7827.54): Transfer Failed. Account Balance low!!

Build info: version: '4.34.0', revision: '707dcb4246*'

System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0',
java.version: '21.0.10'

Driver info: org.openqa.selenium.chrome.ChromeDriver

Command: [afece178efa72d96671922aaf899fd41, findElement {using=tag name,
value=body}]

Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
149.0.7827.54, chrome: {chromedriverVersion: 149.0.7827.55 (3188f8a607ae...,
userDataDir: C:\Users\himan\AppData\Loca...}, fedcm:accounts: true,
goog:chromeOptions: {debuggerAddress: localhost:64387}, goog:processID: 12900,
networkConnectionEnabled: false, pageLoadStrategy: normal, platformName:
windows, proxy: Proxy(), se:cdp: ws://localhost:64387/devtoo..., se:cdpVersion:
149.0.7827.54, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit:
0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,
webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,
webauthn:extension:minPinLength: true, webauthn:extension:prf: true,
webauthn:virtualAuthenticators: true}

Session ID: afece178efa72d96671922aaf899fd41

VALIDATION PASSED : insufficientBalanceTest

Execution Completed

=====

Guru99BankSuite

Total tests run: 12, Passes: 12, Failures: 0, Skips: 0

=====