

Sarkanda (Golden Weed) Architecture - Haryana

V1 — Authentic Style

Universal Hard Prompt

Create an image in the authentic source-faithful visual logic of **Sarkanda reed-and-thatch architecture from rural Haryana**. Treat this as a **lightweight rural architectural system built from dry reed, grass, tied bundles, thatch layering, woven screens, breathable partitions, shaded thresholds, and practical low-cost shelter intelligence**. Do not treat it as generic rustic decor, not as boho eco-design, not as luxury natural-material architecture, and not as object craft enlarged into buildings.

Build the whole scene as if the architecture itself is generated from **dry vegetal shelter skin logic**. The roof must feel like a real **layered thatch mass** made from packed dry reeds and grass, with visible thickness, overlapping build-up, gravity-sensitive edge fall, and shade-giving eaves. Walls and partitions must feel like **screens, membranes, or tied enclosures**, not like solid masonry walls with straw texture pasted on top. The built world should feel breathable, low-cost, repairable, and climate-aware.

Material logic: preserve the difference between **rigid linear reed/stalk members, softer tied fiber or rope bindings, and packed thatch masses**. Let the architecture show bundling, tying, lashing, layering, stitching, and manual edge finishing. Slight irregularity is correct, but the result must still feel structurally practical and shelter-ready.

Spatial logic: this style is strongest in **thresholds**. Show transitions between open sun and shaded edge, exposed exterior and screened enclosure, courtyard openness and breathable shelter boundary. The architecture should not feel sealed or boxy. It should feel like it negotiates **air, light, and heat** through porosity, eaves, layered roof skin, and partial enclosure.

Surface logic: any rhythm should come from **construction** — repeated reed spacing, layered rows, tied seams, woven screening, bundle intervals, and reinforced edges. Do not create graphic decoration first. Do not use random folk motifs. The beauty must come from the architecture's way of being built.

Color logic: keep the color world rooted in the material itself — **golden straw, pale reed, dry yellow, dusty tan, warm thatch brown, muted smoke-softened neutral, weathered vegetal beige**. Avoid designer color palettes or polished resort styling.

Whole-frame rule: if the image includes roof, wall, doorway, partition, courtyard edge, support, surrounding shelter units, or environmental forms, all of them must belong to the same Haryana Sarkanda architecture grammar. Do not style only one surface. Rebuild the full built world through **reed/thatch shelter intelligence**.

Negative constraints: no generic hut styling, no eco-resort architecture, no bamboo-luxury design, no polished handcrafted villa language, no object-craft logic scaled into buildings, no decorative straw skin over normal construction, no fantasy village romanticism, no generic “vernacular mood” without real enclosure logic.

The final image must feel like true **Sarkanda (Golden Weed) Architecture of Haryana: reed-built, thatch-layered, tied, breathable, shade-making, threshold-based, rural, and climate-responsive.**

Reusable Variable Template

Create **[SUBJECT / BUILDING TYPE / SCENE]** in the authentic source-faithful visual logic of **Sarkanda reed-and-thatch architecture from rural Haryana.**

Core style system to preserve:

- dry reed / grass / sarkanda shelter body
- layered thatch roof mass
- woven or tied wall / partition screens
- breathable enclosure instead of heavy sealed wall logic
- visible bundling, tying, lashing, and edge reinforcement
- threshold-based spatial behavior
- shade-making eaves and climate-response intelligence
- practical low-cost rural shelter character
- whole-built-world coherence

Translate the scene like this:

[MAIN SHELTER OR MAIN BUILT FORM] becomes a true Haryana reed-and-thatch architectural structure with layered roof skin and breathable enclosure logic

[SECONDARY STRUCTURES] become supporting built forms governed by the same shelter grammar

[WALLS / PARTITIONS / OPENINGS] become tied, screened, porous, and climate-aware rather than solid and generic

[ROOF / EAVES / EDGES] become packed, layered, shade-giving vegetal masses with visible thickness and overlap

[COURTYARD / GROUND / ADJACENT ENVIRONMENT] must support the same rural shelter logic and not drift into generic architecture

Keep:

- shelter-first logic
- roof-skin truth
- screen and threshold behavior
- reed-versus-bundle material distinction
- manual assembly memory
- rural Haryana settlement feel
- whole-frame architectural consistency

Avoid:

- generic hut image
- eco-resort design
- boho natural-material styling
- bamboo/cane luxury architecture
- decorative straw texture over normal building
- object-craft logic masquerading as architecture
- sealed masonry behavior under rural texture

Image-to-Image

Convert this source image into the authentic source-faithful visual logic of **Sarkanda reed-and-thatch architecture from rural Haryana**.

Preserve the source image's main building count, general spatial arrangement, and core scene readability, but rebuild the entire architectural world through **reed body, thatch layering, tied assembly, screen-wall behavior, breathable thresholds, and climate-responsive rural shelter logic**. Replace any normal roof, normal wall, generic rustic texture, or stylized rural mood with a true **Haryana vegetal enclosure system**.

If the source image contains roofs, make them into real **layered thatch roof masses** with visible thickness, overlap, and shade-making edge behavior. If the source image contains walls, make them into **screened, tied, breathable enclosure surfaces** rather than standard solid walls. If the source image contains openings, thresholds, porches, or courtyard edges, make them feel like **filtered transitions** between sun and shade, exposure and enclosure. If the scene contains adjacent structures, ensure they also inherit the same shelter grammar so the whole frame belongs to one built world.

Do not simply paste straw or reed texture onto the source buildings. Do not keep another architectural grammar underneath. Do not turn the image into generic village-hut imagery or eco-resort rustic styling. Rebuild the full scene so it feels as if the original architecture was born from a true Haryana Sarkanda shelter system: **layered, tied, breathable, threshold-based, climate-aware, and materially honest**.

V2 — Artisan Translation

Universal Hard Prompt

Create a creative **2D + 3D translation** rooted in the visual grammar of **Sarkanda reed-and-thatch architecture from rural Haryana**. This must not become generic rustic

architecture, concept-art village design, eco-lifestyle architecture, or natural-material decor. It should feel like authentic Haryana reed-thatch shelter intelligence expanding into a richer image-world while still remaining **shelter-first, threshold-first, and material-first**.

Keep the native architectural engine intact: **dry reed body, layered thatch roof skin, woven or tied screen enclosures, bundled assembly, breathable boundaries, low-cost practical shelter, and climate-response through shade and porosity**. Then allow a controlled expansion where the built world gains stronger spatial articulation, richer surface depth, clearer relation between open and enclosed zones, more expressive roof-edge logic, and more visible structure in screens, thresholds, and layered surfaces.

Material logic: the architecture should still feel dry, fibrous, tied, layered, and manually assembled. Let the built surfaces gain more tactile and visual richness, but do not let them become polished, decorative, or luxuriously designed. The materials must remain humble, climate-functional, and structurally honest.

Spatial logic: this version can make the branch more architecturally expressive. Thresholds can become more visually powerful. Screen walls can become more layered. The relation between courtyard, roof-shadow, filtered edge, and interior-like shelter zones can become more dramatic and readable. But the space must still behave like **reed-and-thatch architecture**, not like standard building design wearing a rural costume.

Construction logic: let repeated geometries such as linear spacing, tied intervals, layered rows, diagonal reinforcement, and woven membrane rhythms become more visible and architecturally expressive, but only if they still feel produced by **real assembly logic** rather than by graphic design.

Whole-frame rule: every visible built element — roof, wall, partition, opening, edge, support, courtyard boundary, shade zone, and surrounding shelter — must still belong to one Haryana Sarkanda architecture grammar. The world must feel generated by the style's internal shelter intelligence, not decorated after the fact.

Negative constraints: no boutique eco-lodge styling, no bamboo-resort architecture, no boho rural design, no generic thatched hut fantasy, no designer pavilion language, no texture-overlay architecture, no object-craft enlargement into buildings, no generic vernacular set dressing.

The final image must feel like **Sarkanda architecture from Haryana** translated into a richer, more imaginative 2D+3D architectural image-world while remaining **reed-built, thatch-layered, breathable, threshold-driven, and climate-intelligent**.

Reusable Variable Template

Create [SUBJECT / BUILDING TYPE / SCENE] as a creative **2D + 3D translation** rooted in the visual grammar of **Sarkanda reed-and-thatch architecture from rural Haryana**.

Preserve these style-core rules:

- reed/thatch shelter body remains primary
- roof layering remains structurally believable
- walls and partitions remain screen-like or membrane-like
- bundling, tying, and manual assembly remain visible
- threshold and shade logic remain central
- climate-response remains stronger than decorative styling
- the whole built world remains branch-pure

Translate the scene like this:

[MAIN BUILT FORM] becomes a richer Haryana reed-thatch architectural structure with stronger material and spatial presence

[SECONDARY STRUCTURES] become supporting forms built from the same roof-skin and screen logic

[ROOF / EAVE / SHADE ZONES] become more articulated and expressive while staying physically believable

[WALLS / PARTITIONS / OPENINGS] become more layered, porous, and threshold-aware without turning into generic architecture

[COURTYARD / PATH / ADJACENT ENVIRONMENT] becomes a wider built world organized by shade, enclosure, porosity, and rural use

Let these become richer:

- roof mass
- screen depth
- threshold drama
- layered edge behavior
- filtered-light behavior
- built-world coherence

Keep unchanged:

- shelter-first identity
- reed/thatch material honesty
- breathable enclosure logic
- manual tie-and-bundle memory
- rural Haryana grounding
- whole-frame architectural consistency

Avoid:

- eco-resort design
- stylized vernacular luxury
- generic rustic moodboard architecture
- bamboo/cane crossover styling
- decorative pattern replacing construction
- ordinary architecture hidden under reed texture
- object-craft logic driving the building form

Image-to-Image

Convert this source image into a creative **2D + 3D translation** of **Sarkanda reed-and-thatch architecture from rural Haryana**.

Preserve the source image's building count, general arrangement, and main spatial readability, but reconstruct all architectural elements through **layered thatch roof logic, tied reed construction, screened enclosure behavior, breathable thresholds, and climate-responsive shelter intelligence**. Let the world become richer and more architecturally expressive than a strict ethnographic shelter view, but keep it fully governed by Haryana Sarkanda grammar.

If the source image contains roofs, rebuild them as expressive but believable **vegetal roof masses**. If the source image contains walls, turn them into **layered, tied, porous enclosure membranes**. If the image contains thresholds or courtyards, make them more clearly shade-structured and transition-based. If the image contains adjacent structures, ensure they also inherit the same reed-thatch shelter system so the whole frame remains unified.

Do not keep the original architecture and merely add rustic material cues. Do not turn the scene into concept-art vernacular design or eco-luxury rustic styling. Rebuild the scene so it feels as if the source architecture naturally evolved into a richer Haryana Sarkanda world while preserving **shelter truth, assembly logic, and climate-functionality**.

V3 — 3D / Realistic / Cinematic Translation

Universal Hard Prompt

Create a believable **full 3D realistic dimensional world** generated from the visual grammar of **Sarkanda reed-and-thatch architecture from rural Haryana**. This is not a realistic village scene with rustic materials added later. It is a fully dimensional built world in which **reed body, thatch layering, tied assembly, breathable screen walls, threshold-based spatial behavior, and climate-responsive rural shelter logic** have become believable architectural reality.

Convert the entire style system into dimensional built form without losing its laws. Roofs must still behave like **layered vegetal shelter masses**, not generic roofs with thatch texture. Walls and partitions must still behave like **porous membranes and screened enclosures**, not masonry or generic building envelopes. Openings, edges, courtyards, shade zones, and adjacent structures must all inherit the same architectural intelligence so the whole built environment belongs to one coherent Haryana Sarkanda world.

Material logic: let the reed, thatch, and tied bundle construction become fully tactile and physically convincing. Show the difference between packed roof body, lighter screened wall behavior, bundled joints, tied seams, weathered edges, and breathable architectural skins.

Let light and shadow reveal these shelter systems, but do not let cinematic realism overpower the style's own built logic.

Spatial logic: this architecture should feel deeply real as a built environment. It should have believable volume, enclosure, roof depth, threshold conditions, shade transitions, and inhabitable courtyard relationships. But realism must remain controlled by the style's **rural shelter intelligence**, not by generic village photorealism or designer sustainability aesthetics.

Whole-frame rule: every major element — roofs, walls, thresholds, screens, support, courtyard edge, adjoining structures, and environmental forms — must belong to the same reed-thatch shelter system. If even one important zone behaves like ordinary realistic architecture, the translation fails.

Negative constraints: no generic hut realism, no eco-resort architecture, no bamboo-luxury crossover, no polished vernacular design, no texture-overlay realism, no ordinary building under natural-material skin, no rustic moodboard prettiness replacing actual shelter logic.

The final image must feel like **Sarkanda (Golden Weed) Architecture of Haryana** fully resolved into believable 3D reality: **reed-built, thatch-layered, tied, breathable, shade-making, threshold-driven, climate-responsive, and architecturally complete.**

Reusable Variable Template

Create **[SUBJECT / BUILDING TYPE / SCENE]** as a believable **full 3D realistic dimensional world** generated from the visual grammar of **Sarkanda reed-and-thatch architecture from rural Haryana**.

Style system that must remain unchanged:

reed/thatch shelter body remains primary

roof-skin layering remains structurally real

screen and partition logic remain breathable and membrane-like

tie / lash / bind assembly remains visible or materially legible

threshold and shade behavior remain central

climate-response remains stronger than aesthetic styling

the entire built world belongs to one Haryana Sarkanda architecture grammar

Translate the scene like this:

[MAIN BUILT FORM] becomes a fully dimensional Haryana reed-thatch structure with real shelter logic

[SECONDARY STRUCTURES] become branch-consistent supporting architectural forms

[ROOF / EAVES / EDGES] become tactile, layered, gravity-aware, shade-producing vegetal masses

[WALLS / SCREENS / OPENINGS] become believable breathable enclosures and threshold filters

[COURTYARD / ADJACENT SPACE / ENVIRONMENT] becomes a spatially convincing built field organized by enclosure, porosity, and shade logic

Increase:

- believable material tactility
- roof thickness
- screen depth
- light-through-threshold realism
- spatial completion
- architectural cohesion

Do not lose:

- shelter-first identity
- reed/thatch material truth
- manual assembly memory
- climate-response intelligence
- rural Haryana grounding
- whole-frame branch purity

Avoid:

- generic photoreal hut imagery
- resort or eco-luxury design
- boho natural-material architecture
- bamboo/cane substitution
- ordinary building with rustic skin
- decorative rustic prettiness without shelter logic
- object-craft language taking over architecture

Image-to-Image

Convert this source image into a believable **full 3D realistic dimensional world** generated from **Sarkanda reed-and-thatch architecture from rural Haryana**.

Preserve the source image's main built-form count, overall arrangement, and core spatial readability, but rebuild all architecture through **layered thatch roof mass, tied reed construction, breathable screen wall logic, threshold-based enclosure, and climate-responsive rural shelter intelligence**. Replace any ordinary roof, ordinary wall, decorative rustic surface, or generic village-building language with a full Haryana Sarkanda architectural system.

If the source image contains roofs, rebuild them as real **thick shelter skins**. If it contains walls, reconstruct them as **porous membrane-like enclosures**. If it contains transitions, porches, or openings, make them behave as true **shade-and-air thresholds**. If it contains surrounding architecture, ensure it also inherits the same grammar so the entire frame belongs to one coherent material world.

Do not merely add realism to a rustic-looking hut. Do not keep generic architecture underneath. Do not let the result become eco-resort realism or romanticized village photorealism. Rebuild the whole image so it feels as if the original scene emerged from a fully dimensional Haryana Sarkanda shelter world: **architecturally real, materially honest, layered, tied, breathable, and climate-intelligent.**