

wood-temple carving - Himachal Pradesh

V1 — Authentic Style

Universal Hard Prompt

Create the image in the authentic visual logic of Himachali wood-temple carving, a sacred architectural carving tradition built primarily in deodar wood, where carving is integrated into real temple members such as doorframes, receding jambs, lintels, beams, pillars, ceilings, brackets, panels, openings, beam-ends, and façade edges.

Do not treat this as generic carved wood décor, rustic mountain woodwork, chalet carving, furniture ornament, or normal temple architecture with carved texture applied later. Rebuild the entire structure as if it is true carved sacred architecture from Himachal Pradesh.

The image must read first as:

- deodar-built sacred architecture
- carved threshold and doorway emphasis
- integrated relief and sculptural carving
- real architectural members doing the carving work
- sacred iconography embedded in the built form
- architecture-first reading stronger than decorative surface effect

WHOLE-BUILT RULE:

Every visible element must belong to the same Himachali carved temple system.

- all doorframes, jambs, lintels, and openings must become carved sacred thresholds
- all beams, pillars, capitals, brackets, pendants, and façade members must become carved structural members
- all motifs must emerge from wood members, not float on surfaces
- all iconographic content must feel architecturally placed
- all shadows must reveal relief depth and structural carving, not fake texture
- no important element may remain generic building logic underneath

MATERIAL RULE:

Use deodar wood as the primary sacred structural material. The wood must feel substantial, durable, carved, and architectural. It must not feel like veneer, furniture polish, plywood, or generic brown wood.

CARVING RULE:

Use both relief carving and sculptural carving where appropriate. Relief belongs to panels, friezes, and planar surfaces. More sculptural carving belongs to member edges, capitals, pendants, beam-ends, and threshold articulation.

ARCHITECTURE RULE:

Use real temple-member logic: receding jambs, carved lintels, pillar and capital articulation, carved eaves or roof-edge elements, ceiling fields, framed panels, small but ornamentally intense openings, sacred thresholds.

ICONOGRAPHY RULE:

Use sacred motifs, divine figures, floral forms, animal motifs, mythic beings, epic or protective imagery only as architecturally integrated carving, not as floating decorative illustration.

SHADOW RULE:

Use relief-led shadow only. Shadow must reveal carving depth, undercut, member thickness, and sacred threshold richness. No realism-first cinematic lighting takeover.

NEGATIVE RULE:

- no generic wood ornament
- no chalet carving
- no floating motifs
- no carved texture overlay
- no normal temple with trim added later
- no furniture aesthetic
- no veneer-like wood
- no decorative-only floral pattern
- no realism-first building underneath

OUTPUT GOAL:

The final result must feel like true Himachali temple architecture where deodar structure, sacred threshold logic, relief/sculptural carving, and iconographic placement are all rebuilt from the base upward.

Reusable Variable Template

Create [SUBJECT / TEMPLE ELEMENT / ARCHITECTURAL MOMENT] in the authentic visual logic of Himachali wood-temple carving.

STYLE SYSTEM:

deodar-built sacred architecture,
carved doorframes and receding jambs,
carved beams, lintels, pillars, ceilings, pendants, and façade members,
integrated relief and sculptural carving,
threshold-centered sacred emphasis,
architecture-first iconographic placement.

WHOLE-BUILT RULE:

Rebuild everything through the same temple-carving system:

- [MAIN STRUCTURE / MAIN THRESHOLD] becomes carved sacred architecture
- [DOORFRAME / OPENING / JAMB / LINTEL] becomes the main carved threshold field

- [PILLARS / BEAMS / CAPITALS / BRACKETS / CEILING MEMBERS] become carved structural members
- [PANELS / FRIEZES / DECORATIVE ZONES] become relief-carved architectural surfaces
- [FIGURES / DEITIES / MOTIFS / ANIMALS] become iconography embedded into members
- [SHADOW / DEPTH] reveals carving and member mass, not surface texture only

KEEP:

deodar-built structural identity
 architectural-member-first logic
 threshold emphasis
 integrated carving
 sacred iconography in architecture
 architecture stronger than decoration

AVOID:

generic wood décor
 furniture carving
 floating carved patterns
 chalet or resort woodwork
 carved texture overlay
 generic temple with ornament applied later

Image-to-Image

Convert this source image into the authentic visual logic of Himachali wood-temple carving.

Preserve the source image's basic architectural hierarchy, key openings, structural member relationships, and sacred or built function, but rebuild the entire image through:

- deodar-built structural timber logic
- carved doorframe and threshold emphasis
- relief and sculptural carving integrated into members
- iconographic carving embedded in architecture
- relief-led shadow and depth
- temple-member-first composition

Translate the whole frame:

- openings into carved sacred thresholds
- beams, lintels, pillars, and brackets into real carved members
- panels and friezes into relief-carved architectural zones
- motifs into integrated iconography
- wood surfaces into carved structural timber, not flat decorative wood
- shadows into carving-depth shadows, not realism texture shading

Do not simply add carved texture.

Do not place motifs on plain wood.

Do not turn the building into generic old timber architecture.
Do not keep the original architecture underneath and decorate it afterward.

The final result must feel like the source image was rebuilt from scratch as true Himachali carved sacred architecture.

V2 — Artisan Translation

Universal Hard Prompt

Create the image in an authentic handcrafted dimensional translation of Himachali wood-temple carving, where the full sacred architectural carving grammar remains primary but the built world becomes richer in wood mass, relief depth, undercut shadow, member articulation, threshold depth, and tactile carving presence.

Do not treat this as a realistic timber building with decorative carving. Do not use texture transfer. Rebuild the structure so the Himachali temple-carving system itself generates the dimensional architectural world.

Keep the full source grammar active:

- deodar-built sacred structure
- carved threshold and doorway logic
- integrated relief and sculptural carving
- carved pillars, beams, lintels, ceilings, panels, brackets, and pendants
- sacred iconographic placement
- architecture-first reading stronger than ornament

WHOLE-BUILT RULE:

Everything must still belong to one carved sacred architectural system.

- the base structure must gain depth but remain member-led
- the doorway must gain stronger sacred threshold presence
- beams, pillars, and ceilings must gain mass but remain carved members, not plain structure
- relief carving must gain tactility but stay embedded in wood planes
- sculptural carving must gain projection but stay integrated into members
- iconographic forms must remain placed within the architecture
- no important element may default to generic historic-building realism

ALLOW THESE TO BECOME RICHER:

- deodar mass
- relief depth
- undercut shadow
- threshold depth
- member articulation

- carving tactility
- whole-structure coherence

SPACE RULE:

Use dimensional sacred architectural space, not realism-first set design. Depth is allowed, but it must remain member-driven and carving-led.

SHADOW RULE:

Use shadow that supports carving depth, undercut, and member projection without overtaking the temple logic.

NEGATIVE RULE:

- no realistic timber architecture with carved accents
- no heritage-hotel wood aesthetic
- no décor-first carving
- no texture-only transfer
- no veneer or furniture look
- no generic carved building realism
- no cinematic mood stronger than member logic

OUTPUT GOAL:

The final result must feel like Himachali wood-temple carving has expanded into a richer handcrafted dimensional sacred world while keeping full control over structure, carving, iconography, and threshold hierarchy.

Reusable Variable Template

Create [SUBJECT / TEMPLE ELEMENT / ARCHITECTURAL MOMENT] as an authentic handcrafted dimensional translation of Himachali wood-temple carving.

STYLE SYSTEM:

deodar-built sacred architecture,
carved thresholds,
integrated relief and sculptural carving,
member-first design,
doorway / beam / pillar / ceiling logic,
iconography embedded in architecture,
architecture stronger than ornament.

WHOLE-BUILT RULE:

- [MAIN THRESHOLD / MAIN MEMBER] becomes a dimensional but still carved sacred architectural element
- [DOORJAMBS / LINTELS / OPENINGS] gain stronger carved depth
- [BEAMS / PILLARS / CAPITALS / BRACKETS / CEILINGS] become richer carved structural members
- [PANELS / FRIEZES / MOTIFS] become tactile relief zones

- [ICONOGRAPHY] remains embedded and architecturally placed
- [SHADOW / DEPTH] reveals carving, not texture only

ALLOW:

more wood mass
 more relief depth
 more undercut shadow
 more threshold presence
 more member articulation
 more carving tactility

KEEP:

deodar-built identity
 architectural-member-first logic
 sacred threshold emphasis
 integrated carving
 iconography in structure
 architecture stronger than decoration

AVOID:

timber-building realism
 decorative carving layer
 veneer look
 generic mountain woodwork
 texture overlay
 historical building with trim added later

Image-to-Image

Convert this source image into an authentic handcrafted dimensional Himachali wood-temple carving world.

Keep the source image's basic structural hierarchy, member relationships, and sacred or built function, but rebuild the entire frame through:

- deodar structural mass
- carved doorframe and threshold hierarchy
- richer relief and sculptural carving
- tactile carved beams, pillars, lintels, and ceilings
- iconographic carving integrated into members
- shadow that supports undercut depth and relief

Translate the whole frame so that:

- structure becomes carved sacred architecture
- members gain depth without losing carving logic
- motifs become integral to member construction
- openings become threshold-rich sacred zones

- shadows become carving-led depth cues
- the whole building remains architecture-first, not décor-first

Do not simply deepen the wood texture.

Do not just add more ornament.

Do not turn it into a realistic timber structure with decorative trim.

The final result must feel like the source image was rebuilt as a dimensional Himachali carved temple world from the base structure upward.

V3 — 3D / Realistic / Cinematic Translation

Universal Hard Prompt

Create a fully volumetric cinematic sacred world generated by Himachali wood-temple carving logic, where the whole architecture feels born from deodar structure, carved thresholds, integrated relief/sculptural members, sacred iconographic placement, and temple-member hierarchy rather than merely decorated by carved wood texture.

Do not assume prior knowledge of the style. The core system is this:

Himachali wood-temple carving is a deodar-built sacred architectural tradition where carving is integrated into doorframes, jambs, lintels, beams, pillars, ceilings, brackets, panels, openings, and façades, using both relief carving and sculptural carving as part of real temple structure.

This version must not become:

- generic historical temple realism with carved trim
- timber architecture with ornate wood details
- rustic mountain shrine fantasy
- décor-first carved building
- carved texture pasted on neutral structure

Instead, let the entire built world be generated by Himachali sacred architectural carving intelligence.

WHOLE-BUILT WORLD RULE:

Every visible element must belong to the same carved sacred architectural world.

- the structure must be conceived through carved members first
- thresholds must be primary sacred visual engines
- beams, pillars, lintels, brackets, pendants, ceilings, and façades must all be carved structural elements
- relief carving must remain part of wood planes
- sculptural carving must remain part of member edges and projections
- iconography must remain placed within architectural hierarchy
- shadow must reveal carving depth and member mass, not fake texture
- no important element may remain generic building realism underneath

ORIGIN-SYSTEM MEMORY RULE:

Even in a fully cinematic world, the result must still visibly remember:

- deodar as sacred structural wood
- carved doorframes and receding jambs
- integrated relief/sculptural member carving
- threshold-first sacred hierarchy
- iconography embedded in architecture
- architecture-first reading stronger than ornament

SPACE RULE:

Allow full architectural depth, cinematic immersion, threshold recession, ceiling and façade richness, and member-to-member continuity, but keep the world generated by carved temple logic rather than generic realism-first set design.

SHADOW RULE:

Use carving-led shadow only. No cinematic lighting takeover that turns carving into texture or atmosphere.

NEGATIVE RULE:

- no generic temple realism
- no timber-resort aesthetic
- no carved trim on neutral structure
- no texture-only carving
- no furniture or chalet drift
- no realism stronger than carved member logic
- no decorative wood luxury look

OUTPUT GOAL:

The final result must feel like Himachali wood-temple carving became an inhabitable sacred architectural world, with full transformation of structure, threshold, member logic, relief, sculptural depth, iconography, and shadow behavior.

Reusable Variable Template

Create [SUBJECT / TEMPLE WORLD / ARCHITECTURAL MOMENT / SACRED THRESHOLD] as a fully volumetric cinematic world generated by Himachali wood-temple carving logic.

STYLE SYSTEM:

- deodar-built sacred structure,
- carved doorframes and thresholds,
- integrated relief and sculptural carving,
- member-first architecture,
- iconography embedded in members,
- threshold hierarchy,

architecture stronger than ornament.

WHOLE-BUILT WORLD RULE:

- [MAIN STRUCTURE / MAIN THRESHOLD] becomes a carved sacred architectural focal system
- [DOORS / JAMBS / LINTELS / OPENINGS] become primary sacred carved thresholds
- [BEAMS / PILLARS / CEILINGS / BRACKETS / PENDANTS / FAÇADE MEMBERS] become carved structural architecture
- [PANELS / FRIEZES / ICONOGRAPHIC ZONES] become integrated relief/sacred carving fields
- [SHADOW / DEPTH] becomes carving-led and member-specific
- [OVERALL BUILDING] remains governed by sacred architectural carving logic, not neutral building logic

INCREASE:

architectural depth
threshold recession
member articulation
relief-shadow readability
façade richness
whole-structure coherence
cinematic sacred presence

DO NOT LOSE:

deodar-built identity
architectural-member-first logic
threshold emphasis
integrated relief/sculptural carving
iconographic placement
architecture-first reading

AVOID:

generic historical realism
ornate timber building
carved trim on plain architecture
decorative wood luxury
texture transfer
realism stronger than carving logic

Image-to-Image

Convert this source image into a fully volumetric cinematic Himachali wood-temple carving world.

Preserve the source image's core architectural hierarchy, structural relationships, sacred or built function, and readable spatial organization, but rebuild the entire frame through:

- deodar-built sacred structural logic
- carved threshold systems
- integrated relief and sculptural member carving
- member-specific iconographic placement
- carving-led depth and shadow
- temple-first architectural hierarchy

Translate the whole frame:

- architecture into carved sacred structure
- openings into threshold-rich carved zones
- beams, pillars, lintels, ceilings, brackets, and façades into carved members
- motifs into integrated iconography
- shadows into relief-depth and undercut shadow
- spatial depth into member-led sacred architecture rather than realism-first set design

Do not simply add carved texture.

Do not decorate a normal temple.

Do not keep generic architecture underneath and style it afterward.

The final result must feel like the source image was rebuilt into an inhabitable Himachali carved temple world from the base structure upward.