

Khatamband - Kashmir

V1 — Authentic Style

Universal Hard Prompt

Create an image in pure authentic source-truth **Khatamband from Kashmir**.

Build the image from the real grammar of Khatamband:

interlocking wooden geometric ceiling construction,
small fitted polygonal wood units,
visible beading and join logic,
repeat-driven ceiling-field continuity,
shallow structural depth,
warm handcrafted timber presence,
and true overhead architectural authorship.

The image must feel like it genuinely belongs inside a traditional Kashmiri Khatamband interior system.

Do not treat this as generic Islamic geometry.

Do not treat it as carved walnut decoration.

Do not treat it as a luxury false ceiling.

Do not treat it as printed pattern on wood.

Do not treat it as modern hotel interior styling.

The pattern must read as assembled from many precisely fitted wooden pieces, not engraved, painted, veneered, or laser-cut.

The ceiling must behave like a continuous geometric field, not a single decorative medallion or one isolated patterned patch.

The visible structure must suggest module plus connector:

polygon units,
beading lines,
piece-to-piece fit,
repeat rhythm,
and clean geometric spread across the ceiling plane.

Material behavior must remain source-faithful:

handcrafted timber,
warm natural wood tone,
subtle wood grain,
precise but not machine-perfect fitting,
architectural interior finish,
and calm structural refinement rather than glossy luxury polish.

Depth must remain source-faithful:

- shallow architectural depth,
- slight raised and recessed relationships between fitted units,
- measured shadow lines at joins,
- no heavy sculptural carving,
- no deep muqarnas-like volume,
- no exaggerated ornamental extrusion.

If the image includes walls, beams, borders, windows, furniture, shrine space, houseboat space, or room atmosphere, all of it must support the Khatamband ceiling as the primary architectural intelligence of the image.

The room must feel authored by the ceiling-field logic, not like a normal room with one traditional insert.

Keep the image calm, ordered, spatially contained, and structurally rhythmic.

The final result must feel like a true Kashmiri Khatamband ceiling world in its native source condition.

Reusable Variable Template

Create **[SUBJECT / INTERIOR / ROOM / ARCHITECTURAL VIEW]** in pure authentic source-truth **Khatamband / Kashmir**.

Preserve these core style laws:

- interlocking wooden polygon units,
- visible beading and join logic,
- continuous ceiling-field spread,
- repeat-based geometric order,
- shallow structural depth,
- warm handcrafted timber material,
- and true overhead architectural authorship.

Translate the image like this:

[MAIN CEILING FIELD] becomes a true Khatamband overhead system made from many fitted wooden geometric units.

[SECONDARY ARCHITECTURAL ELEMENTS] become supporting elements that frame, support, and obey the ceiling-field logic.

[ROOM ATMOSPHERE / INTERIOR CONTEXT] must remain subordinate to the Khatamband structural intelligence.

Keep:

- assembled wood logic,
- polygon repetition,
- ceiling-plane continuity,
- join visibility,
- field rhythm,

warm material memory,
Kashmiri interior containment.

Avoid:

generic geometric wood decor,
luxury false-ceiling design,
printed or carved surface pattern,
machine-made CNC look,
deep sculptural Islamic vaulting,
one central medallion replacing field logic,
generic room realism with a Khatamband patch above.

The final image must feel like the original Khatamband tradition itself authored the full interior.

Image-to-Image

Convert this source image into authentic source-truth **Khatamband from Kashmir**.

Preserve the source image's main room type, viewpoint, major architectural relationships, and readable spatial purpose.

Replace ordinary ceiling design with:

a true interlocking Kashmiri Khatamband ceiling field,
many fitted wooden polygon units,
clear beading and join lines,
shallow structural depth,
continuous geometric spread,
warm handcrafted timber presence,
and overhead architectural order.

Do not simply place a geometric pattern on the ceiling.

Do not engrave ornament into one flat panel.

Do not convert it into carved wood decoration.

Do not turn it into premium hotel ceiling styling.

If the source image contains walls, beams, windows, columns, furniture, shrine elements, or room atmosphere, rebuild them so they support the Khatamband-authored interior logic.

Do not leave the rest of the room generic while only the ceiling changes.

The result must feel like the entire space genuinely belongs to a traditional Kashmiri Khatamband interior system.

V2 — Artisan Translation

Universal Hard Prompt

Create an image in **V2 = authentic handcrafted dimensional translation of Khatamband / Kashmir.**

Keep the same deep style-core unchanged:
interlocking wooden geometric ceiling construction,
fitted polygon units,
visible beading and join logic,
repeat-field continuity,
overhead architectural authorship,
warm handcrafted timber presence,
and shallow structural depth.

Now translate that same source grammar into a richer handcrafted dimensional image-world.

This is not generic 3D.
This is not luxury wood realism.
This is not a modern premium ceiling design.
This is not carved walnut paneling.
This is not geometric décor pasted into a realistic room.

The ceiling must still feel built from many fitted wooden parts, but now the dimensional readability becomes stronger:
clearer piece thickness,
clearer unit separation,
more tactile wood edges,
more believable join depth,
slightly stronger light-shadow articulation,
better read of raised and recessed relationships,
and clearer relation between ceiling field and surrounding architectural frame.

The dimensionality must come from the native Khatamband system itself:
assembled units,
join lines,
beading,
module repetition,
and ceiling-plane construction.
Do not create dramatic sculptural depth.
Do not create deep vaulting.
Do not create exaggerated ornamental mass.

Material behavior must feel handcrafted and architectural:
warm timber,
precise hand-fitted construction,

subtle wood grain,
refined but not glossy finish,
and believable artisan-made presence.

If the image includes a room, the room must remain Khatamband-authored.
Walls, beams, borders, furniture, shrine space, or houseboat space must feel like they belong to the same handcrafted geometric-ceiling world.
Do not let generic luxury interior realism take over the frame.

The final result must feel like master Kashmiri artisans translated authentic Khatamband into a more tactile and dimensionally readable handcrafted spatial image, without changing the source grammar.

Reusable Variable Template

Create **[SUBJECT / INTERIOR / ROOM / ARCHITECTURAL VIEW]** in **V2 = authentic handcrafted dimensional translation of Khatamband / Kashmir**.

Preserve these unchanged style-core rules:
interlocking fitted wooden polygon units,
beading and join logic,
continuous ceiling-field spread,
repeat-based geometry,
shallow structural construction,
warm handcrafted timber presence,
and overhead architectural authorship.

Translate the image like this:

[MAIN CEILING FIELD] becomes a dimensionally readable Khatamband system with clearer fitted thickness and join structure.

[SECONDARY ARCHITECTURAL ELEMENTS] become supporting handcrafted elements that frame the ceiling and obey its geometry.

[ROOM CONTEXT / ATMOSPHERE] becomes a believable artisan-built Kashmiri interior space governed by the ceiling-field logic.

Increase:
piece thickness,
join visibility,
unit separation,
light-shadow readability,
wood tactility,
ceiling-to-room relation,
and handcrafted spatial clarity.

Do not lose:
field continuity,

module intelligence,
beading structure,
overhead ceiling authority,
warm timber memory,
and shallow architectural depth.

Avoid:

generic artisan luxury ceiling,
CNC-perfect machine geometry,
deep sculptural carving,
muqarnas drift,
printed pattern logic,
normal realistic room with one decorative traditional ceiling.

The final image must feel like the same Khatamband grammar has entered a handcrafted dimensional interior world.

Image-to-Image

Convert this source image into a **V2 authentic handcrafted dimensional Khatamband / Kashmir** image.

Preserve the source image's room type, main spatial layout, and readable architectural purpose.

Replace ordinary ceiling logic with:

a handcrafted Khatamband ceiling field built from many fitted wooden polygon units,
clear join lines,
visible beading,
continuous geometric repetition,
warm handcrafted timber,
and slightly stronger dimensional readability.

Allow:

clearer unit thickness,
clearer recess and relief,
better light-shadow articulation,
and more believable artisan-built spatial depth.

Do not:

flatten the style into surface pattern,
turn it into carved panel décor,
make it luxury false-ceiling styling,
or let the room remain generic while only the ceiling changes.

Rebuild the surrounding interior so it supports the Khatamband-authored world.

The final image must feel like a handcrafted dimensional expansion of the same authentic Kashmiri Khatamband grammar.

V3 — 3D / Realistic / Cinematic Translation

Universal Hard Prompt

Create an image in **V3 = fully resolved believable real-world 3D translation of Khatamband / Kashmir**.

This must become a fully embodied spatial interior world, but it must still be ruled by the same Khatamband grammar:

- interlocking wooden polygon construction,
- visible join and beading logic,
- continuous ceiling-field authorship,
- repeat-driven geometric order,
- shallow fitted depth,
- warm timber material memory,
- and Kashmiri architectural interior intelligence.

Now push that same grammar into its most complete believable dimensional embodiment.

Increase:

- full room-scale spatial completion,
- believable fitted wood presence,
- clear structural relation between raised and recessed units,
- stronger material-light interaction on handcrafted timber,
- stronger ceiling-to-room coherence,
- stronger overhead spatial authority,
- stronger full-frame readability,
- and stronger inhabitable architectural realism.

But do not introduce:

- generic cinematic interior realism,
- luxury advertisement polish,
- generic heritage-room styling,
- deep Islamic vault fantasy,
- decorative pattern stronger than construction logic,
- or a neutral room with a traditional ceiling inserted into it.

Critical rule:

- V3 must still feel like the same Khatamband DNA fully embodied.
- It must not become a different premium interior style.

It must not become realism wearing Khatamband decoration.
The realism must grow from fitted-module ceiling logic, not replace it.

The ceiling must remain visibly assembled from many wooden parts.
Join lines must still matter.
Beading must still matter.
Field continuity must still matter.
Shallow structural depth must still matter.
The room must feel authored by the Khatamband ceiling system from the start.

If walls, beams, windows, furniture, shrine architecture, houseboat elements, or room atmosphere appear, they must belong to a coherent Khatamband-built world.
Do not let furniture styling, lighting glamour, or generic heritage ambiance overpower the structural ceiling intelligence.

The final result must feel like true Khatamband has become a complete believable lived spatial reality.

Reusable Variable Template

Create **[SUBJECT / INTERIOR / ROOM / ARCHITECTURAL VIEW]** in **V3 = fully resolved believable real-world 3D translation of Khatamband / Kashmir.**

Keep these unchanged style-core rules:
interlocking fitted wooden polygon units,
visible beading and join logic,
continuous ceiling-field spread,
repeat-based geometric order,
shallow structural depth,
warm handcrafted timber memory,
and overhead architectural authorship.

Translate the image like this:

[MAIN CEILING FIELD] becomes a fully embodied real architectural Khatamband system with believable fitted wood presence and room-scale authority.

[SECONDARY ARCHITECTURAL ELEMENTS] become equally style-born structural elements supporting the ceiling-field world.

[ROOM / INTERIOR / ATMOSPHERE] becomes a complete inhabitable Kashmiri interior space governed by Khatamband ceiling intelligence.

Increase:
room-scale coherence,
material-light interaction,
architectural containment,
environmental completion,
ceiling prominence,

join readability,
unit depth clarity,
and full spatial believability.

Do not lose:

assembled module logic,
field continuity,
overhead authorship,
warm timber identity,
shallow native structural depth,
and handcrafted fit memory.

Avoid:

generic cinematic interior style,
hotel-luxury polish,
deep sculptural ornamental fantasy,
printed pattern behavior,
generic room realism with one heritage ceiling,
or any second visual language stronger than the Khatamband system.

The final image must feel like the same Khatamband grammar has become fully embodied real built space.

Image-to-Image

Convert this source image into a **V3 fully resolved believable real-world Khatamband / Kashmir** interior.

Preserve the source image's main architectural function, room layout, major spatial relationships, and readable point of view.

Replace ordinary ceiling logic with:

a fully embodied Kashmiri Khatamband ceiling system made from many fitted wooden geometric units,
visible beading,
clear join structure,
continuous repeat-field spread,
warm handcrafted timber presence,
and believable shallow structural depth across the full ceiling plane.

Expand the image into a complete Khatamband-authored spatial world:

believable fitted wood construction,
clear room-scale overhead authority,
strong material-light interaction,
coherent architectural framing,
strong ceiling-to-wall-to-room relation,
and full interior completion.

Do not just overlay a geometric pattern.
Do not turn it into carved decorative realism.
Do not make it a luxury heritage advertisement interior.
Do not leave the surrounding room generic.
Do not let realism overpower construction logic.

Rebuild the whole image so it feels like true Khatamband has become a complete believable lived interior reality.