```
himasree@LAPTOP-41COT5AA:~/OSLab$ cat program1.c
#include <stdio.h>
#include <stdlib.h>
#include <unistd.h>
#include <sys/types.h>
#include <sys/wait.h>

int main() {
    char command[100];

    printf("Enter Linux command: ");
    scanf("%s", command);

    pid_t pid = fork();

    if (pid < 0) {
        printf("Fork failed\n");
        return 1;
    }
    else if (pid == 0) {
        printf("Child PID: %d\n", getpid());
        execlp(command, command, NULL);

        printf("Command execution failed\n");
    }
    else {
        printf("Parent PID: %d\n", getpid());
        wait(NULL);
        printf("Child process completed.\n");
    }
```

```
        printf("Command execution failed\n");
    }
    else {
        printf("Parent PID: %d\n", getpid());
        wait(NULL);
        printf("Child process completed.\n");
    }

    return 0;
}
himasree@LAPTOP-41COT5AA:~/OSLab$ gcc program1.c -o program1
himasree@LAPTOP-41COT5AA:~/OSLab$ ./program1
Enter Linux command: ls
Parent PID: 403
Child PID: 404
MYProject  exec  exp1.c  exp2.c  exp3.c  exp4.c  exp5.c  exp6.c  exp7.c  exp8.c  exp9.c   program.c  program1.c
MyProject  exp1  exp2    exp3    exp4    exp5    exp6    exp7    exp8    exp9    program  program1
Child process completed.
```