



Skill-3


1. CREATE DATABASE / 2. CREATE CUSTOMER TABLE



3. CREATE ACCOUNT TABLE



4. CREATE BANK TRANSACTION TABLE



5. CREATE LOAN TABLE

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following SQL code:

```
CREATE TABLE Loan (  
  Loan_ID INT PRIMARY KEY,  
  Customer_ID INT,  
  Loan_Type VARCHAR(10),  
  Loan_Amount DECIMAL(12,2),  
  Interest_Rate DECIMAL(5,2),  
  FOREIGN KEY (Customer_ID)  
  REFERENCES Customer(Customer_ID)  
);
```

The Output tab shows the execution results:

#	Time	Action	Message	Duration / Fetch
1	15:11:37	USE 2520090181_himasee	0 row(s) affected	0.000 sec
2	15:11:49	CREATE TABLE Customer (Customer_ID INT PRIMARY KEY, Customer_Name VARCHAR(100) NOT NULL, ...)	0 row(s) affected	0.078 sec
3	15:14:18	CREATE TABLE Account (Account_No INT PRIMARY KEY, Customer_ID INT, Account_Type VARCHAR(10), ...)	0 row(s) affected	0.031 sec
4	15:14:39	CREATE TABLE Bank_Transaction (Transaction_ID INT PRIMARY KEY AUTO_INCREMENT, Account_No INT, ...)	0 row(s) affected	0.031 sec
5	15:15:12	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY, Customer_ID INT, Loan_Type VARCHAR(10), ...)	0 row(s) affected	0.032 sec

6-9. INSERT CUSTOMER DATA / ACCOUNT DATA / TRANSACTION DATA / LOAN DATA

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following SQL code:

```
INSERT INTO Customer (  
  Customer_ID, Customer_Name, Phone, Email, City  
)  
VALUES  
(181, 'Ravi Kumar', '9876543210', 'ravi@gmail.com', 'Hyderabad'),  
(182, 'Priya Sharma', '9876543211', 'priya@gmail.com', 'Vijayawada'),  
(183, 'Arjun Reddy', '9876543212', 'arjun@gmail.com', 'Bangalore'),  
(184, 'Sneha Rao', '9876543213', 'sneha@gmail.com', 'Chennai'),  
(185, 'Kiran Kumar', '9876543214', 'kiran@gmail.com', 'Hyderabad');
```

The Output tab shows the execution results:

#	Time	Action	Message	Duration / Fetch
1	15:11:37	USE 2520090181_himasee	0 row(s) affected	0.000 sec
2	15:11:49	CREATE TABLE Customer (Customer_ID INT PRIMARY KEY, Customer_Name VARCHAR(100) NOT NULL, ...)	0 row(s) affected	0.078 sec
3	15:14:18	CREATE TABLE Account (Account_No INT PRIMARY KEY, Customer_ID INT, Account_Type VARCHAR(10), ...)	0 row(s) affected	0.031 sec
4	15:14:39	CREATE TABLE Bank_Transaction (Transaction_ID INT PRIMARY KEY AUTO_INCREMENT, Account_No INT, ...)	0 row(s) affected	0.031 sec
5	15:15:12	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY, Customer_ID INT, Loan_Type VARCHAR(10), ...)	0 row(s) affected	0.032 sec
6	15:15:42	INSERT INTO Customer (Customer_ID, Customer_Name, Phone, Email, City) VALUES (181, 'Ravi Kumar', '98765...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.000 sec

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following SQL code:

```
INSERT INTO Loan (  
  Loan_ID, Customer_ID, Loan_Type,  
  Loan_Amount, Interest_Rate  
)  
VALUES  
(181, 181, 'Home Loan', 500000, 7.5),  
(182, 182, 'Education Loan', 300000, 8.5),  
(183, 183, 'Car Loan', 80000, 9.5),  
(184, 184, 'Personal Loan', 10000, 10.5),  
(185, 185, 'Home Loan', 400000, 7.2),  
(186, 186, 'Car Loan', 90000, 9.5);
```

The Output tab shows the execution results:

#	Time	Action	Message	Duration / Fetch
7	15:16:22	INSERT INTO Account (Account_No, Customer_ID, Account_Type, Balance, Branch) VALUES (1001, 181, ...)	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.016 sec
8	15:16:22	INSERT INTO Account (Account_No, Customer_ID, Account_Type, Balance, Branch) VALUES (1002, 181, ...)	Error Code: 1064 You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'VALUES (1002, 181, ...'	0.000 sec
9	15:21:25	INSERT INTO Account (Account_No, Customer_ID, Account_Type, Balance, Branch) VALUES (1001, 181, ...)	Error Code: 1062 Duplicate entry '1001' for key 'Account PRIMARY'	0.016 sec
10	15:21:34	INSERT INTO Customer (Customer_ID, Customer_Name, Phone, Email, City) VALUES (181, 'Ravi Kumar', '9876...	Error Code: 1062 Duplicate entry '181' for key 'Customer PRIMARY'	0.000 sec
11	15:21:58	USE 2520090181_himasee	0 row(s) affected	0.000 sec
12	15:22:01	CREATE TABLE Customer (Customer_ID INT PRIMARY KEY, Customer_Name VARCHAR(100) NOT NULL, ...)	Error Code: 1058 Table 'customer' already exists	0.015 sec
13	15:22:09	CREATE TABLE Account (Account_No INT PRIMARY KEY, Customer_ID INT, Account_Type VARCHAR(10), ...)	Error Code: 1058 Table 'account' already exists	0.000 sec
14	15:22:13	CREATE TABLE Bank_Transaction (Transaction_ID INT PRIMARY KEY AUTO_INCREMENT, Account_No INT, ...)	Error Code: 1058 Table 'bank_transaction' already exists	0.000 sec
15	15:22:25	INSERT INTO Account (Account_No, Customer_ID, Account_Type, Balance, Branch) VALUES (1001, 181, ...)	Error Code: 1062 Duplicate entry '1001' for key 'Account PRIMARY'	0.000 sec
16	15:22:44	INSERT INTO Bank_Transaction (Account_No, Transaction_ID, Transaction_Type, Amount) VALUES (1001, DEPOSIT, 100, ...)	11 row(s) affected Records: 11 Duplicates: 0 Warnings: 0	0.016 sec
17	15:23:04	INSERT INTO Loan (Loan_ID, Customer_ID, Loan_Type, Loan_Amount, Interest_Rate) VALUES (181, 181, ...)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.000 sec

The screenshot shows the MySQL Workbench interface. The top toolbar includes icons for File, Edit, View, Query, Database, Server, Tools, Scripting, and Help. The left sidebar shows the Navigator pane with a tree view of the database structure, including Tables, Stored Procedures, Functions, and Views. The main window displays a SQL script with the following queries:

```

130 SELECT * FROM Customer;
131
132 SELECT * FROM Account;
133
134 SELECT * FROM Bank_Transaction;
135
136 SELECT * FROM Loan;
  
```

The Results grid shows the output of the queries, displaying columns: Loan_ID, Customer_ID, Loan_Type, Loan_Amount, and Interest_Rate. The data is as follows:

Loan_ID	Customer_ID	Loan_Type	Loan_Amount	Interest_Rate
301	101	Home Loan	500000.00	7.50
302	102	Education Loan	100000.00	6.50
303	103	Car Loan	80000.00	6.20
304	104	Personal Loan	30000.00	10.50
305	105	Home Loan	400000.00	7.20
306	106	Car Loan	90000.00	6.80
307	107	Business Loan	300000.00	9.00
308	108	Personal Loan	60000.00	10.80

The Messages panel at the bottom shows the execution log, including the following messages:

- 15:21:58 USE `202009181\_hjwasee`
- 15:22:01 CREATE TABLE Customer (Customer_ID INT PRIMARY KEY, Customer_Name VARCHAR(100) NOT NULL, Error Code: 1055 Table 'customer' already exists 0.015 sec
- 15:22:03 CREATE TABLE Account (Account_ID INT PRIMARY KEY, Account_Type VARCHAR(100) NOT NULL, Error Code: 1055 Table 'account' already exists 0.005 sec
- 15:22:13 CREATE TABLE Bank_Transaction (Transaction_ID INT PRIMARY KEY AUTO_INCREMENT, Account_ID INT, Loan_ID INT, Transaction_Amount DECIMAL(10,2), Transaction_Type VARCHAR(100), Error Code: 1055 Table 'bank_transaction' already exists 0.008 sec
- 15:22:25 INSERT INTO Account (Account_No, Customer_ID, Account_Type, Balance, Branch) VALUES (10001, 101, 'Home Loan', 500000.00, '10001'); Error Code: 1062 Duplicate entry '10001' for key 'account.PRIMARY' 0.000 sec
- 15:22:44 INSERT INTO Bank_Transaction (Account_No, Transaction_Type, Amount) VALUES (10001, 'DEPOSIT', 10000.00); 11 rows(s) affected Records: 11 Duplicates: 0 Warnings: 0 0.016 sec
- 15:23:04 INSERT INTO Loan (Loan_ID, Customer_ID, Loan_Type, Loan_Amount, Interest_Rate) VALUES (301, 101, 'Home Loan', 500000.00, 7.50); 10 rows(s) inserted 0.000 sec / 0.000 sec
- 15:23:05 SELECT * FROM Customer LIMIT 0, 1000; 10 rows(s) returned 0.000 sec / 0.000 sec
- 15:25:03 SELECT * FROM Account LIMIT 0, 1000; 10 rows(s) returned 0.000 sec / 0.000 sec
- 15:25:03 SELECT * FROM Bank_Transaction LIMIT 0, 1000; 10 rows(s) returned 0.000 sec / 0.000 sec
- 15:25:03 SELECT * FROM Loan LIMIT 0, 1000; 10 rows(s) returned 0.000 sec / 0.000 sec

The screenshot displays the MySQL Workbench interface with the following components:

- Navigator:** Shows the database structure for '252090181_himansu', including Tables, Views, Stored Procedures, and Functions.
- SQL Editor:** Contains a SQL query:


```
137
138 > DROP VIEW IF EXISTS Customer_View;
139 > CREATE VIEW Customer_View AS
140 SELECT *
141 FROM Customer;
142
143 > SELECT * FROM Customer_View;
```
- Results Grid:** Displays the output of the last query, showing a list of customers with columns: Customer_ID, Customer_Name, Phone, Email, and City.

Customer_ID	Customer_Name	Phone	Email	City
101	Ravi Kumar	9876543210	ravi@gmail.com	Hyderabad
102	Priya Sharma	9876543211	priya@gmail.com	Tyngavadi
103	Aryan Reddy	9876543212	aryan@gmail.com	Bangalore
104	Shreya Rao	9876543213	shreya@gmail.com	Chennai
105	Kiran Kumar	9876543214	kiran@gmail.com	Hyderabad
106	Adi Kumar	9876543215	adi@gmail.com	Delhi
107	Meena Reddy	9876543216	meena@gmail.com	Mumbai
108	Rahul Sharma	9876543217	rahul@gmail.com	Pune
- Output:** Shows the execution log with details on the actions performed, such as dropping and creating the view, and displaying the results.

#	Time	Action	Message	Duration / Fetch
18	15:29:03	SELECT * FROM Customer LIMIT 0, 1000	10 rows returned	0.000 sec / 0.000 sec
19	15:29:03	SELECT * FROM Account LIMIT 0, 1000	10 rows returned	0.000 sec / 0.000 sec
20	15:29:03	SELECT * FROM Bank_Transaction LIMIT 0, 1000	11 rows returned	0.000 sec / 0.000 sec
21	15:29:03	SELECT * FROM Customer_View LIMIT 0, 1000	8 rows affected	0.000 sec / 0.000 sec
22	15:26:34	CREATE VIEW Customer_View AS SELECT * FROM Customer	0 rows affected	0.016 sec
23	15:26:34	DISPLAY VIEW: SELECT * FROM Customer_View	Error Code: 1054. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version 5.7.26. Table 'Customer_View' already exists	0.000 sec
24	15:30:48	CREATE VIEW Customer_View AS SELECT * FROM Customer	0 rows affected	0.000 sec
25	15:34:25	CREATE VIEW Customer_View AS SELECT * FROM Customer	Error Code: 1050. Table 'Customer_View' already exists	0.000 sec
26	15:34:39	DROP VIEW IF EXISTS Customer_View	0 rows affected	0.016 sec
27	15:34:42	CREATE VIEW Customer_View AS SELECT * FROM Customer	0 rows affected	0.016 sec
28	15:34:52	SELECT * FROM Customer_View LIMIT 0, 1000	10 rows returned	0.000 sec / 0.000 sec

The screenshot displays the MySQL Workbench environment. The top toolbar includes icons for File, Edit, View, Query, Database, Server, Tools, Scripting, and Help. The left sidebar shows the 'SCHEMAS' tree with a filter for objects, listing databases like '2520090181_himasee' and '2520090181_himasee_skill2'. The main editor window shows a SQL script to create a view named 'Customer_Basic_View AS' with a SELECT statement from the 'Customer' table. The 'Result Grid' shows the output of the view, displaying columns 'Customer_ID', 'Customer_Name', and 'City' with 10 rows of data. The bottom status bar indicates 'No object selected'.

13. CREATE A VIEW FOR ACCOUNT INFORMATION

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following SQL code:

```
153 SELECT
154     Account_No,
155     Account_Type,
156     Balance,
157     Branch
158 FROM Account;
159 SELECT * FROM Account_View;
```

The Result Grid displays the following data:

Account_No	Account_Type	Balance	Branch
10001	Savings	90000.00	Hyderabad
10002	Savings	75000.00	Vijayawada
10003	Current	120000.00	Bangalore
10004	Savings	40000.00	Chennai
10005	Current	90000.00	Hyderabad
10006	Savings	60000.00	Delhi
10007	Current	150000.00	Mumbai
10008	Savings	38000.00	Pune

The Output pane shows the execution log, including the following actions:

- 22 15:26:34 CREATE VIEW Customer_View AS SELECT * FROM Customer; 0 rows affected; 0.016 sec
- 23 15:26:34 DISPLAY VIEW SELECT * FROM Customer_View; Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near '' at line 1; 0.000 sec
- 24 15:30:48 CREATE VIEW Customer_View AS SELECT * FROM Customer; Error Code: 1050. Table 'Customer_View' already exists; 0.000 sec
- 25 15:34:25 CREATE VIEW Customer_View AS SELECT * FROM Customer; Error Code: 1050. Table 'Customer_View' already exists; 0.000 sec
- 26 15:34:39 DROP VIEW IF EXISTS Customer_View; 0 rows affected; 0.016 sec
- 27 15:34:42 CREATE VIEW Customer_View AS SELECT * FROM Customer; 0 rows affected; 0.016 sec
- 28 15:34:52 SELECT * FROM Customer_View LIMIT 0, 1000; 10 rows returned; 0.000 sec / 0.000 sec
- 29 15:35:35 CREATE VIEW Customer_Basic_View AS SELECT Customer_ID, Customer_Name, City FROM Customer; 0 rows affected; 0.047 sec
- 30 15:35:45 SELECT * FROM Customer_Basic_View LIMIT 0, 1000; 10 rows returned; 0.000 sec / 0.000 sec
- 31 15:36:18 CREATE VIEW Account_View AS SELECT Account_No, Account_Type, Balance, Branch FROM ...; 0 rows affected; 0.031 sec
- 32 15:36:28 SELECT * FROM Account_View LIMIT 0, 1000; 10 rows returned; 0.000 sec / 0.000 sec

14. CREATE A VIEW FOR SAVINGS ACCOUNTS

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following SQL code:

```
161 CREATE VIEW Savings_Account_View AS
162 SELECT *
163 FROM Account
164 WHERE Account_Type = 'Savings';
165
166 SELECT * FROM Savings_Account_View;
```

The Result Grid displays the following data:

Account_No	Customer_ID	Account_Type	Balance	Branch
10001	101	Savings	90000.00	Hyderabad
10002	102	Savings	75000.00	Vijayawada
10004	104	Savings	40000.00	Chennai
10006	106	Savings	60000.00	Delhi
10008	108	Savings	35000.00	Pune
10009	109	Savings	85000.00	Hyderabad

The Output pane shows the execution log, including the following actions:

- 24 15:30:48 CREATE VIEW Customer_View AS SELECT * FROM Customer; Error Code: 1050. Table 'Customer_View' already exists; 0.000 sec
- 25 15:34:25 CREATE VIEW Customer_View AS SELECT * FROM Customer; Error Code: 1050. Table 'Customer_View' already exists; 0.016 sec
- 26 15:34:39 DROP VIEW IF EXISTS Customer_View; 0 rows affected; 0.016 sec
- 27 15:34:42 CREATE VIEW Customer_View AS SELECT * FROM Customer; 0 rows affected; 0.016 sec
- 28 15:34:52 SELECT * FROM Customer_View LIMIT 0, 1000; 10 rows returned; 0.000 sec / 0.000 sec
- 29 15:35:35 CREATE VIEW Customer_Basic_View AS SELECT Customer_ID, Customer_Name, City FROM Customer; 0 rows affected; 0.047 sec
- 30 15:35:45 SELECT * FROM Customer_Basic_View LIMIT 0, 1000; 10 rows returned; 0.000 sec / 0.000 sec
- 31 15:36:18 CREATE VIEW Account_View AS SELECT Account_No, Account_Type, Balance, Branch FROM ...; 0 rows affected; 0.031 sec
- 32 15:36:28 SELECT * FROM Account_View LIMIT 0, 1000; 10 rows returned; 0.000 sec / 0.000 sec
- 33 15:36:56 CREATE VIEW Savings_Account_View AS SELECT * FROM Account WHERE Account_Type = 'Savings'; 0 rows affected; 0.015 sec
- 34 15:37:08 SELECT * FROM Savings_Account_View LIMIT 0, 1000; 6 rows returned; 0.000 sec / 0.000 sec

15. CREATE A VIEW FOR CURRENT ACCOUNTS

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following SQL code:

```
167
168 CREATE VIEW Current_Account_View AS
169 SELECT *
170 FROM Account
171 WHERE Account_Type = 'Current';
172
173 SELECT * FROM Current_Account_View;
```

The Result Grid displays the following data:

Account_No	Customer_ID	Account_Type	Balance	Branch
10003	103	Current	120000.00	Bangalore
10005	105	Current	90000.00	Hyderabad
10007	107	Current	150000.00	Mumbai
10010	110	Current	110000.00	Vijayawada

The Output pane shows the execution log, including the following actions:

- 26 15:34:39 DROP VIEW IF EXISTS Customer_View; 0 rows affected; 0.016 sec
- 27 15:34:42 CREATE VIEW Customer_View AS SELECT * FROM Customer; 0 rows affected; 0.016 sec
- 28 15:34:52 SELECT * FROM Customer_View LIMIT 0, 1000; 10 rows returned; 0.000 sec / 0.000 sec
- 29 15:35:35 CREATE VIEW Customer_Basic_View AS SELECT Customer_ID, Customer_Name, City FROM Customer; 0 rows affected; 0.047 sec
- 30 15:35:45 SELECT * FROM Customer_Basic_View LIMIT 0, 1000; 10 rows returned; 0.000 sec / 0.000 sec
- 31 15:36:18 CREATE VIEW Account_View AS SELECT Account_No, Account_Type, Balance, Branch FROM ...; 0 rows affected; 0.031 sec
- 32 15:36:28 SELECT * FROM Account_View LIMIT 0, 1000; 10 rows returned; 0.000 sec / 0.000 sec
- 33 15:36:56 CREATE VIEW Savings_Account_View AS SELECT * FROM Account WHERE Account_Type = 'Savings'; 0 rows affected; 0.015 sec
- 34 15:37:08 SELECT * FROM Savings_Account_View LIMIT 0, 1000; 6 rows returned; 0.000 sec / 0.000 sec
- 35 15:37:52 CREATE VIEW Current_Account_View AS SELECT * FROM Account WHERE Account_Type = 'Current'; 0 rows affected; 0.031 sec
- 36 15:38:01 SELECT * FROM Current_Account_View LIMIT 0, 1000; 4 rows returned; 0.000 sec / 0.000 sec

16. HIGH BALANCE ACCOUNT VIEW

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following SQL code:

```
177 Account_No,
178 Customer_ID,
179 Account_Type,
180 Balance
181 FROM Account
182 WHERE Balance > 100000;
183 SELECT * FROM High_Balance_View;
```

The Results tab displays the output of the query:

Account_No	Customer_ID	Account_Type	Balance
10001	101	Current	120000.00
10007	107	Current	130000.00
10010	110	Current	120000.00

The Output tab shows the execution log:

#	Time	Action	Message	Duration / Fetch
28	15:34:52	SELECT * FROM Customer_View LIMIT 0, 1000	10 rows returned	0.000 sec / 0.000 sec
29	15:35:35	CREATE VIEW Customer_Basic_View AS SELECT Customer_ID, Customer_Name, City FROM Customer	0 rows affected	0.047 sec
30	15:35:45	SELECT * FROM Customer_Basic_View LIMIT 0, 1000	10 rows returned	0.000 sec / 0.000 sec
31	15:36:18	CREATE VIEW Account_View AS SELECT Account_No, Account_Type, Balance, Branch FROM	0 rows affected	0.031 sec
32	15:36:28	SELECT * FROM Account_View LIMIT 0, 1000	10 rows returned	0.000 sec / 0.000 sec
33	15:36:56	CREATE VIEW Savings_Account_View AS SELECT FROM Account WHERE Account_Type = 'Savings'	0 rows affected	0.015 sec
34	15:37:08	SELECT * FROM Savings_Account_View LIMIT 0, 1000	6 rows returned	0.000 sec / 0.000 sec
35	15:37:52	CREATE VIEW Current_Account_View AS SELECT FROM Account WHERE Account_Type = 'Current'	0 rows affected	0.031 sec
36	15:38:01	SELECT * FROM Current_Account_View LIMIT 0, 1000	4 rows returned	0.000 sec / 0.000 sec
37	15:38:31	CREATE VIEW High_Balance_View AS SELECT Account_No, Customer_ID, Account_Type, Balan...	0 rows affected	0.016 sec
38	15:38:40	SELECT * FROM High_Balance_View LIMIT 0, 1000	3 rows returned	0.000 sec / 0.000 sec

17. HYDERABAD ACCOUNT VIEW

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following SQL code:

```
183 SELECT * FROM High_Balance_View;
184
185 CREATE VIEW Hyderabad_Account_View AS
186 SELECT *
187 FROM Account
188 WHERE Branch = 'Hyderabad';
189 SELECT * FROM Hyderabad_Account_View;
```

The Results tab displays the output of the query:

Account_No	Customer_ID	Account_Type	Balance	Branch
10001	101	Savings	50000.00	Hyderabad
10005	105	Current	90000.00	Hyderabad
10009	109	Savings	85000.00	Hyderabad

The Output tab shows the execution log:

#	Time	Action	Message	Duration / Fetch
30	15:35:45	SELECT * FROM Customer_Basic_View LIMIT 0, 1000	10 rows returned	0.000 sec / 0.000 sec
31	15:36:18	CREATE VIEW Account_View AS SELECT Account_No, Account_Type, Balance, Branch FROM	0 rows affected	0.031 sec
32	15:36:28	SELECT * FROM Account_View LIMIT 0, 1000	10 rows returned	0.000 sec / 0.000 sec
33	15:36:56	CREATE VIEW Savings_Account_View AS SELECT FROM Account WHERE Account_Type = 'Savings'	0 rows affected	0.015 sec
34	15:37:08	SELECT * FROM Savings_Account_View LIMIT 0, 1000	6 rows returned	0.000 sec / 0.000 sec
35	15:37:52	CREATE VIEW Current_Account_View AS SELECT FROM Account WHERE Account_Type = 'Current'	0 rows affected	0.031 sec
36	15:38:01	SELECT * FROM Current_Account_View LIMIT 0, 1000	4 rows returned	0.000 sec / 0.000 sec
37	15:38:31	CREATE VIEW High_Balance_View AS SELECT Account_No, Customer_ID, Account_Type, Balan...	0 rows affected	0.016 sec
38	15:38:40	SELECT * FROM High_Balance_View LIMIT 0, 1000	3 rows returned	0.000 sec / 0.000 sec
39	15:39:07	CREATE VIEW Hyderabad_Account_View AS SELECT FROM Account WHERE Branch = 'Hyderabad'	0 rows affected	0.016 sec
40	15:39:16	SELECT * FROM Hyderabad_Account_View LIMIT 0, 1000	3 rows returned	0.000 sec / 0.000 sec

18. LOW BALANCE ACCOUNT VIEW

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following SQL code:

```
192 SELECT
193 Account_No,
194 Customer_ID,
195 Balance
196 FROM Account
197 WHERE Balance < 50000;
198 SELECT * FROM Low_Balance_View;
```

The Results tab displays the output of the query:

Account_No	Customer_ID	Balance
10004	104	40000.00
10008	108	30000.00

The Output tab shows the execution log:

#	Time	Action	Message	Duration / Fetch
32	15:36:28	SELECT * FROM Account_View LIMIT 0, 1000	10 rows returned	0.000 sec / 0.000 sec
33	15:36:56	CREATE VIEW Savings_Account_View AS SELECT FROM Account WHERE Account_Type = 'Savings'	0 rows affected	0.015 sec
34	15:37:08	SELECT * FROM Savings_Account_View LIMIT 0, 1000	6 rows returned	0.000 sec / 0.000 sec
35	15:37:52	CREATE VIEW Current_Account_View AS SELECT FROM Account WHERE Account_Type = 'Current'	0 rows affected	0.031 sec
36	15:38:01	SELECT * FROM Current_Account_View LIMIT 0, 1000	4 rows returned	0.000 sec / 0.000 sec
37	15:38:31	CREATE VIEW High_Balance_View AS SELECT Account_No, Customer_ID, Account_Type, Balan...	0 rows affected	0.016 sec
38	15:38:40	SELECT * FROM High_Balance_View LIMIT 0, 1000	3 rows returned	0.000 sec / 0.000 sec
39	15:39:07	CREATE VIEW Hyderabad_Account_View AS SELECT FROM Account WHERE Branch = 'Hyderabad'	0 rows affected	0.016 sec
40	15:39:16	SELECT * FROM Hyderabad_Account_View LIMIT 0, 1000	3 rows returned	0.000 sec / 0.000 sec
41	15:39:43	CREATE VIEW Low_Balance_View AS SELECT Account_No, Customer_ID, Balance FROM Account...	0 rows affected	0.016 sec
42	15:39:54	SELECT * FROM Low_Balance_View LIMIT 0, 1000	2 rows returned	0.000 sec / 0.000 sec

19. CUSTOMER + ACCOUNT VIEW

MySQL Workbench

252009181_himansree

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

Filter objects

252009181_himansree

Tables

Views

Stored Procedures

Functions

252009181_himansree_pract

Tables

Views

Stored Procedures

Functions

252009181_himansree_skillz

Tables

Views

Stored Procedures

Functions

252009181_himansree_sq

Tables

Administration Schemas

Information

No object selected

Object Info Session

SQL Editor

Limit to 1000 rows

206 A.Account_Type,

207 A.Balance,

208 A.Branch

209 FROM Customer C

210 JOIN Account A

211 ON C.Customer_ID = A.Customer_ID

212 SELECT * FROM Customer_Account_View

Results Grid

Filter Rows

Export

Wrap Cell Contents

Customer_ID Customer_Name City Account_No Account_Type Balance Branch

101 Ravi Kumar Hyderabad 10001 Savings 50000.00 Hyderabad

102 Priya Sharma Vijayawada 10002 Savings 75000.00 Vijayawada

103 Arjun Reddy Bangalore 10003 Current 120000.00 Bangalore

104 Sneha Rao Chennai 10004 Savings 45000.00 Chennai

105 Krun Kumar Hyderabad 10005 Current 60000.00 Hyderabad

106 Anil Kumar Delhi 10006 Savings 65000.00 Delhi

107 Meera Reddy Mumbai 10007 Current 150000.00 Mumbai

108 Rahul Sharma Pune 10008 Savings 35000.00 Pune

Customer_Account_View 13

Read Only

Context Help

Shortcuts

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

Time Action Message Duration / Fetch

34 15:37:08 SELECT * FROM Savings_Account_View LIMIT 0, 1000 6 rows returned 0.000 sec / 0.000 sec

35 15:37:52 CREATE VIEW Current_Account_View AS SELECT * FROM Account WHERE Account_Type = 'Current' 0 rows affected 0.031 sec

36 15:38:01 SELECT * FROM Current_Account_View LIMIT 0, 1000 4 rows returned 0.000 sec / 0.000 sec

37 15:38:31 CREATE VIEW High_Balance_View AS SELECT Account_No, Customer_ID, Account_Type, Balan... 0 rows affected 0.016 sec

38 15:38:40 SELECT * FROM High_Balance_View LIMIT 0, 1000 3 rows returned 0.000 sec / 0.000 sec

39 15:39:07 CREATE VIEW Hyderabad_Account_View AS SELECT * FROM Account WHERE Branch = 'Hyderabad' 0 rows affected 0.016 sec

40 15:39:16 SELECT * FROM Hyderabad_Account_View LIMIT 0, 1000 3 rows returned 0.000 sec / 0.000 sec

41 15:39:43 CREATE VIEW Low_Balance_View AS SELECT Account_No, Customer_ID, Balance FROM Account... 0 rows affected 0.016 sec

42 15:39:54 SELECT * FROM Low_Balance_View LIMIT 0, 1000 2 rows returned 0.000 sec / 0.000 sec

43 15:40:25 CREATE VIEW Customer_Account_View AS SELECT C.Customer_ID, C.Customer_Name, C.City, A... 0 rows affected 0.016 sec

44 15:40:35 SELECT * FROM Customer_Account_View LIMIT 0, 1000 10 rows returned 0.000 sec / 0.000 sec

20. HYDERABAD CUSTOMER ACCOUNT VIEW

MySQL Workbench

252009181_himansree

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

Filter objects

252009181_himansree

Tables

Views

Stored Procedures

Functions

252009181_himansree_pract

Tables

Views

Stored Procedures

Functions

252009181_himansree_skillz

Tables

Views

Stored Procedures

Functions

252009181_himansree_sq

Tables

Administration Schemas

Information

No object selected

Object Info Session

SQL Editor

Limit to 1000 rows

219 A.Account_Type,

220 A.Balance,

221 FROM Customer C

222 JOIN Account A

223 ON C.Customer_ID = A.Customer_ID

224 WHERE A.Branch = 'Hyderabad'

225 SELECT * FROM Hyderabad_Customer_Accounts

Results Grid

Filter Rows

Export

Wrap Cell Contents

Customer_Name City Account_No Account_Type Balance

Ravi Kumar Hyderabad 10001 Savings 50000.00

Krun Kumar Hyderabad 10005 Current 60000.00

Lakshmi Devi Hyderabad 10009 Savings 85000.00

Hyderabad_Customer_Accounts

Read Only

Context Help

Shortcuts

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

Time Action Message Duration / Fetch

36 15:38:01 SELECT * FROM Current_Account_View LIMIT 0, 1000 4 rows returned 0.000 sec / 0.000 sec

37 15:38:31 CREATE VIEW High_Balance_View AS SELECT Account_No, Customer_ID, Account_Type, Balan... 0 rows affected 0.016 sec

38 15:38:40 SELECT * FROM High_Balance_View LIMIT 0, 1000 3 rows returned 0.000 sec / 0.000 sec

39 15:39:07 CREATE VIEW Hyderabad_Account_View AS SELECT * FROM Account WHERE Branch = 'Hyderabad' 0 rows affected 0.016 sec

40 15:39:16 SELECT * FROM Hyderabad_Account_View LIMIT 0, 1000 3 rows returned 0.000 sec / 0.000 sec

41 15:39:43 CREATE VIEW Low_Balance_View AS SELECT Account_No, Customer_ID, Balance FROM Account... 0 rows affected 0.016 sec

42 15:39:54 SELECT * FROM Low_Balance_View LIMIT 0, 1000 2 rows returned 0.000 sec / 0.000 sec

43 15:40:25 CREATE VIEW Customer_Account_View AS SELECT C.Customer_ID, C.Customer_Name, C.City, A... 0 rows affected 0.016 sec

44 15:40:35 SELECT * FROM Customer_Account_View LIMIT 0, 1000 10 rows returned 0.000 sec / 0.000 sec

45 15:41:07 CREATE VIEW Hyderabad_Customer_Accounts AS SELECT C.Customer_Name, C.City, A.Account_N... 0 rows affected 0.016 sec

46 15:41:18 SELECT * FROM Hyderabad_Customer_Accounts LIMIT 0, 1000 3 rows returned 0.000 sec / 0.000 sec

21. CUSTOMER LOAN VIEW

MySQL Workbench

252009181_himansree

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

Filter objects

252009181_himansree

Tables

Views

Stored Procedures

Functions

252009181_himansree_pract

Tables

Views

Stored Procedures

Functions

252009181_himansree_skillz

Tables

Views

Stored Procedures

Functions

252009181_himansree_sq

Tables

Administration Schemas

Information

No object selected

Object Info Session

SQL Editor

Limit to 1000 rows

233 L.Loan_Type,

234 L.Loan_Amount,

235 L.Interest_Rate

236 FROM Customer C

237 JOIN Loan L

238 ON C.Customer_ID = L.Customer_ID

239 SELECT * FROM Customer_Loan_View

Results Grid

Filter Rows

Export

Wrap Cell Contents

Customer_ID Customer_Name City Loan_ID Loan_Type Loan_Amount Interest_Rate

101 Ravi Kumar Hyderabad 101 Home Loan 500000.00 7.50

102 Priya Sharma Vijayawada 102 Education Loan 100000.00 6.50

103 Arjun Reddy Bangalore 103 Car Loan 80000.00 8.20

104 Sneha Rao Chennai 104 Personal Loan 30000.00 10.50

105 Krun Kumar Hyderabad 105 Home Loan 400000.00 7.20

106 Anil Kumar Delhi 106 Car Loan 90000.00 8.50

107 Meera Reddy Mumbai 107 Business Loan 200000.00 9.50

108 Lakshmi Devi Hyderabad 108 Personal Loan 60000.00 10.00

Customer_Loan_View 15

Read Only

Context Help

Shortcuts

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

Time Action Message Duration / Fetch

38 15:38:40 SELECT * FROM High_Balance_View LIMIT 0, 1000 3 rows returned 0.000 sec / 0.000 sec

39 15:39:07 CREATE VIEW Hyderabad_Account_View AS SELECT * FROM Account WHERE Branch = 'Hyderabad' 0 rows affected 0.016 sec

40 15:39:16 SELECT * FROM Hyderabad_Account_View LIMIT 0, 1000 3 rows returned 0.000 sec / 0.000 sec

41 15:39:43 CREATE VIEW Low_Balance_View AS SELECT Account_No, Customer_ID, Balance FROM Account... 0 rows affected 0.016 sec

42 15:39:54 SELECT * FROM Low_Balance_View LIMIT 0, 1000 2 rows returned 0.000 sec / 0.000 sec

43 15:40:25 CREATE VIEW Customer_Account_View AS SELECT C.Customer_ID, C.Customer_Name, C.City, A... 0 rows affected 0.016 sec

44 15:40:35 SELECT * FROM Customer_Account_View LIMIT 0, 1000 10 rows returned 0.000 sec / 0.000 sec

45 15:41:07 CREATE VIEW Hyderabad_Customer_Accounts AS SELECT C.Customer_Name, C.City, A.Account_N... 0 rows affected 0.016 sec

46 15:41:18 SELECT * FROM Hyderabad_Customer_Accounts LIMIT 0, 1000 3 rows returned 0.000 sec / 0.000 sec

47 15:41:55 CREATE VIEW Customer_Loan_View AS SELECT C.Customer_ID, C.Customer_Name, C.City, L.Lo... 0 rows affected 0.015 sec

48 15:42:04 SELECT * FROM Customer_Loan_View LIMIT 0, 1000 8 rows returned 0.000 sec / 0.000 sec

22. COMPLETE CUSTOMER BANKING VIEW

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

```
253 L.Loan_Amount
254 FROM Customer C
255 LEFT JOIN Account A
256 ON C.Customer_ID = A.Customer_ID
257 LEFT JOIN Loan L
258 ON C.Customer_ID = L.Customer_ID
259 SELECT * FROM Customer_Banking_View
```

Customer_ID	Customer_Name	City	Account_No	Account_Type	Balance	Branch	Loan_Type	Loan_Amount
991	Nani Kumar	Hyderabad	20001	Savings	50000.00	Hyderabad	Home Loan	500000.00
992	Prave Sharma	Vijayawada	20002	Savings	70000.00	Vijayawada	Education Loan	300000.00
993	Arun Reddy	Bangalore	20003	Current	120000.00	Bangalore	Car Loan	800000.00
994	Rohini Rao	Chennai	20004	Savings	40000.00	Chennai	Personal Loan	900000.00
995	Kiran Kumar	Hyderabad	20005	Current	90000.00	Hyderabad	Home Loan	400000.00
996	Aad Kumar	Delhi	20006	Savings	60000.00	Delhi	Car Loan	900000.00
997	Renee Reddy	Mumbai	20007	Current	100000.00	Mumbai	Business Loan	300000.00
998	Rahul Sharma	Pune	20008	Savings	30000.00	Pune	Home Loan	500000.00

Output

#	Time	Action	Message	Duration / Fetch
40	15:39:16	SELECT * FROM Hyderabad_Account_View LIMIT 5: 1000	3 row(s) returned	0.000 sec / 0.000 sec
41	15:39:43	CREATE VIEW Low_Balance_View AS SELECT Account_No, Customer_ID, Balance FROM Account	0 row(s) affected	0.016 sec
42	15:39:54	SELECT * FROM Low_Balance_View LIMIT 5: 1000	2 row(s) returned	0.000 sec / 0.000 sec
43	15:40:25	CREATE VIEW Customer_Account_View AS SELECT C.Customer_ID, C.Customer_Name, C.City, A.	0 row(s) affected	0.016 sec
44	15:40:35	SELECT * FROM Customer_Account_View LIMIT 0: 1000	10 row(s) returned	0.000 sec / 0.000 sec
45	15:41:07	CREATE VIEW Hyderabad_Customer_Accounts AS SELECT C.Customer_Name, C.City, A.Account_N.	0 row(s) affected	0.016 sec
46	15:41:18	SELECT * FROM Hyderabad_Customer_Accounts LIMIT 0: 1000	3 row(s) returned	0.000 sec / 0.000 sec
47	15:41:55	CREATE VIEW Customer_Loan_View AS SELECT C.Customer_ID, C.Customer_Name, C.City, L.Lo.	0 row(s) affected	0.015 sec
48	15:42:04	SELECT * FROM Customer_Loan_View LIMIT 0: 1000	8 row(s) returned	0.000 sec / 0.000 sec
49	15:42:41	CREATE VIEW Customer_Banking_View AS SELECT C.Customer_ID, C.Customer_Name, C.City, A.	0 row(s) affected	0.015 sec
50	15:42:51	SELECT * FROM Customer_Banking_View LIMIT 0: 1000	10 row(s) returned	0.000 sec / 0.000 sec
51	15:43:21	CREATE VIEW Total_Bank_Balance AS SELECT SUM(Balance) AS Total_Balance FROM Account	0 row(s) affected	0.016 sec
52	15:43:30	SELECT * FROM Total_Bank_Balance LIMIT 0: 1000	1 row(s) returned	0.016 sec / 0.000 sec

23. TOTAL BANK BALANCE

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

```
258
259
260 CREATE VIEW Total_Bank_Balance AS
261 SELECT
262 SUM(Balance) AS Total_Balance
263 FROM Account
264 SELECT * FROM Total_Bank_Balance
```

Total_Balance
823000.00

Output

#	Time	Action	Message	Duration / Fetch
42	15:39:44	SELECT * FROM Low_Balance_View LIMIT 0: 1000	2 row(s) returned	0.000 sec / 0.000 sec
43	15:40:25	CREATE VIEW Customer_Account_View AS SELECT C.Customer_ID, C.Customer_Name, C.City, A.	0 row(s) affected	0.016 sec
44	15:40:35	SELECT * FROM Customer_Account_View LIMIT 0: 1000	10 row(s) returned	0.000 sec / 0.000 sec
45	15:41:07	CREATE VIEW Hyderabad_Customer_Accounts AS SELECT C.Customer_Name, C.City, A.Account_N.	0 row(s) affected	0.016 sec
46	15:41:18	SELECT * FROM Hyderabad_Customer_Accounts LIMIT 0: 1000	3 row(s) returned	0.000 sec / 0.000 sec
47	15:41:55	CREATE VIEW Customer_Loan_View AS SELECT C.Customer_ID, C.Customer_Name, C.City, L.Lo.	0 row(s) affected	0.015 sec
48	15:42:04	SELECT * FROM Customer_Loan_View LIMIT 0: 1000	8 row(s) returned	0.000 sec / 0.000 sec
49	15:42:41	CREATE VIEW Customer_Banking_View AS SELECT C.Customer_ID, C.Customer_Name, C.City, A.	0 row(s) affected	0.015 sec
50	15:42:51	SELECT * FROM Customer_Banking_View LIMIT 0: 1000	10 row(s) returned	0.000 sec / 0.000 sec
51	15:43:21	CREATE VIEW Total_Bank_Balance AS SELECT SUM(Balance) AS Total_Balance FROM Account	0 row(s) affected	0.016 sec
52	15:43:30	SELECT * FROM Total_Bank_Balance LIMIT 0: 1000	1 row(s) returned	0.016 sec / 0.000 sec

24. AVERAGE ACCOUNT BALANCE

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

```
265
266 CREATE VIEW Average_Account_Balance AS
267 SELECT
268 AVG(Balance) AS Average_Balance
269 FROM Account
270 SELECT * FROM Average_Account_Balance
```

Average_Balance
82300.000000

Output

#	Time	Action	Message	Duration / Fetch
45	15:41:07	CREATE VIEW Hyderabad_Customer_Accounts AS SELECT C.Customer_Name, C.City, A.Account_N.	0 row(s) affected	0.016 sec
46	15:41:18	SELECT * FROM Hyderabad_Customer_Accounts LIMIT 0: 1000	3 row(s) returned	0.000 sec / 0.000 sec
47	15:41:55	CREATE VIEW Customer_Loan_View AS SELECT C.Customer_ID, C.Customer_Name, C.City, L.Lo.	0 row(s) affected	0.015 sec
48	15:42:04	SELECT * FROM Customer_Loan_View LIMIT 0: 1000	8 row(s) returned	0.000 sec / 0.000 sec
49	15:42:41	CREATE VIEW Customer_Banking_View AS SELECT C.Customer_ID, C.Customer_Name, C.City, A.	0 row(s) affected	0.015 sec
50	15:42:51	SELECT * FROM Customer_Banking_View LIMIT 0: 1000	10 row(s) returned	0.000 sec / 0.000 sec
51	15:43:21	CREATE VIEW Total_Bank_Balance AS SELECT SUM(Balance) AS Total_Balance FROM Account	0 row(s) affected	0.016 sec
52	15:43:30	SELECT * FROM Total_Bank_Balance LIMIT 0: 1000	1 row(s) returned	0.016 sec / 0.000 sec
53	15:44:09	CREATE VIEW Average_Account_Balance AS SELECT AVG(Balance) AS Average_Balance FROM Acco.	0 row(s) affected	0.031 sec
54	15:45:26	CREATE VIEW Average_Account_Balance AS SELECT AVG(Balance) AS Average_Balance FROM Acco.	Error Code: 1058. Table 'Average_Account_Balance' already exists	0.000 sec
55	15:45:29	SELECT * FROM Average_Account_Balance LIMIT 0: 1000	1 row(s) returned	0.015 sec / 0.000 sec

25. MAXIMUM ACCOUNT BALANCE

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following queries:

```
271 SELECT * FROM Average_Account_Balance;
272
273 CREATE VIEW Maximum_Balance_View AS
274 SELECT
275 MAX(Balance) AS Maximum_Balance
276 FROM Account;
277 SELECT * FROM Maximum_Balance_View;
```

The Results grid shows the output of the last query:

Maximum_Balance
150000.00

The Output tab shows the execution log:

#	Time	Action	Message	Duration / Fetch
47	15:41:55	CREATE VIEW Customer_Loan_View AS SELECT C.Customer_ID, C.Customer_Name, C.City, L.Loan_Amount	0 rows affected	0.015 sec
48	15:42:04	SELECT * FROM Customer_Loan_View LIMIT 0, 1000	0 rows returned	0.000 sec / 0.000 sec
49	15:42:41	CREATE VIEW Customer_Banking_View AS SELECT C.Customer_ID, C.Customer_Name, C.City, A.Account	0 rows affected	0.015 sec
50	15:42:51	SELECT * FROM Customer_Banking_View LIMIT 0, 1000	10 rows returned	0.000 sec / 0.000 sec
51	15:43:21	CREATE VIEW Total_Bank_Balance AS SELECT SUM(Balance) AS Total_Balance FROM Account	0 rows affected	0.016 sec
52	15:43:30	SELECT * FROM Total_Bank_Balance LIMIT 0, 1000	1 row returned	0.016 sec / 0.000 sec
53	15:44:09	CREATE VIEW Average_Account_Balance AS SELECT AVG(Balance) AS Average_Balance FROM Account	0 rows affected	0.031 sec
54	15:45:26	CREATE VIEW Average_Account_Balance AS SELECT AVG(Balance) AS Average_Balance FROM Account	Error Code: 1050. Table 'Average_Account_Balance' already exists	0.000 sec
55	15:45:29	SELECT * FROM Average_Account_Balance LIMIT 0, 1000	1 row returned	0.015 sec / 0.000 sec
56	15:45:57	CREATE VIEW Maximum_Balance_View AS SELECT MAX(Balance) AS Maximum_Balance FROM Account	0 rows affected	0.015 sec
57	15:46:06	SELECT * FROM Maximum_Balance_View LIMIT 0, 1000	1 row returned	0.016 sec / 0.000 sec

26. MINIMUM ACCOUNT BALANCE

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following queries:

```
277 SELECT * FROM Maximum_Balance_View;
278
279 CREATE VIEW Minimum_Balance_View AS
280 SELECT
281 MIN(Balance) AS Minimum_Balance
282 FROM Account;
283 SELECT * FROM Minimum_Balance_View;
```

The Results grid shows the output of the last query:

Minimum_Balance
35000.00

The Output tab shows the execution log:

#	Time	Action	Message	Duration / Fetch
1	17:46:31	CREATE VIEW Minimum_Balance_View AS SELECT MIN(Balance) AS Minimum_Balance FROM Account	Error Code: 1046. No database selected. Select the default DB to be used by double-clicking its name in the SCH...	0.000 sec
2	17:46:36	USE 2520090181_himasee	0 rows affected	0.000 sec
3	17:46:39	CREATE TABLE Customer (Customer_ID INT PRIMARY KEY, Customer_Name VARCHAR(100) NOT NULL;	Error Code: 1050. Table 'customer' already exists	0.031 sec
4	17:46:39	INSERT INTO Account (Account_No, Customer_ID, Account_Type, Balance, Branch) VALUES (10001, 101, 'S,	Error Code: 1062. Duplicate entry '10001' for key 'account PRIMARY'	0.047 sec
5	17:46:54	CREATE VIEW Minimum_Balance_View AS SELECT MIN(Balance) AS Minimum_Balance FROM Account	0 rows affected	0.031 sec
6	17:47:08	SELECT * FROM Minimum_Balance_View LIMIT 0, 1000	1 row returned	0.000 sec / 0.000 sec

27. TOTAL NUMBER OF ACCOUNTS

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following queries:

```
284
285
286 CREATE VIEW Account_Count_View AS
287 SELECT
288 COUNT(*) AS Total_Accounts
289 FROM Account;
290 SELECT * FROM Account_Count_View;
```

The Results grid shows the output of the last query:

Total_Accounts
10

The Output tab shows the execution log:

#	Time	Action	Message	Duration / Fetch
1	17:46:31	CREATE VIEW Minimum_Balance_View AS SELECT MIN(Balance) AS Minimum_Balance FROM Account	Error Code: 1046. No database selected. Select the default DB to be used by double-clicking its name in the SCH...	0.000 sec
2	17:46:36	USE 2520090181_himasee	0 rows affected	0.000 sec
3	17:46:39	CREATE TABLE Customer (Customer_ID INT PRIMARY KEY, Customer_Name VARCHAR(100) NOT NULL;	Error Code: 1050. Table 'customer' already exists	0.031 sec
4	17:46:39	INSERT INTO Account (Account_No, Customer_ID, Account_Type, Balance, Branch) VALUES (10001, 101, 'S,	Error Code: 1062. Duplicate entry '10001' for key 'account PRIMARY'	0.047 sec
5	17:46:54	CREATE VIEW Minimum_Balance_View AS SELECT MIN(Balance) AS Minimum_Balance FROM Account	0 rows affected	0.031 sec
6	17:47:08	SELECT * FROM Minimum_Balance_View LIMIT 0, 1000	1 row returned	0.000 sec / 0.000 sec
7	17:47:39	CREATE VIEW Account_Count_View AS SELECT COUNT(*) AS Total_Accounts FROM Account	0 rows affected	0.016 sec
8	17:47:44	SELECT * FROM Account_Count_View LIMIT 0, 1000	1 row returned	0.000 sec / 0.000 sec

28. BRANCH-WISE ACCOUNT COUNT

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following SQL code:

```
292 CREATE VIEW Branch_Account_Count AS
293 SELECT
294   Branch,
295   COUNT(*) AS Number_of_Accounts
296 FROM Account
297 GROUP BY Branch;
298 SELECT * FROM Branch_Account_Count;
```

The Result Grid displays the following data:

Branch	Number_of_Accounts
Hyderabad	3
Vijayawada	2
Bangalore	1
Chennai	1
Delhi	1
Mumbai	1
Pune	1

The Action Output pane shows the execution of the SQL statements:

#	Time	Action	Message	Duration / Fetch
1	21:59:21	CREATE VIEW Branch_Account_Count AS SELEC...	Error Code: 1046: No database selected Select the ...	0.000 sec
2	21:59:31	USE 2520090181_himasee	0 row(s) affected	0.000 sec
3	21:59:43	INSERT INTO Customer (Customer_ID, Customer_...	Error Code: 1062: Duplicate entry '101' for key 'cust...	0.016 sec
4	21:59:52	CREATE VIEW Branch_Account_Count AS SELEC...	0 row(s) affected	0.015 sec
5	22:00:02	SELECT * FROM Branch_Account_Count LIMIT 0 ...	7 row(s) returned	0.000 sec / 0.000 sec

29. BRANCH-WISE TOTAL BALANCE

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following SQL code:

```
300 CREATE VIEW Branch_Total_Balance AS
301 SELECT
302   Branch,
303   SUM(Balance) AS Total_Balance
304 FROM Account
305 GROUP BY Branch;
306 SELECT * FROM Branch_Total_Balance;
```

The Result Grid displays the following data:

Branch	Total_Balance
Hyderabad	225000.00
Vijayawada	185000.00
Bangalore	120000.00
Chennai	40000.00
Delhi	65000.00
Mumbai	150000.00
Pune	35000.00

The Action Output pane shows the execution of the SQL statements:

#	Time	Action	Message	Duration / Fetch
1	21:59:21	CREATE VIEW Branch_Account_Count AS SELEC...	Error Code: 1046: No database selected Select the ...	0.000 sec
2	21:59:31	USE 2520090181_himasee	0 row(s) affected	0.000 sec
3	21:59:43	INSERT INTO Customer (Customer_ID, Customer_...	Error Code: 1062: Duplicate entry '101' for key 'cust...	0.016 sec
4	21:59:52	CREATE VIEW Branch_Account_Count AS SELEC...	0 row(s) affected	0.015 sec
5	22:00:02	SELECT * FROM Branch_Account_Count LIMIT 0 ...	7 row(s) returned	0.000 sec / 0.000 sec
6	22:00:41	CREATE VIEW Branch_Total_Balance AS SELEC...	0 row(s) affected	0.000 sec
7	22:00:50	SELECT * FROM Branch_Total_Balance LIMIT 0 ...	7 row(s) returned	0.000 sec / 0.000 sec

30. ACCOUNT TYPE COUNT

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following SQL code:

```
309 CREATE VIEW Account_Type_Count AS
310 SELECT
311   Account_Type,
312   COUNT(*) AS Number_of_Accounts
313 FROM Account
314 GROUP BY Account_Type;
315 SELECT * FROM Account_Type_Count;
```

The Result Grid displays the following data:

Account_Type	Number_of_Accounts
Savings	6
Current	4

The Action Output pane shows the execution of the SQL statements:

#	Time	Action	Message	Duration / Fetch
1	21:59:21	CREATE VIEW Branch_Account_Count AS SELEC...	Error Code: 1046: No database selected Select the ...	0.000 sec
2	21:59:31	USE 2520090181_himasee	0 row(s) affected	0.000 sec
3	21:59:43	INSERT INTO Customer (Customer_ID, Customer_...	Error Code: 1062: Duplicate entry '101' for key 'cust...	0.016 sec
4	21:59:52	CREATE VIEW Branch_Account_Count AS SELEC...	0 row(s) affected	0.015 sec
5	22:00:02	SELECT * FROM Branch_Account_Count LIMIT 0 ...	7 row(s) returned	0.000 sec / 0.000 sec
6	22:00:41	CREATE VIEW Branch_Total_Balance AS SELEC...	0 row(s) affected	0.000 sec
7	22:00:50	SELECT * FROM Branch_Total_Balance LIMIT 0 ...	7 row(s) returned	0.000 sec / 0.000 sec
8	22:01:55	CREATE VIEW Account_Type_Count AS SELEC...	0 row(s) affected	0.016 sec
9	22:02:03	SELECT * FROM Account_Type_Count LIMIT 0.1 ...	2 row(s) returned	0.000 sec / 0.000 sec

31. ACCOUNT TYPE TOTAL BALANCE

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following code:

```
317 CREATE VIEW Account_Type_Balance AS
318 SELECT
319     Account_Type,
320     SUM(Balance) AS Total_Balance
321 FROM Account_Type
322 GROUP BY Account_Type;
```

The 'Result Grid' shows the output of the query:

Account_Type	Total_Balance
Savings	20000.00
Current	40000.00

The 'Action Output' pane shows the execution log, including the creation of the view and the execution of the query.

32. BRANCHES WITH MORE THAN ONE ACCOUNT

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following code:

```
326 SELECT
327     Branch,
328     COUNT(*) AS Number_of_Accounts
329 FROM Account_Type
330 GROUP BY Branch
331 HAVING COUNT(*) > 1;
```

The 'Result Grid' shows the output of the query:

Branch	Number_of_Accounts
Hyderabad	3
Vijayawada	2

The 'Action Output' pane shows the execution log, including the creation of the view and the execution of the query.

33. BRANCHES WITH TOTAL BALANCE ABOVE 100000

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following code:

```
335 SELECT
336     Branch,
337     SUM(Balance) AS Total_Balance
338 FROM Account_Type
339 GROUP BY Branch
340 HAVING SUM(Balance) > 100000;
```

The 'Result Grid' shows the output of the query:

Branch	Total_Balance
Hyderabad	225000.00
Vijayawada	85000.00
Bangalore	120000.00
Mumbai	150000.00

The 'Action Output' pane shows the execution log, including the creation of the view and the execution of the query.

34. DEPOSIT TRANSACTION VIEW

The screenshot shows the MySQL Workbench interface with the 'Schemas' pane on the left displaying the '2520090181_himansree' database. The 'SQL Editor' pane contains the following SQL code:

```
341 * SELECT * FROM Rich_Branches;
342
343 CREATE VIEW Deposit_Transaction_View AS
344 SELECT *
345 FROM Bank_Transaction
346 WHERE Transaction_Type = 'DEPOSIT';
347 * SELECT * FROM Deposit_Transaction_View;
```

The 'Result Grid' pane shows the output of the final query, displaying a table with 10 rows of deposit transactions. The 'Output' pane shows the execution log, including the creation of the view.

Transaction_ID	Account_No	Transaction_Type	Amount	Transaction_Date
1	10001	DEPOSIT	10000.00	2026-09-12 15:22+
3	10002	DEPOSIT	15000.00	2026-09-12 15:22+
5	10004	DEPOSIT	5000.00	2026-09-12 15:22+
7	10006	DEPOSIT	12000.00	2026-09-12 15:22+
8	10007	DEPOSIT	25000.00	2026-09-12 15:22+
10	10009	DEPOSIT	20000.00	2026-09-12 15:22+

35. WITHDRAWAL TRANSACTION VIEW

The screenshot shows the MySQL Workbench interface with the 'Schemas' pane on the left displaying the '2520090181_himansree' database. The 'SQL Editor' pane contains the following SQL code:

```
347 * SELECT * FROM Deposit_Transaction_View;
348
349 CREATE VIEW Withdrawal_Transaction_View AS
350 SELECT *
351 FROM Bank_Transaction
352 WHERE Transaction_Type = 'WITHDRAW';
353 * SELECT * FROM Withdrawal_Transaction_View;
```

The 'Result Grid' pane shows the output of the final query, displaying a table with 11 rows of withdrawal transactions. The 'Output' pane shows the execution log, including the creation of the view.

Transaction_ID	Account_No	Transaction_Type	Amount	Transaction_Date
2	10001	WITHDRAW	5000.00	2026-09-12 15:22+
4	10003	WITHDRAW	20000.00	2026-09-12 15:22+
6	10005	WITHDRAW	8000.00	2026-09-12 15:22+
9	10008	WITHDRAW	5000.00	2026-09-12 15:22+
11	10010	WITHDRAW	15000.00	2026-09-12 15:22+

36. TRANSACTION DETAILS WITH CUSTOMER

The screenshot shows the MySQL Workbench interface with the 'Schemas' pane on the left displaying the '2520090181_himansree' database. The 'SQL Editor' pane contains the following SQL code:

```
363 * T.Transaction_Date
364 FROM Customer C
365 JOIN Account A
366 ON C.Customer_ID = A.Customer_ID
367 JOIN Bank_Transaction T
368 ON A.Account_No = T.Account_No;
369 * SELECT * FROM Customer_Transaction_View;
```

The 'Result Grid' pane shows the output of the final query, displaying a table with 11 rows of transaction details for each customer. The 'Output' pane shows the execution log, including the creation of the view.

Customer_Name	Account_No	Account_Type	Transaction_ID	Transaction_Type
Ravi Kumar	10001	Savings	1	DEPOSIT
Ravi Kumar	10001	Savings	2	WITHDRAW
Prisha Sharma	10002	Savings	3	DEPOSIT
Akshu Baddi	10003	Current	4	WITHDRAW
Shreha Rao	10004	Savings	5	DEPOSIT
Kiran Kumar	10005	Current	6	WITHDRAW

37. HIGH VALUE TRANSACTION VIEW

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following code:

```
370
371 CREATE VIEW High_Value_Transaction_View AS
372 SELECT *
373 FROM Bank_Transaction
374 WHERE Amount > 10000;
375
376 SELECT * FROM High_Value_Transaction_View;
```

The Results grid shows the following data:

Transaction_ID	Account_No	Transaction_Type	Amount	Transaction_Date
3	10002	DEPOSIT	15000.00	2026-08-12 15:22+
4	10003	WITHDRAWAL	20000.00	2026-08-12 15:22+
7	10006	DEPOSIT	12000.00	2026-08-12 15:22+
8	10007	DEPOSIT	20000.00	2026-08-12 15:22+
10	10009	DEPOSIT	20000.00	2026-08-12 15:22+
11	10010	WITHDRAWAL	15000.00	2026-08-12 15:22+

The Action Output pane shows the execution log, including the creation of the view and the subsequent SELECT query.

38. ACCOUNTS ORDERED BY BALANCE

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following code:

```
381 Account_No,
382 Customer_ID,
383 Account_Type,
384 Balance,
385 FROM Account
386 ORDER BY Balance DESC;
387 SELECT * FROM Balance_Ranking_View;
```

The Results grid shows the following data:

Account_No	Customer_ID	Account_Type	Balance
10007	107	Current	150000.00
10003	103	Current	120000.00
10010	110	Current	110000.00
10009	109	Current	90000.00
10009	109	Savings	85000.00
10002	102	Savings	75000.00
10006	106	Savings	65000.00
10004	104	Fixed	60000.00

The Action Output pane shows the execution log, including the creation of the view and the subsequent SELECT query.

39. CUSTOMERS ORDERED BY NAME

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following code:


```
391 Customer_ID,
392 Customer_Name,
393 City,
394 FROM Customer
395 ORDER BY Customer_Name;
396
397 SELECT * FROM Customer_Name_View;
```

The Results grid shows the following data:


Customer_ID	Customer_Name	City
106	Anil Kumar	Delhi
103	Arun Reddy	Bangalore
105	Vijay Kumar	Hyderabad
109	Lakshmi Devi	Hyderabad
107	Meena Reddy	Mumbai
102	Priya Sharma	Hyderabad
108	Rahul Sharma	Pune

The Action Output pane shows the execution log, including the creation of the view and the subsequent SELECT query.


40. LOAN INTEREST CALCULATION VIEW



41. LOAN TOTAL AMOUNT VIEW



42. DISPLAY HIGH BALANCE ACCOUNTS FROM VIEW



43. DISPLAY SAVINGS ACCOUNTS ABOVE 60000

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following query:

```
SELECT * FROM Loan_Total_Amount_View  
SELECT *  
FROM High_Balance_View  
WHERE Balance > 120000  
SELECT *
```

The result grid displays the following data:

Account_No	Customer_ID	Account_Type	Balance	Branch
10002	102	Savings	75000.00	Vijayawada
10006	106	Savings	65000.00	Delhi
10009	109	Savings	85000.00	Hyderabad

The Action Output pane shows the execution of the query, indicating that 3 rows were returned.

44. DISPLAY HYDERABAD ACCOUNTS ABOVE 50000

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following query:

```
FROM High_Balance_View  
WHERE Balance > 120000  
SELECT *  
FROM Savings_Account_View  
WHERE Balance > 60000
```

The result grid displays the following data:

Account_No	Customer_ID	Account_Type	Balance	Branch
10005	105	Current	90000.00	Hyderabad
10009	109	Savings	85000.00	Hyderabad

The Action Output pane shows the execution of the query, indicating that 2 rows were returned.

45. DISPLAY CUSTOMERS FROM HYDERABAD

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following query:

```
WHERE Balance > 60000  
[Execute the selected portion of the script or everything, if there is no selection]  
SELECT *  
FROM Hyderabad_Account_View  
WHERE Balance > 50000  
SELECT *
```

The result grid displays the following data:

Customer_ID	Customer_Name	City
101	Ravi Kumar	Hyderabad
105	Kiran Kumar	Hyderabad
109	Lakshmi Devi	Hyderabad

The Action Output pane shows the execution of the query, indicating that 3 rows were returned.

46. DISPLAY CUSTOMER ACCOUNTS ORDERED BY BALANCE

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following query:

```
435 WHERE Balance > 50000;
436
437 * SELECT *
438 FROM Customer_Basic_View
439 WHERE City = 'Hyderabad';
440
441 * SELECT *
```

The Results grid displays the following data:

Customer_ID	Customer_Name	City	Account_No	Account_Type	Balance
107	Meena Reddy	Mumbai	10007	Current	15000
101	Arun Reddy	Bangalore	10001	Current	12000
110	Suresh Babu	Vijayawada	10010	Current	11000
105	Kiran Kumar	Hyderabad	10005	Current	9000
109	Lakshmi Devi	Hyderabad	10009	Savings	8500
102	Priya Sharma	Vijayawada	10002	Savings	7500
106	Santhosh Kumar	Hyderabad	10006	Current	6000

The Action Output pane shows the execution of the query, indicating that 10 rows were returned.

47. DISPLAY LOANS ABOVE 1000000

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following query:

```
441 * SELECT *
442 FROM Customer_Account_View
443 ORDER BY Balance DESC;
444
445 * SELECT *
```

The Results grid displays the following data:

Customer_ID	Customer_Name	City	Loan_ID	Loan_Type	Loan_Amount
101	Kiran Kumar	Hyderabad	501	Home Loan	3000000
105	Kiran Kumar	Hyderabad	505	Home Loan	4000000
107	Meena Reddy	Mumbai	507	Business Loan	3000000

The Action Output pane shows the execution of the query, indicating that 3 rows were returned.

48. UPDATE ACCOUNT BALANCE THROUGH VIEW

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following query:

```
447 FROM Customer_Loan_View
448 WHERE Loan_Amount > 1000000;
449
450 * UPDATE Account_View
451 SET Balance = 10000;
452 WHERE Account_No = 10001;
453 * SELECT *
```

The Results grid displays the following data:

Account_No	Customer_ID	Account_Type	Balance	Branch
10001	101	Savings	60000.00	Hyderabad
10009	109	Savings	8500.00	Hyderabad

The Action Output pane shows the execution of the query, indicating that 1 row was updated.

49. INSERT USING SIMPLE VIEW

MySQL Workbench interface showing a query window with the following SQL:

```
INSERT INTO Simple_Account_View  
VALUES  
(10011, 101, 'Savings', 55000, 'Hyderabad');
```

The Result Grid shows the following data:

Account_No	Customer_ID	Account_Type	Balance	Branch
10001	101	Savings	60000.00	Hyderabad
10002	102	Savings	75000.00	Vijayawada
10003	103	Current	120000.00	Bangalore
10004	104	Savings	45000.00	Chennai
10005	105	Current	90000.00	Hyderabad
10006	106	Savings	65000.00	Delhi
10007	107	Current	150000.00	Mumbai

The Action Output shows the following messages:

#	Time	Action	Message	Duration / Feat
33	22:13:04	SELECT * FROM Savings_Account_View WHERE...	3 row(s) returned	0.000 sec / 0.000 sec
34	22:13:42	SELECT * FROM Hyderabad_Account_View WHERE...	2 row(s) returned	0.016 sec / 0.000 sec
35	22:14:15	SELECT * FROM Customer_Basic_View WHERE...	3 row(s) returned	0.000 sec / 0.000 sec
36	22:15:10	SELECT * FROM Customer_Account_View WHERE...	10 row(s) returned	0.000 sec / 0.000 sec
37	22:15:40	SELECT * FROM Customer_Loan_View WHERE...	3 row(s) returned	0.000 sec / 0.000 sec
38	22:16:09	UPDATE Account_View SET Balance = 60000...	1 row(s) affected Rows matched: 1 Changed: 1	0.000 sec
39	22:16:20	SELECT * FROM Account WHERE Account_No =...	1 row(s) returned	0.000 sec / 0.000 sec
40	22:17:52	CREATE VIEW Simple_Account_View AS SELE...	0 row(s) affected	0.000 sec
41	22:18:04	FROM Account	Error Code: 1064: You have an error in your SQL s...	0.000 sec
42	22:18:13	INSERT INTO Simple_Account_View VALUES (...)	1 row(s) affected	0.016 sec
43	22:18:43	SELECT * FROM Account LIMIT 0, 1000	11 row(s) returned	0.000 sec / 0.000 sec

50. DELETE USING SIMPLE VIEW

MySQL Workbench interface showing a query window with the following SQL:

```
DELETE FROM Simple_Account_View  
WHERE Account_No = 10011;
```

The Result Grid shows the following data:

Account_No	Customer_ID	Account_Type	Balance	Branch
10001	101	Savings	60000.00	Hyderabad
10002	102	Savings	75000.00	Vijayawada
10003	103	Current	120000.00	Bangalore
10004	104	Savings	45000.00	Chennai
10005	105	Current	90000.00	Hyderabad
10006	106	Savings	65000.00	Delhi
10007	107	Current	150000.00	Mumbai

The Action Output shows the following messages:

#	Time	Action	Message	Duration / Feat
35	22:14:15	SELECT * FROM Customer_Basic_View WHERE...	3 row(s) returned	0.000 sec / 0.000 sec
36	22:15:10	SELECT * FROM Customer_Account_View WHERE...	10 row(s) returned	0.000 sec / 0.000 sec
37	22:15:40	SELECT * FROM Customer_Loan_View WHERE...	3 row(s) returned	0.000 sec / 0.000 sec
38	22:16:09	UPDATE Account_View SET Balance = 60000...	1 row(s) affected Rows matched: 1 Changed: 1	0.000 sec
39	22:16:20	SELECT * FROM Account WHERE Account_No =...	1 row(s) returned	0.000 sec / 0.000 sec
40	22:17:52	CREATE VIEW Simple_Account_View AS SELE...	0 row(s) affected	0.000 sec
41	22:18:04	FROM Account	Error Code: 1064: You have an error in your SQL s...	0.000 sec
42	22:18:13	INSERT INTO Simple_Account_View VALUES (...)	1 row(s) affected	0.016 sec
43	22:18:43	SELECT * FROM Account LIMIT 0, 1000	11 row(s) returned	0.000 sec / 0.000 sec
44	22:19:13	DELETE FROM Simple_Account_View WHERE...	1 row(s) affected	0.000 sec
45	22:19:19	SELECT * FROM Account LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec

51. SHOW ALL VIEWS

MySQL Workbench interface showing a query window with the following SQL:

```
SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW';
```


The Result Grid shows the following data:

Table_in_2520090181_himansree	Table_type
account_count_view	VIEW
account_type_balance	VIEW
account_type_count	VIEW
account_view	VIEW
average_account_balance	VIEW
balance_saving_view	VIEW
branch_account_count	VIEW


The Action Output shows the following messages:

#	Time	Action	Message	Duration / Feat
36	22:15:10	SELECT * FROM Customer_Account_View WHERE...	10 row(s) returned	0.000 sec / 0.000 sec
37	22:15:40	SELECT * FROM Customer_Loan_View WHERE...	3 row(s) returned	0.000 sec / 0.000 sec
38	22:16:09	UPDATE Account_View SET Balance = 60000...	1 row(s) affected Rows matched: 1 Changed: 1	0.000 sec
39	22:16:20	SELECT * FROM Account WHERE Account_No =...	1 row(s) returned	0.000 sec / 0.000 sec
40	22:17:52	CREATE VIEW Simple_Account_View AS SELE...	0 row(s) affected	0.000 sec
41	22:18:04	FROM Account	Error Code: 1064: You have an error in your SQL s...	0.000 sec
42	22:18:13	INSERT INTO Simple_Account_View VALUES (...)	1 row(s) affected	0.016 sec
43	22:18:43	SELECT * FROM Account LIMIT 0, 1000	11 row(s) returned	0.000 sec / 0.000 sec
44	22:19:13	DELETE FROM Simple_Account_View WHERE...	1 row(s) affected	0.000 sec
45	22:19:19	SELECT * FROM Account LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
46	22:19:52	SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW'	32 row(s) returned	0.015 sec / 0.000 sec


52. SHOW VIEW DEFINITION



53. DESCRIBE VIEW



54. DROP ONE VIEW



55. DROP MULTIPLE VIEWS

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following query:

```
473 SELECT *
474 FROM Account;
475
476 SHOW FULL TABLES
477 WHERE TABLE_TYPE = 'VIEW';
478
479 SHOW CREATE VIEW Customer_Account_View;
480
481 DESCRIBE Customer_Account_View;
482
483 DROP VIEW Customer_View;
484
485 DROP VIEW
486 Customer_Basic_View,
487 Savings_Account_View,
488 Current_Account_View;
```

The output window shows the execution results:

#	Time	Action	Message	Duration / Fetch
41	22:18:04	FROM Account	Error Code: 1054. You have an error in your SQL s...	0.000 sec
42	22:18:13	INSERT INTO Simple_Account_View VALUES (1...	1 row(s) affected	0.016 sec
43	22:18:43	SELECT * FROM Account LIMIT 0. 1000	11 row(s) returned	0.000 sec / 0.000 sec
44	22:19:13	DELETE FROM Simple_Account_View WHERE ...	1 row(s) affected	0.000 sec
45	22:19:19	SELECT * FROM Account LIMIT 0. 1000	10 row(s) returned	0.000 sec / 0.000 sec
46	22:19:52	SHOW FULL TABLES WHERE TABLE_TYPE = ...	32 row(s) returned	0.015 sec / 0.000 sec
47	22:20:33	SHOW CREATE VIEW Customer_Account_View	1 row(s) returned	0.000 sec / 0.000 sec
48	22:21:01	DESCRIBE Customer_Account_View	7 row(s) returned	0.000 sec / 0.000 sec
49	22:21:29	DROP VIEW Customer_View	0 row(s) affected	0.016 sec
50	22:22:06	DROP VIEW Customer_View	Error Code: 1051. Unknown table '2520090181_H...	0.000 sec
51	22:22:19	DROP VIEW Customer_Basic_View, Savings_Ac...	0 row(s) affected	0.016 sec