



Bank Transaction Database

Rayanki Himavarshini

(2520030141)

Step 1 : Create Database & Collections



Step 2: Insert Customer Data

The screenshot shows the Data Explorer interface for the 'RAYANKI HIMAVAR...' organization and 'project 0'. The left sidebar shows the 'clusters' list with 'Cluster0' expanded, containing 'admin', 'bankdb', 'customers', 'transactions', 'local', and 'sample_mflix'. The main panel is set to 'Cluster0 > bankdb > customers'. The 'Documents' tab shows 1 document. The query bar contains 'Type a query: { field: 'value' } or Generate_query'. The document details show:

```
{
  "_id": ObjectId('6a8189ab20fee0209eea7537'),
  "customer_id": 101,
  "name": "Ravi Kumar",
  "city": "Hyderabad",
  "account_type": "Savings",
  "balance": 85000,
  "status": "Active"
}
```

The screenshot shows the Data Explorer interface with 2 documents in the 'customers' collection. The document details show:

```
{
  "city": "Hyderabad",
  "account_type": "Savings",
  "balance": 85000,
  "status": "Active"
}, {
  "_id": ObjectId('6a8189fb20fee0209eea7539'),
  "customer_id": 102,
  "name": "Priya Sharma",
  "city": "Vijayawada",
  "account_type": "Current",
  "balance": 125000,
  "status": "Active"
}
```

The screenshot shows the Data Explorer interface with 3 documents in the 'customers' collection. The document details show:

```
{
  "city": "Vijayawada",
  "account_type": "Current",
  "balance": 125000,
  "status": "Active"
}, {
  "_id": ObjectId('6a818a2420fee0209eea753b'),
  "customer_id": 103,
  "name": "Arjun Reddy",
  "city": "Hyderabad",
  "account_type": "Savings",
  "balance": 45000,
  "status": "Active"
}
```

ORGANIZATION
RAYANKI HIMAVAR...

ORGANIZATION
I Harshika's Org - 202...

PROJECT
Project 0

Compare tiers

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
- transactions
- local
- sample_mflix

customers

transactions

Cluster0 > bankdb > customers

View monitoring

Visualize Your Data

Documents 4

Aggregations

Schema

Indexes 1

Validation

Type a query: { field: 'value' } or [Generate query](#)

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1 - 4 of 4

city: "Hyderabad"

account_type: "Savings"

balance: 45000

status: "Active"

_id: ObjectId('6a818a4820fee0209eea753d')

customer_id: 104

name: "Sneha Rao"

city: "Warangal"

account_type: "Savings"

balance: 210000

status: "Active"

ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
project 0

Compare tiers

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
- transactions
- local
- sample_mflix

customers

transactions

Cluster0 > bankdb > customers

View monitoring

Visualize Your Data

Documents 5

Aggregations

Schema

Indexes 1

Validation

Type a query: { field: 'value' } or [Generate query](#)

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1 - 5 of 5

city: "Warangal"

account_type: "Savings"

balance: 210000

status: "Active"

_id: ObjectId('6a818a6e20fee0209eea753f')

customer_id: 105

name: "Kiran Kumar"

city: "Guntur"

account_type: "Current"

balance: 65000

status: "Inactive"

ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
project 0

Compare tiers

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
- transactions
- local
- sample_mflix

customers

transactions

Cluster0 > bankdb > customers

View monitoring

Visualize Your Data

Documents 6

Aggregations

Schema

Indexes 1

Validation

Type a query: { field: 'value' } or [Generate query](#)

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1 - 6 of 6

city: "Warangal"

account_type: "Current"

balance: 65000

status: "Inactive"

_id: ObjectId('6a818a8d20fee0209eea7541')

customer_id: 106

name: "Anjali Singh"

city: "Hyderabad"

account_type: "Savings"

balance: 175000

status: "Active"

ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

Cluster0 > bankdb > customers

Documents 7 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-7 of 7

```
{ "_id": "6a818aad20fee0209eea7543",  
  "account_type": "Savings",  
  "balance": 175000,  
  "status": "Active"  
}
```

```
{ "_id": ObjectId('6a818aad20fee0209eea7543'),  
  "customer_id": 107,  
  "name": "Rahul Verma",  
  "city": "Bengaluru",  
  "account_type": "Current",  
  "balance": 95000,  
  "status": "Active"  
}
```

ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-8 of 8

```
{ "_id": "6a818af120fee0209eea7545",  
  "account_type": "Current",  
  "balance": 95000,  
  "status": "Active"  
}
```

```
{ "_id": ObjectId('6a818af120fee0209eea7545'),  
  "customer_id": 108,  
  "name": "Meena Devi",  
  "city": "Chennai",  
  "account_type": "Savings",  
  "balance": 320000,  
  "status": "Active"  
}
```

Step 3 : Insert Transaction Data

ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 1 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-1 of 1

```
{ "_id": ObjectId('6a818b7e20fee0209eea7548'),  
  "transaction_id": 1001,  
  "customer_id": 101,  
  "type": "Deposit",  
  "amount": 25000,  
  "mode": "UPI",  
  "date": "2026-08-01",  
  "status": "Success"  
}
```

ORGANIZATION
RAYANKI HIMAVAR... >

PROJECT
Project 0

Compare tiers

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 6 Aggregations Sohma Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1 - 6 of 6

```
date: "2026-08-03"
status: "Success"

_id: ObjectId('6a818c3720fee0209eea7552')
transaction_id: 1006
customer_id: 103
type: "Withdrawal"
amount: 5000
mode: "ATM"
date: "2026-08-04"
status: "Success"
```

ORGANIZATION
RAYANKI HIMAVAR... >

PROJECT
Project 0

Compare tiers

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 2 Aggregations Sohma Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1 - 2 of 2

```
date: "2026-08-01"
status: "Success"

_id: ObjectId('6a818ba920fee0209eea754a')
transaction_id: 1002
customer_id: 101
type: "Withdrawal"
amount: 10000
mode: "ATM"
date: "2026-08-02"
status: "Success"
```

ORGANIZATION
RAYANKI HIMAVAR... >

PROJECT
Project 0

Compare tiers

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 4 Aggregations Sohma Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1 - 4 of 4

```
mode: "NEFT"
date: "2026-08-02"
status: "Success"

_id: ObjectId('6a818bef20fee0209eea754e')
transaction_id: 1004
customer_id: 102
type: "Withdrawal"
amount: 15000
mode: "ATM"
date: "2026-08-03"
status: "Success"
```

ORGANIZATION
RAYANKI HIMAVAR... >

PROJECT
Project 0

Compare tiers

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 5 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-5 of 5

```
mode: "ATM"
date: "2026-08-03"
status: "Success"

_id: ObjectId('6a818c1020fee0209eea7550')
transaction_id: 1005
customer_id: 103
type: "Deposit"
amount: 30000
mode: "UPI"
date: "2026-08-03"
status: "Success"
```

ORGANIZATION
RAYANKI HIMAVAR... >

PROJECT
Project 0

Compare tiers

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 6 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-6 of 6

```
mode: "ATM"
date: "2026-08-03"
status: "Success"

_id: ObjectId('6a818c3720fee0209eea7552')
transaction_id: 1006
customer_id: 103
type: "Withdrawal"
amount: 5000
mode: "ATM"
date: "2026-08-04"
status: "Success"
```

ORGANIZATION
RAYANKI HIMAVAR... >

PROJECT
Project 0

Compare tiers

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 7 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-7 of 7

```
mode: "ATM"
date: "2026-08-04"
status: "Success"

_id: ObjectId('6a818d2120fee0209eea7554')
transaction_id: 1007
customer_id: 104
type: "Deposit"
amount: 100000
mode: "NEFT"
date: "2026-08-04"
status: "Success"
```


ORGANIZATION I Harshika's Org - 202... PROJECT Project 0

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions**
 - local
 - sample_mflix

customers transactions +

Cluster0 > bankdb > transactions

Documents 8 Aggregations Schema Indexes 1 Validation

Type a query: (field: 'value') or [Generate query](#)

[Explain](#) [Reset](#) [Find](#) [Options](#)

[ADD DATA](#) [BULK](#) [EXPORT CODE](#)

25 1 - 8 of 8

```

date: "2026-08-04"
status: "Success"

_id: ObjectId('6a818d3f26fee0209eea7556')
transaction_id: 1008
customer_id: 104
type: "Withdrawal"
amount: 25000
mode: "ATM"
date: "2026-08-05"
status: "Success"

```

The screenshot displays the MongoDB Atlas Data Explorer interface. On the left, the 'Data Explorer' sidebar shows the project hierarchy: 'Cluster0' > 'bankdb' > 'transactions'. The 'transactions' collection is selected. The main panel shows a list of documents in the 'transactions' collection. The first document is expanded, showing its JSON structure:

```
{
  "_id": ObjectId('6a818d6120fee0209eea7558'),
  "transaction_id": 1009,
  "customer_id": 105,
  "type": "Deposit",
  "amount": 15000,
  "mode": "UPI",
  "date": "2026-08-05",
  "status": "Success"
}
```

The interface includes a search bar, a query editor with a 'Generate query' button, and buttons for 'Add Data', 'Bulk', and 'Export Code'. The top right corner shows the 'Compare tiers' button and user profile information.

The screenshot displays the MongoDB Atlas Data Explorer interface. On the left, the 'Cluster0' sidebar shows the database structure: 'Cluster0' contains 'admin', 'bankdb', and 'local'. 'bankdb' contains 'customers' and 'transactions'. 'transactions' is selected. The main panel shows the 'transactions' collection with 10 documents. A query is entered: '{ field: 'value' } or Generate query'. The 'Documents' tab is active, showing a list of documents. The first document is expanded, showing fields like '_id', 'transaction_id', 'customer_id', 'type', 'amount', 'mode', 'date', and 'status'.

ORGANIZATION
RAYANKI HIMAVAR... >

PROJECT
Project 0

Compare tiers

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 11 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1 - 11 of 11

```
date: "2026-08-06"
status: "Success"

_id: ObjectId('6a818da520fee0209eea755c')
transaction_id: 1011
customer_id: 106
type: "Withdrawal"
amount: 20000
mode: "ATM"
date: "2026-08-06"
status: "Success"
```

ORGANIZATION
RAYANKI HIMAVAR... >

PROJECT
Project 0

Compare tiers

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 12 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1 - 12 of 12

```
date: "2026-08-06"
status: "Success"

_id: ObjectId('6a818dc720fee0209eea755e')
transaction_id: 1012
customer_id: 107
type: "Deposit"
amount: 40000
mode: "MPS"
date: "2026-08-07"
status: "Success"
```

ORGANIZATION
RAYANKI HIMAVAR... >

PROJECT
Project 0

Compare tiers

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 13 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1 - 13 of 13

```
date: "2026-08-07"
status: "Success"

_id: ObjectId('6a818de820fee0209eea7560')
transaction_id: 1013
customer_id: 107
type: "Withdrawal"
amount: 12000
mode: "ATM"
date: "2026-08-07"
status: "Success"
```


ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 14 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

EXPLAIN RESET FIND Options

ADD DATA BULK EXPORT CODE

25 1-14 of 14

date: "2026-08-07"
status: "Success"

_id: ObjectId('6a818e1120fee0289eea7562')
transaction_id: 1014
customer_id: 108
type: "Deposit"
amount: 150000
mode: "NEFT"
date: "2026-08-08"
status: "Success"

Step 4 : Display & Find the customers

ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

EXPLAIN RESET FIND Options

ADD DATA BULK EXPORT CODE

25 1-8 of 8

	_id ObjectId	customer_id Int32	name String	city String	account_type String	
1	ObjectId('6a8189ab20fee02...')	101	"Ravi Kumar"	"Hyderabad"	"Savings"	
2	ObjectId('6a8189fb20fee02...')	102	"Priya Sharma"	"Vijayawada"	"Current"	
3	ObjectId('6a818a2420fee02...')	103	"Arjun Reddy"	"Hyderabad"	"Savings"	
4	ObjectId('6a818a4820fee02...')	104	"Sneha Rao"	"Warangal"	"Savings"	
5	ObjectId('6a818a6e20fee02...')	105	"Kiran Kumar"	"Guntur"	"Current"	
6	ObjectId('6a818a8d20fee02...')	106	"Anjali Singh"	"Hyderabad"	"Savings"	
7	ObjectId('6a818aad20fee02...')	107	"Rahul Verma"	"Bengaluru"	"Current"	
8	ObjectId('6a818af120fee02...')	108	"Reena Devi"	"Chennai"	"Savings"	

ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project 0

Compare tiers

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

customers

transactions

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

{ status: "Active" }

Generate query Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-7 of 7

	_id ObjectId	customer_id Int32	name String	city String	account_type String	
1	ObjectId("6a8189ab20fee02...")	101	"Ravi Kumar"	"Hyderabad"	"Savings"	
2	ObjectId("6a8189fb20fee02...")	102	"Priya Sharma"	"Vijayawada"	"Current"	
3	ObjectId("6a818a2420fee02...")	103	"Arjun Reddy"	"Hyderabad"	"Savings"	
4	ObjectId("6a818a4820fee02...")	104	"Sneha Rao"	"Warangal"	"Savings"	
5	ObjectId("6a818a8d20fee02...")	106	"Anjali Singh"	"Hyderabad"	"Savings"	
6	ObjectId("6a818aad20fee02...")	107	"Rahul Verma"	"Bengaluru"	"Current"	
7	ObjectId("6a818af120fee02...")	108	"Meena Devi"	"Chennai"	"Savings"	

ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project 0

Compare tiers

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

customers

transactions

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

{ balance: { \$gt: 100000 } }

Generate query Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-4 of 4

	_id ObjectId	customer_id Int32	name String	city String	account_type String	
1	ObjectId("6a8189fb20fee02...")	102	"Priya Sharma"	"Vijayawada"	"Current"	
2	ObjectId("6a818a4820fee02...")	104	"Sneha Rao"	"Warangal"	"Savings"	
3	ObjectId("6a818a8d20fee02...")	106	"Anjali Singh"	"Hyderabad"	"Savings"	
4	ObjectId("6a818af120fee02...")	108	"Meena Devi"	"Chennai"	"Savings"	

ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project 0

Compare tiers

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

customers

transactions

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

{ city: "Hyderabad" }

Generate query Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-3 of 3

	_id ObjectId	customer_id Int32	name String	city String	account_type String	
1	ObjectId("6a8189ab20fee02...")	101	"Ravi Kumar"	"Hyderabad"	"Savings"	
2	ObjectId("6a818a2420fee02...")	103	"Arjun Reddy"	"Hyderabad"	"Savings"	
3	ObjectId("6a818a8d20fee02...")	106	"Anjali Singh"	"Hyderabad"	"Savings"	

ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project 0

Compare tiers

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

customers

transactions

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

{ account_type: "Savings" }

Generate query Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-5 of 5

	_id ObjectId	customer_id Int32	name String	city String	account_type String	
1	ObjectId("6a8189ab20fee02...")	101	"Ravi Kumar"	"Hyderabad"	"Savings"	
2	ObjectId("6a818a2420fee02...")	103	"Arjun Reddy"	"Hyderabad"	"Savings"	
3	ObjectId("6a818a4820fee02...")	104	"Sneha Rao"	"Warangal"	"Savings"	
4	ObjectId("6a818a8d20fee02...")	106	"Anjali Singh"	"Hyderabad"	"Savings"	
5	ObjectId("6a818af120fee02...")	108	"Meena Devi"	"Chennai"	"Savings"	

ORGANIZATION

RAYANKI HIMAVAR...

PROJECT

Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

Cluster0 > bankdb > customers

View monitoring

Visualize Your Data

Documents 8

Aggregations

Schema

Indexes 1

Validation

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25 1-1 of 1

customers	_id ObjectId	customer_id Int32	name String	city String	account_type String
1	ObjectId('6a818a8d20fee02...	106	"Anjali Singh"	"Hyderabad"	"Savings"

ORGANIZATION

RAYANKI HIMAVAR...

PROJECT

Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

Cluster0 > bankdb > customers

View monitoring

Visualize Your Data

Documents 8

Aggregations

Schema

Indexes 1

Validation

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25 1-5 of 5

customers	_id ObjectId	customer_id Int32	name String	city String	account_type String
1	ObjectId('6a8189ab20fee02...	101	"Ravi Kumar"	"Hyderabad"	"Savings"
2	ObjectId('6a8189fb20fee02...	102	"Priya Sharma"	"Vijayawada"	"Current"
3	ObjectId('6a818a2420fee02...	103	"Arjun Reddy"	"Hyderabad"	"Savings"
4	ObjectId('6a818a4820fee02...	104	"Sneha Rao"	"Warangal"	"Savings"

Step 5 : Display & Find Transactions

ORGANIZATION

RAYANKI HIMAVAR...

PROJECT

Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

Cluster0 > bankdb > transactions

View monitoring

Visualize Your Data

Documents 15

Aggregations

Schema

Indexes 1

Validation

Type a query: { field: 'value' } or

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25 1-15 of 15

transactions	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32
1	ObjectId('6a818b7e20fee02...	1001	101	"Deposit"	25000
2	ObjectId('6a818ba920fee02...	1002	101	"Withdrawal"	10000
3	ObjectId('6a818bd420fee02...	1003	102	"Deposit"	50000
4	ObjectId('6a818bef20fee02...	1004	102	"Withdrawal"	15000
5	ObjectId('6a818c1020fee02...	1005	103	"Deposit"	30000
6	ObjectId('6a818c3720fee02...	1006	103	"Withdrawal"	5000
7	ObjectId('6a818d120fee02...	1007	104	"Deposit"	100000
8	ObjectId('6a818d3f20fee02...	1008	104	"Withdrawal"	25000
9	ObjectId('6a818d6120fee02...	1009	105	"Deposit"	15000

ORGANIZATION
RAYANKI HIMAVAR...>

ORGANIZATION
I Harshika's Org - 202...>PROJECT
Project 0

Compare tiers

My Queries

Data Modeling

CLUSTERS (1)

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

Cluster0 > bankdb > transactions

Documents 15AggregationsSchemaIndexes 1Validation

Type a query: { field: 'value' } or [Generate query](#)

ExplainResetFindOptions

ADD DATABULKEXPORTE CODE

251 - 15 of 15

	transactions					
	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	
7	ObjectId('6a818d2120fee02...	1007	104	"Deposit"	100000	
8	ObjectId('6a818d3720fee02...	1008	104	"Withdrawal"	25000	
9	ObjectId('6a818d6120fee02...	1009	105	"Deposit"	15000	
10	ObjectId('6a818d8220fee02...	1010	106	"Deposit"	75000	
11	ObjectId('6a818da520fee02...	1011	106	"Withdrawal"	20000	
12	ObjectId('6a818dc720fee02...	1012	107	"Deposit"	40000	
13	ObjectId('6a818de820fee02...	1013	107	"Withdrawal"	12000	
14	ObjectId('6a818e1120fee02...	1014	108	"Deposit"	150000	
15	ObjectId('6a818e3220fee02...	1015	108	"Withdrawal"	30000	

ORGANIZATION
RAYANKI HIMAVAR...>

ORGANIZATION
I Harshika's Org - 202...>PROJECT
Project 0

Compare tiers

My Queries

Data Modeling

CLUSTERS (1)

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

Cluster0 > bankdb > transactions

Documents 15AggregationsSchemaIndexes 1Validation

{ type: "Deposit" }

[Generate query](#)ExplainResetFindOptions

ADD DATABULKEXPORTE CODE

251 - 8 of 8

	transactions					
	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	
1	ObjectId('6a818b7e20fee02...	1001	101	"Deposit"	25000	
2	ObjectId('6a818bd420fee02...	1003	102	"Deposit"	50000	
3	ObjectId('6a818c1020fee02...	1005	103	"Deposit"	30000	
4	ObjectId('6a818d2120fee02...	1007	104	"Deposit"	100000	
5	ObjectId('6a818d6120fee02...	1009	105	"Deposit"	15000	
6	ObjectId('6a818d8220fee02...	1010	106	"Deposit"	75000	
7	ObjectId('6a818dc720fee02...	1012	107	"Deposit"	40000	
8	ObjectId('6a818e1120fee02...	1014	108	"Deposit"	150000	

ORGANIZATION
RAYANKI HIMAVAR...>

ORGANIZATION
I Harshika's Org - 202...>PROJECT
Project 0

Compare tiers

My Queries

Data Modeling

CLUSTERS (1)

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

Cluster0 > bankdb > transactions

Documents 15AggregationsSchemaIndexes 1Validation

{ mode: "ATM" }

[Generate query](#)ExplainResetFindOptions

ADD DATABULKEXPORTE CODE

251 - 7 of 7

	transactions					
	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	
1	ObjectId('6a818ba920fee02...	1002	101	"Withdrawal"	10000	
2	ObjectId('6a818bf20fee02...	1004	102	"Withdrawal"	15000	
3	ObjectId('6a818c3720fee02...	1006	103	"Withdrawal"	5000	
4	ObjectId('6a818d3720fee02...	1008	104	"Withdrawal"	25000	
5	ObjectId('6a818da520fee02...	1011	106	"Withdrawal"	20000	
6	ObjectId('6a818de820fee02...	1013	107	"Withdrawal"	12000	
7	ObjectId('6a818e3220fee02...	1015	108	"Withdrawal"	30000	

ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

{ type: "Deposit", amount: { \$gt: 50000 } }

Generate query + Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-3 of 3

* transactions	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32
1	ObjectId('6a818d2120fee02...	1007	104	"Deposit"	100000
2	ObjectId('6a818d220fee02...	1010	106	"Deposit"	75000
3	ObjectId('6a818e1120fee02...	1014	108	"Deposit"	150000

Step 6 : Using Aggregations

ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Sort

Generate aggregation + Explain Run Options

Untitled - modified SAVE + CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage1 Sort

```
1 {  
2   "balance": -1  
3 }
```

Output preview after \$sort stage (Sample of 6 documents)

```
_id: ObjectId('6a818af120fee0209eea7545')  
customer_id: 108  
name: "Meena Devi"  
city: "Chennai"  
account_type: "Savings"  
balance: 320000  
status: "Active"
```

```
_id: ObjectId('6a818a4820fee0209eea7545')  
customer_id: 104  
name: "Sneha Rao"  
city: "Warangal"  
account_type: "Savings"  
balance: 210000  
status: "Active"
```

ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

\$group

Generate aggregation + Explain Run Options

Untitled - modified SAVE + CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage1 \$group

```
1 {  
2   "_id": null,  
3   "total_amount": {  
4     "$sum": "$amount"  
5   }  
6 }  
7
```

Output preview after \$group stage (Sample of 1 document)

```
_id: null  
total_amount: 602000
```


ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

\$group

Generate aggregation

1 - modified

SAVE + CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage 1 \$group

Output preview after \$group stage (Sample of 1 document)

```

1 {
2   "_id": null,
3   "average_amount": {
4     "$avg": "$amount"
5   }
6 }

```

Output preview after \$group stage (Sample of 1 document)

```

_id: null
average_amount : 48133.333333333336

```

ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

\$group

Generate aggregation

1 - modified

SAVE + CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage 1 \$group

Output preview after \$group stage (Sample of 2 documents)

```

1 {
2   "_id": "$type",
3   "total_amount": {
4     "$sum": "$amount"
5   }
6 }

```

Output preview after \$group stage (Sample of 2 documents)

```

_id: "Deposit"
total_amount : 485000

_id: "Withdrawal"
total_amount : 117000

```

+ Add stage

ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

\$group \$sort

Generate aggregation

1 - modified

SAVE + CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage 1 \$group

Output preview after \$group stage (Sample of 8 documents)

```

1 {
2   "_id": "$customer_id",
3   "transaction_count": {
4     "$sum": 1
5   }
6 }

```

Output preview after \$group stage (Sample of 8 documents)

```

_id: 184
transaction_count : 2

_id: 187
transaction_count : 2

_id: 188
transaction_count : 2

```

Stage 2 \$sort

Output preview after \$sort stage (Sample of 8 documents)

```

1 {
2   "transaction_count": -1
3 }

```

Output preview after \$sort stage (Sample of 8 documents)

```

_id: 184
transaction_count : 2

_id: 187
transaction_count : 2

_id: 188
transaction_count : 2

```

Query 17:

ORGANIZATION
RAYANKI HIMAVAR...

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

customers

transactions

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Stage1: \$lookup

1 - modified

1. {
2. "from": "customers",
3. "localField": "customer_id",
4. "foreignField": "customer_id",
5. "as": "customer_details"
6. }

Output preview after \$lookup stage (Sample of 10 documents)

1. {
2. "_id": "6a818b7e28fee0289eea7548",
3. "transaction_id": 1001,
4. "customer_id": 101,
5. "type": "Deposit",
6. "amount": 25000,
7. "mode": "UPI",
8. "date": "2026-08-01",
9. "status": "Success",
10. "customer_details": Array (1)
}

2. {
3. "_id": "6a818b7e28fee0289eea7548",
4. "transaction_id": 1002,
5. "customer_id": 101,
6. "type": "Withdrawal",
7. "amount": 10000,
8. "mode": "ATM",
9. "date": "2026-08-02",
10. "status": "Success",
11. "customer_details": Array (1)
}

3. {
4. "_id": "6a818b7e28fee0289eea7548",
5. "transaction_id": 1003,
6. "customer_id": 101,
7. "type": "Deposit",
8. "amount": 10000,
9. "mode": "UPI",
10. "date": "2026-08-02",
11. "status": "Success",
12. "customer_details": Array (1)
}

4. {
5. "_id": "6a818b7e28fee0289eea7548",
6. "transaction_id": 1004,
7. "customer_id": 102,
8. "type": "Withdrawal",
9. "amount": 10000,
10. "mode": "ATM",
11. "date": "2026-08-03",
12. "status": "Success",
13. "customer_details": Array (1)
}

5. {
6. "_id": "6a818b7e28fee0289eea7548",
7. "transaction_id": 1005,
8. "customer_id": 102,
9. "type": "Withdrawal",
10. "amount": 10000,
11. "mode": "ATM",
12. "date": "2026-08-03",
13. "status": "Success",
14. "customer_details": Array (1)
}

6. {
7. "_id": "6a818b7e28fee0289eea7548",
8. "transaction_id": 1006,
9. "customer_id": 102,
10. "type": "Withdrawal",
11. "amount": 10000,
12. "mode": "ATM",
13. "date": "2026-08-03",
14. "status": "Success",
15. "customer_details": Array (1)
}

7. {
8. "_id": "6a818b7e28fee0289eea7548",
9. "transaction_id": 1007,
10. "customer_id": 102,
11. "type": "Withdrawal",
12. "amount": 10000,
13. "mode": "ATM",
14. "date": "2026-08-03",
15. "status": "Success",
16. "customer_details": Array (1)
}

8. {
9. "_id": "6a818b7e28fee0289eea7548",
10. "transaction_id": 1008,
11. "customer_id": 102,
12. "type": "Withdrawal",
13. "amount": 10000,
14. "mode": "ATM",
15. "date": "2026-08-03",
16. "status": "Success",
17. "customer_details": Array (1)
}

9. {
10. "_id": "6a818b7e28fee0289eea7548",
11. "transaction_id": 1009,
12. "customer_id": 102,
13. "type": "Withdrawal",
14. "amount": 10000,
15. "mode": "ATM",
16. "date": "2026-08-03",
17. "status": "Success",
18. "customer_details": Array (1)
}

10. {
11. "_id": "6a818b7e28fee0289eea7548",
12. "transaction_id": 1010,
13. "customer_id": 102,
14. "type": "Withdrawal",
15. "amount": 10000,
16. "mode": "ATM",
17. "date": "2026-08-03",
18. "status": "Success",
19. "customer_details": Array (1)
}

Query 18:

ORGANIZATION
RAYANKI HIMAVAR...

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Stage1: \$lookup

1 - modified

1. {
2. "from": "customers",
3. "localField": "customer_id",
4. "foreignField": "customer_id",
5. "as": "customer"
6. }

Output preview after \$lookup stage (Sample of 10 documents)

1. {
2. "_id": "6a818b7e28fee0289eea7548",
3. "transaction_id": 1001,
4. "customer_id": 101,
5. "type": "Deposit",
6. "amount": 25000,
7. "mode": "UPI",
8. "date": "2026-08-01",
9. "status": "Success",
10. "customer": Array (1)
}

2. {
3. "_id": "6a818b7e28fee0289eea7548",
4. "transaction_id": 1002,
5. "customer_id": 101,
6. "type": "Withdrawal",
7. "amount": 10000,
8. "mode": "ATM",
9. "date": "2026-08-02",
10. "status": "Success",
11. "customer": Array (1)
}

ORGANIZATION
RAYANKI HIMAVAR...

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Stage2: \$unwind

1 - modified

1. {
2. "path": "\$customer"
3. }

Output preview after \$unwind stage (Sample of 10 documents)

1. {
2. "_id": "6a818b7e28fee0289eea7548",
3. "transaction_id": 1001,
4. "customer_id": 101,
5. "type": "Deposit",
6. "amount": 25000,
7. "mode": "UPI",
8. "date": "2026-08-01",
9. "status": "Success",
10. "customer": Object (7)
}

2. {
3. "_id": "6a818b7e28fee0289eea7548",
4. "transaction_id": 1002,
5. "customer_id": 101,
6. "type": "Withdrawal",
7. "amount": 10000,
8. "mode": "ATM",
9. "date": "2026-08-02",
10. "status": "Success",
11. "customer": Object (7)
}

ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Slookup Sunwind Sproject

Generate aggregation Explain Run Options

1 - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage 3 Sproject

```
1 {
2   "_id": 0,
3   "transaction_id": 1,
4   "customer_name": "$customer.name",
5   "city": "$customer.city",
6   "type": 1,
7   "amount": 1,
8   "mode": 1
9 }
```

Output preview after Sproject stage (Sample of 10 documents)

transaction_id: 1001 type: "deposit" amount: 25000 mode: "UPI" customer_name: "Ravi Kumar" city: "Hyderabad"	transaction_id: 1002 type: "Withdrawal" amount: 10000 mode: "ATM" customer_name: "Ravi Kumar" city: "Hyderabad"
---	--

Query 19:

ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Sgroup Slookup Sunwind Sproject Ssort

Generate aggregation Explain Run Options

1 - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage 1 Sgroup

```
1 {
2   "_id": "$customer_id",
3   "total_transaction": {
4     "$sum": "$amount"
5   }
6 }
```

Output preview after Sgroup stage (Sample of 8 documents)

_id: 102 total_transaction: 65000	_id: 103 total_transaction: 35000
--------------------------------------	--------------------------------------

ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Sgroup Slookup Sunwind Sproject Ssort

Generate aggregation Explain Run Options

1 - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage 2 Slookup

```
1 {
2   "from": "customers",
3   "localField": "_id",
4   "foreignField": "customer_id",
5   "as": "customer"
6 }
```

Output preview after Slookup stage (Sample of 8 documents)

_id: 108 total_transaction: 100000 customer: Array (1)	_id: 107 total_transaction: 52000 customer: Array (1)
--	---

Stream 3 Sunwind

ORGANIZATION
I Harshika's Org - 202...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

customers

transactions

+

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

\$group \$lookup \$unwind \$project \$sort

Generate aggregation + Explain Run Options

1 - modified

SAVE + CREATE NEW EXPORT CODE

Stage 3 \$unwind

```
1 {
2   "path": "$customer"
3 }
```

Output preview after \$unwind stage (Sample of 8 documents)

_id: 102
total_transaction : 65000
customer : Object (7)

_id: 101
total_transaction : 35000
customer : Object (7)

ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

customers

transactions

+

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

\$group \$lookup \$unwind \$project \$sort

Generate aggregation + Explain Run Options

1 - modified

SAVE + CREATE NEW EXPORT CODE

Stage 4 \$project

```
1 {
2   "_id": 0,
3   "customer_id": "$_id",
4   "customer_name": "$customer.name",
5   "total_transaction": 1
6 }
```

Output preview after \$project stage (Sample of 8 documents)

total_transaction : 125000
customer_id : 104
customer_name : "Sneha Rao"

total_transaction : 52000
customer_id : 107
customer_name : "Rahul Verma"

ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

customers

transactions

+

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

\$group \$lookup \$unwind \$project \$sort

Generate aggregation + Explain Run Options

1 - modified

SAVE + CREATE NEW EXPORT CODE

Stage 5 \$sort

```
1 {
2   "total_transaction": -1
3 }
```

Output preview after \$sort stage (Sample of 8 documents)

total_transaction : 180000
customer_id : 108
customer_name : "Keena Devi"

total_transaction : 125000
customer_id : 104
customer_name : "Sneha Rao"

ORGANIZATION
Harshika's Org - 202...

PROJECT
Project 0

Compare tiers ⓘ ⚙️ 👤 ⚙️ ⓘ

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- social
- sample_mflix

Cluster0 > bankdb > transactions

Documents: 16 | Aggregations | Schema | Indexes: 1 | Validation

Group

Shoekup

Sumwind

Sproject

Sort

Edit

Explain

Run

Options ▾

ALL RESULTS [EXPORT CODE](#) Showing 1 - 8 count results < ▾ 16 ⓘ

total_transaction : 180000
customer_id : 109
customer_name : "Meena Devi"

total_transaction : 125000
customer_id : 104
customer_name : "Sneha Rao"

total_transaction : 95000
customer_id : 106
customer_name : "Anjali Singh"

total_transaction : 65000
customer_id : 102
customer_name : "Priya Sharma"

total_transaction : 52000
customer_id : 107
customer_name : "Rahul Verma"

total_transaction : 35000
customer_id : 103
customer_name : "Ravi Kumar"