



Bank Transaction Database

Rayanki Himavarshini (2520030607)

Step 1 : Create Database & Collections



Step 2: Insert Customer Data

ORGANIZATION: RAYANKI HIMAYAR...
Project: project-0

Cluster0 > bankdb > customers

Documents | Aggregations | Schema | Indexes | Validation

Type a query | Fields: "value" | or Generate query

ADD DATA | BULK | EXPORT CODE

25 | 1-1 of 1

```
{
  "_id": "ObjectID('5a818a32f6e8289ee7031')",
  "customer_id": 181,
  "name": "Davi Kumar",
  "city": "Hyderabad",
  "account_type": "Savings",
  "balance": 45000,
  "status": "Active"
}
```

ORGANIZATION: RAYANKI HIMAYAR...
Project: project-0

Cluster0 > bankdb > customers

Documents | Aggregations | Schema | Indexes | Validation

Type a query | Fields: "value" | or Generate query

ADD DATA | BULK | EXPORT CODE

25 | 1-2 of 2

```
{
  "_id": "ObjectID('5a818a32f6e8289ee7030')",
  "customer_id": 180,
  "name": "Priya Sharma",
  "city": "Vijayawada",
  "account_type": "Current",
  "balance": 125000,
  "status": "Active"
}
```

```
{
  "_id": "ObjectID('5a818a32f6e8289ee7031')",
  "customer_id": 181,
  "name": "Davi Kumar",
  "city": "Hyderabad",
  "account_type": "Savings",
  "balance": 45000,
  "status": "Active"
}
```

ORGANIZATION: RAYANKI HIMAYAR...
Project: project-0

Cluster0 > bankdb > customers

Documents | Aggregations | Schema | Indexes | Validation

Type a query | Fields: "value" | or Generate query

ADD DATA | BULK | EXPORT CODE

25 | 1-2 of 2

```
{
  "_id": "ObjectID('5a818a32f6e8289ee7030')",
  "customer_id": 180,
  "name": "Arjun Reddy",
  "city": "Hyderabad",
  "account_type": "Savings",
  "balance": 40000,
  "status": "Active"
}
```

```
{
  "_id": "ObjectID('5a818a32f6e8289ee7031')",
  "customer_id": 181,
  "name": "Davi Kumar",
  "city": "Hyderabad",
  "account_type": "Savings",
  "balance": 45000,
  "status": "Active"
}
```

ORGANIZATION
RAYANKIHMAYAR...

ORGANIZATION
Hansika's Org - 202...

PROJECT
Project 0

Compare files

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
- admin
- bankdb
- customers
- transactions
- local
- sample_mflix

Cluster0 > bankdb > customers

Documents 4 Aggregations Schema Indexes Validation

Type a query (Field: 'value') or Generate query

EXPLAIN RESET FIND Options

ADD DATA BULK EXPORT CODE

25 1-4 of 4

```
{
  "city": "Hyderabad",
  "account_type": "Savings",
  "balance": 45000,
  "status": "Active"
}
```

```
{
  "_id": ObjectId("6a18b6b20f9e6209ee75d1"),
  "customer_id": 104,
  "name": "Susha Rao",
  "city": "Mangalore",
  "account_type": "Savings",
  "balance": 23000,
  "status": "Active"
}
```

ORGANIZATION
RAYANKIHMAYAR...

PROJECT
Project 0

Compare files

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
- admin
- bankdb
- customers
- transactions
- local
- sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes Validation

Type a query (Field: 'value') or Generate query

EXPLAIN RESET FIND Options

ADD DATA BULK EXPORT CODE

25 1-5 of 5

```
{
  "city": "Mangalore",
  "account_type": "Savings",
  "balance": 23000,
  "status": "Active"
}
```

```
{
  "_id": ObjectId("6a18b6b20f9e6209ee75d1"),
  "customer_id": 105,
  "name": "Kiran Kumar",
  "city": "Mumbai",
  "account_type": "Current",
  "balance": 5000,
  "status": "Inactive"
}
```

ORGANIZATION
RAYANKIHMAYAR...

PROJECT
Project 0

Compare files

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
- admin
- bankdb
- customers
- transactions
- local
- sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes Validation

Type a query (Field: 'value') or Generate query


EXPLAIN RESET FIND Options

ADD DATA BULK EXPORT CODE


25 1-4 of 8

```
{
  "name": "Ananya",
  "account_type": "Current",
  "balance": 4000,
  "status": "Inactive"
}
```

```
{
  "_id": ObjectId("6a18b6b20f9e6209ee75d1"),
  "customer_id": 106,
  "name": "Anjali Singh",
  "city": "Hyderabad",
  "account_type": "Savings",
  "balance": 15000,
  "status": "Active"
}
```



Step 3 : Insert Transaction Data



ORGANIZATION
RAYANKIHMVAR...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

Cluster0 > bankdb > transactions

Documents 4 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or Generate query

Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-4 of 4

data: "2025-09-03"
status: "Success"

```
{  
  "_id": ObjectId("6a818c2729fca6298aea715d"),  
  "transaction_id": 1000,  
  "customer_id": 101,  
  "type": "Withdrawal",  
  "amount": 3000,  
  "note": "ATM",  
  "date": "2025-09-04",  
  "status": "Success"  
}
```

ORGANIZATION
RAYANKIHMVAR...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

Cluster0 > bankdb > transactions

Documents 2 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or Generate query

Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-2 of 2

data: "2025-09-01"
status: "Success"

```
{  
  "_id": ObjectId("6a818c2729fca6298aea715d"),  
  "transaction_id": 1002,  
  "customer_id": 101,  
  "type": "Withdrawal",  
  "amount": 10000,  
  "note": "ATM",  
  "date": "2025-09-02",  
  "status": "Success"  
}
```

ORGANIZATION
RAYANKIHMVAR...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

Cluster0 > bankdb > transactions

Documents 4 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or Generate query

Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-4 of 4

note: "ATM"
date: "2025-09-02"
status: "Success"

```
{  
  "_id": ObjectId("6a818c2729fca6298aea715d"),  
  "transaction_id": 1004,  
  "customer_id": 102,  
  "type": "Withdrawal",  
  "amount": 15000,  
  "note": "ATM",  
  "date": "2025-09-03",  
  "status": "Success"  
}
```

ORGANIZATION
RAYANKI HIMAYAR...

PROJECT
Project G

Compare tiers

Data Explorer

My Queries
Data Modeling

CLUSTERS (3)

Search clusters

- Cluster0
 - admin
 - bankidb
 - customers
 - transactions**
 - local
 - sample_mfbs

Cluster0 > bankidb > transactions

Documents 5 Aggregations Schema Indexes Validation

Type a query: { field: 'value' } or [Generate query](#)

Explains Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-5 of 5

```
{
  "mode": "ATM",
  "date": "2020-08-02",
  "status": "Success",

  "_id": ObjectId("6ad18c1d28f6e6288aea7558"),
  "transaction_id": 1005,
  "customer_id": 101,
  "type": "Deposit",
  "amount": 30000,
  "mode": "ATM",
  "date": "2020-08-02",
  "status": "Success"
}
```

ORGANIZATION
RAYANKI HIMAYAR...

PROJECT
Project G

Compare tiers

Data Explorer

My Queries
Data Modeling

CLUSTERS (3)

Search clusters

- Cluster0
 - admin
 - bankidb
 - customers
 - transactions**
 - local
 - sample_mfbs

Cluster0 > bankidb > transactions

Documents 6 Aggregations Schema Indexes Validation

Type a query: { field: 'value' } or [Generate query](#)

Explains Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-6 of 6

```
{
  "mode": "ATM",
  "date": "2020-08-02",
  "status": "Success",

  "_id": ObjectId("6ad18c3728f6e6288aea7559"),
  "transaction_id": 1006,
  "customer_id": 101,
  "type": "Withdrawal",
  "amount": 3000,
  "mode": "ATM",
  "date": "2020-08-02",
  "status": "Success"
}
```

ORGANIZATION
RAYANKI HIMAYAR...

PROJECT
Project G

Compare tiers

Data Explorer

My Queries
Data Modeling

CLUSTERS (3)

Search clusters

- Cluster0
 - admin
 - bankidb
 - customers
 - transactions**
 - local
 - sample_mfbs

Cluster0 > bankidb > transactions

Documents 7 Aggregations Schema Indexes Validation

Type a query: { field: 'value' } or [Generate query](#)

Explains Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-7 of 7

```
{
  "mode": "ATM",
  "date": "2020-08-04",
  "status": "Success",

  "_id": ObjectId("6ad18d2128f6e6288aea755a"),
  "transaction_id": 1007,
  "customer_id": 101,
  "type": "Deposit",
  "amount": 100000,
  "mode": "ATM",
  "date": "2020-08-04",
  "status": "Success"
}
```

ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project G

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (3)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_files

Cluster0 > bankdb > transactions

Documents | Aggregations | Schema | Indexes | Validation

Type a query: (Field: "value") or Generate query

EXPLAIN | RESET | FIND | OPTIONS

ADD DATA | BULK | EXPORT CODE

25 | 1-8 of 8

data: "2020-08-04"
status: "Success"

```
{  
  "_id": "objectid('6ad18d3726fae838aea755b')",  
  "transaction_id": 1000,  
  "customer_id": 100,  
  "type": "Withdrawal",  
  "amount": 25000,  
  "code": "ATM",  
  "date": "2020-08-05",  
  "status": "Success"  
}
```

ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project G

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (3)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_files

Cluster0 > bankdb > transactions

Documents | Aggregations | Schema | Indexes | Validation

Type a query: (Field: "value") or Generate query

EXPLAIN | RESET | FIND | OPTIONS

ADD DATA | BULK | EXPORT CODE

25 | 1-9 of 9

data: "2020-08-05"
status: "Success"

```
{  
  "_id": "objectid('6ad18d3726fae838aea755b')",  
  "transaction_id": 1000,  
  "customer_id": 100,  
  "type": "Deposit",  
  "amount": 15000,  
  "code": "ATM",  
  "date": "2020-08-05",  
  "status": "Success"  
}
```

ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project G

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (3)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_files

Cluster0 > bankdb > transactions

Documents | Aggregations | Schema | Indexes | Validation

Type a query: (Field: "value") or Generate query

EXPLAIN | RESET | FIND | OPTIONS

ADD DATA | BULK | EXPORT CODE

25 | 1-10 of 10

data: "2020-08-05"
status: "Success"

```
{  
  "_id": "objectid('6ad18d3726fae838aea755b')",  
  "transaction_id": 1000,  
  "customer_id": 100,  
  "type": "Deposit",  
  "amount": 75000,  
  "code": "ATM",  
  "date": "2020-08-06",  
  "status": "Success"  
}
```

ORGANIZATION
RAYANKIHMAYAR...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_nfile

Cluster0 > bankdb > transactions

Documents | Aggregations | Schema | Indexes | Validation

Type a query (field: 'value') or Generate query

EXPLAIN | RESET | FIND | OPTIONS

ADD DATA | BULK | EXPORT CODE

25 | 1-1 of 1

data : {"date": "2025-09-06"
status : "Success"

_id : ObjectId("68d18bd287ee6200ee751a")
transaction_id : 1012
customer_id : 100
type : "Withdrawal"
amount : 25000
mode : "ATM"
date : "2025-09-06"
status : "Success"}

ORGANIZATION
RAYANKIHMAYAR...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_nfile

Cluster0 > bankdb > transactions

Documents | Aggregations | Schema | Indexes | Validation

Type a query (field: 'value') or Generate query

EXPLAIN | RESET | FIND | OPTIONS

ADD DATA | BULK | EXPORT CODE

25 | 1-12 of 12

data : {"date": "2025-09-06"
status : "Success"

_id : ObjectId("68d18bd287ee6200ee751a")
transaction_id : 1013
customer_id : 101
type : "Deposit"
amount : 50000
mode : "ATM"
date : "2025-09-07"
status : "Success"}

ORGANIZATION
RAYANKIHMAYAR...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_nfile

Cluster0 > bankdb > transactions

Documents | Aggregations | Schema | Indexes | Validation

Type a query (field: 'value') or Generate query

EXPLAIN | RESET | FIND | OPTIONS

ADD DATA | BULK | EXPORT CODE

25 | 1-13 of 13

data : {"date": "2025-09-07"
status : "Success"

_id : ObjectId("68d18bd287ee6200ee751a")
transaction_id : 1013
customer_id : 101
type : "Withdrawal"
amount : 12000
mode : "ATM"
date : "2025-09-07"
status : "Success"}

ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project 0

Compare Data

Data Explorer

My Queries

Data Modeling

CLUSTERS (3)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

Cluster0 > bankdb > transactions

Documents: 14 Aggregation Schema Indexes: 1 Validation

Type a query: | field: 'value' | or Generate query

EXPLAIN RUN FIND Options

ADD DATA BULK EXPORT CODE

25 1-14 of 14

```

{
  "date": "2020-09-01",
  "status": "Success"
}

{
  "_id": ObjectId("6a2b5e12287ee0289ee7502"),
  "transaction_id": 1014,
  "customer_id": 100,
  "type": "Deposit",
  "amount": 100000,
  "code": "6073",
  "date": "2020-09-01",
  "status": "Success"
}

```

View monitoring Visualize Your Data

Step 4 : Display & Find the customers

ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project 0

Compare Data

Data Explorer

My Queries

Data Modeling

CLUSTERS (3)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

Cluster0 > bankdb > customers

Documents: 8 Aggregation Schema Indexes: 1 Validation

Type a query: | field: 'value' | or Generate query

EXPLAIN RUN FIND Options

ADD DATA BULK EXPORT CODE

25 1-8 of 8

#	_id	customer_id	name	city	account_type
1	ObjectId("6a2b5e12287ee0289ee7502")	101	"Ravi Kumar"	"Hyderabad"	"Savings"
2	ObjectId("6a2b5e12287ee0289ee7502")	102	"Priya Sharma"	"Chennai"	"Current"
3	ObjectId("6a2b5e12287ee0289ee7502")	103	"Rajesh Reddy"	"Hyderabad"	"Savings"
4	ObjectId("6a2b5e12287ee0289ee7502")	104	"Sneha Das"	"Bangalore"	"Savings"
5	ObjectId("6a2b5e12287ee0289ee7502")	105	"Anish Kumar"	"Gurgaon"	"Current"
6	ObjectId("6a2b5e12287ee0289ee7502")	106	"Priya Singh"	"Hyderabad"	"Savings"
7	ObjectId("6a2b5e12287ee0289ee7502")	107	"Rohit Sharma"	"Bangalore"	"Current"
8	ObjectId("6a2b5e12287ee0289ee7502")	108	"Anita Singh"	"Chennai"	"Savings"

View monitoring Visualize Your Data

ORGANIZATION
RAYANKI HMAVAR...

Data Explorer

My Queries

Data Modeling

CLUSTERS

Cluster0

admin

bankdb

customers

transactions

local

sample_data

Cluster0 > bankdb > customers

Documents

Aggregations

Schema

Indexes

Validation

[status: "Active"]

Generate query

Explain

Reset

Find

Options

25 = 1-7 of 7

customers

customer_id

customer_id

name

city

account_type

1	ObjectID("bankdb.customers", 101)	101	"Ravi Kumar"	"Hyderabad"	"Savings"	
2	ObjectID("bankdb.customers", 102)	102	"Arjun Reddy"	"Hyderabad"	"Savings"	
3	ObjectID("bankdb.customers", 103)	103	"Arjun Reddy"	"Hyderabad"	"Savings"	
4	ObjectID("bankdb.customers", 104)	104	"Anjali Singh"	"Hyderabad"	"Savings"	
5	ObjectID("bankdb.customers", 105)	105	"Anjali Singh"	"Hyderabad"	"Savings"	
6	ObjectID("bankdb.customers", 106)	106	"Ramesh Verma"	"Bangalore"	"Current"	
7	ObjectID("bankdb.customers", 107)	107	"Neha Desai"	"Chennai"	"Savings"	

ORGANIZATION
RAYANKI HMAVAR...

Data Explorer

My Queries

Data Modeling

CLUSTERS

Cluster0

admin

bankdb

customers

transactions

local

sample_data

Cluster0 > bankdb > customers

Documents

Aggregations

Schema

Indexes

Validation

[status: "Inactive"]

Generate query

Explain

Reset

Find

Options

25 = 1-4 of 4

customers

customer_id

customer_id

name

city

account_type

1	ObjectID("bankdb.customers", 101)	101	"Priya Sharma"	"Hyderabad"	"Current"	
2	ObjectID("bankdb.customers", 102)	102	"Anish Rao"	"Mumbai"	"Savings"	
3	ObjectID("bankdb.customers", 103)	103	"Arjun Singh"	"Hyderabad"	"Savings"	
4	ObjectID("bankdb.customers", 104)	104	"Neha Desai"	"Chennai"	"Savings"	

ORGANIZATION
RAYANKI HMAVAR...

Data Explorer

My Queries

Data Modeling

CLUSTERS

Cluster0

admin

bankdb

customers

transactions

local

sample_data

Cluster0 > bankdb > customers

Documents

Aggregations

Schema

Indexes

Validation

[city: "Hyderabad"]

Generate query

Explain

Reset

Find

Options

25 = 1-3 of 3

customers

customer_id

customer_id

name

city

account_type

1	ObjectID("bankdb.customers", 101)	101	"Ravi Kumar"	"Hyderabad"	"Savings"	
2	ObjectID("bankdb.customers", 102)	102	"Arjun Reddy"	"Hyderabad"	"Savings"	
3	ObjectID("bankdb.customers", 103)	103	"Arjun Reddy"	"Hyderabad"	"Savings"	

ORGANIZATION
RAYANKI HMAVAR...

Data Explorer

My Queries

Data Modeling

CLUSTERS

Cluster0

admin

bankdb

customers

transactions

local

sample_data

Cluster0 > bankdb > customers

Documents

Aggregations

Schema

Indexes

Validation

[account_type: "Savings"]

Generate query

Explain

Reset

Find

Options

25 = 1-6 of 6

customers

customer_id

customer_id

name

city

account_type

1	ObjectID("bankdb.customers", 101)	101	"Ravi Kumar"	"Hyderabad"	"Savings"	
2	ObjectID("bankdb.customers", 102)	102	"Arjun Reddy"	"Hyderabad"	"Savings"	
3	ObjectID("bankdb.customers", 103)	103	"Arjun Reddy"	"Hyderabad"	"Savings"	
4	ObjectID("bankdb.customers", 104)	104	"Anjali Singh"	"Hyderabad"	"Savings"	
5	ObjectID("bankdb.customers", 105)	105	"Anjali Singh"	"Hyderabad"	"Savings"	
6	ObjectID("bankdb.customers", 106)	106	"Ramesh Verma"	"Bangalore"	"Current"	

ORGANIZATION
RAYANKIHMAYAR...

Project Explorer

Cluster0 > bankdb > customers

Documents | Aggregations | Schema | Indices | Validation

Generate query | Explain | Reset | Find | Options

ADD DATA | BULK | EXPORT CODE

_id	customer_id	name	city	account_type
ObjectID("kx10000000000000000000000000000000")	100	"Rajesh Kumar"	"Hyderabad"	"Savings"

Cluster0 > bankdb > transactions

Documents | Aggregations | Schema | Indices | Validation

Generate query | Explain | Reset | Find | Options

ADD DATA | BULK | EXPORT CODE

_id	transaction_id	customer_id	type	amount
ObjectID("kx10000000000000000000000000000000")	1001	100	"Withdrawal"	10000
ObjectID("kx10000000000000000000000000000000")	1002	100	"Deposit"	5000
ObjectID("kx10000000000000000000000000000000")	1003	100	"Withdrawal"	2000
ObjectID("kx10000000000000000000000000000000")	1004	100	"Deposit"	15000
ObjectID("kx10000000000000000000000000000000")	1005	100	"Withdrawal"	3000
ObjectID("kx10000000000000000000000000000000")	1006	100	"Deposit"	10000
ObjectID("kx10000000000000000000000000000000")	1007	100	"Withdrawal"	4000
ObjectID("kx10000000000000000000000000000000")	1008	100	"Deposit"	25000
ObjectID("kx10000000000000000000000000000000")	1009	100	"Withdrawal"	10000

Step 5 : Display & Find Transactions

ORGANIZATION
RAYANKIHMAYAR...

Project Explorer

Cluster0 > bankdb > transactions

Documents | Aggregations | Schema | Indices | Validation

Generate query | Explain | Reset | Find | Options

ADD DATA | BULK | EXPORT CODE

_id	transaction_id	customer_id	type	amount
ObjectID("kx10000000000000000000000000000000")	1001	100	"Deposit"	25000
ObjectID("kx10000000000000000000000000000000")	1002	100	"Withdrawal"	10000
ObjectID("kx10000000000000000000000000000000")	1003	100	"Deposit"	30000
ObjectID("kx10000000000000000000000000000000")	1004	100	"Withdrawal"	15000
ObjectID("kx10000000000000000000000000000000")	1005	100	"Deposit"	30000
ObjectID("kx10000000000000000000000000000000")	1006	100	"Withdrawal"	10000
ObjectID("kx10000000000000000000000000000000")	1007	100	"Deposit"	150000
ObjectID("kx10000000000000000000000000000000")	1008	100	"Withdrawal"	25000
ObjectID("kx10000000000000000000000000000000")	1009	100	"Deposit"	10000

ORGANIZATION
RAYANKIHMAYAR...

Cluster0

transactions

Documents 16

Aggregations

Schema

Indexes 1

Validation

Cluster0

transactions

ADD DATA

BULK

EXPORT CODE

transactions

_id	transaction_id	customer_id	type	amount
7	00000000000000000000000000000000	1007	Deposit	10000
8	00000000000000000000000000000000	1008	Withdrawal	20000
9	00000000000000000000000000000000	1009	Deposit	15000
10	00000000000000000000000000000000	1010	Deposit	70000
11	00000000000000000000000000000000	1011	Withdrawal	20000
12	00000000000000000000000000000000	1012	Deposit	40000
13	00000000000000000000000000000000	1013	Withdrawal	12000
14	00000000000000000000000000000000	1014	Deposit	100000
15	00000000000000000000000000000000	1015	Withdrawal	30000

ORGANIZATION
RAYANKIHMAYAR...

Cluster0

transactions

Documents 16

Aggregations

Schema

Indexes 1

Validation

Cluster0

transactions

ADD DATA

BULK

EXPORT CODE

{ type: "Deposit" }

Generate query

EXPLAIN

RESET

Find

Options

transactions

_id	transaction_id	customer_id	type	amount
1	00000000000000000000000000000000	1001	Deposit	20000
2	00000000000000000000000000000000	1002	Deposit	30000
3	00000000000000000000000000000000	1003	Deposit	30000
4	00000000000000000000000000000000	1007	Deposit	100000
5	00000000000000000000000000000000	1009	Deposit	15000
6	00000000000000000000000000000000	1010	Deposit	70000
7	00000000000000000000000000000000	1012	Deposit	40000
8	00000000000000000000000000000000	1014	Deposit	100000

ORGANIZATION
RAYANKIHMAYAR...

Cluster0

transactions

Documents 16

Aggregations

Schema

Indexes 1

Validation

Cluster0

transactions

ADD DATA

BULK

EXPORT CODE

{ index: "ATM" }

Generate query

EXPLAIN

RESET

Find

Options

transactions

_id	transaction_id	customer_id	type	amount
1	00000000000000000000000000000000	1001	Withdrawal	10000
2	00000000000000000000000000000000	1002	Withdrawal	15000
3	00000000000000000000000000000000	1003	Withdrawal	5000
4	00000000000000000000000000000000	1009	Withdrawal	20000
5	00000000000000000000000000000000	1011	Withdrawal	20000
6	00000000000000000000000000000000	1013	Withdrawal	12000
7	00000000000000000000000000000000	1015	Withdrawal	30000

ORGANIZATION
RAYANKIHMAYAR...

1. modified **SAVE** **CREATE NEW** **EXPORT CODE** **PREVIEW** **STAGE** **TEST** **WIZARD**

Cluster0 > bankdb > transactions

Documents | **Aggregations** | Schema | Indices | Validation

Generate aggregation **Expand** **Run** **Options**

Stage1: **Group**

```

1 * {}
2   "$_id": "$type",
3   "$average_amount": {
4     "$avg": "$amount"
5   }
6 }

```

Output preview after **Group** stage (Sample of 1 document)

```

{ "_id": "sell",
  "average_amount": 46133.22222222222 }

```

ORGANIZATION
RAYANKIHMAYAR...

1. modified **SAVE** **CREATE NEW** **EXPORT CODE** **PREVIEW** **STAGE** **TEST** **WIZARD**

Cluster0 > bankdb > transactions

Documents | **Aggregations** | Schema | Indices | Validation

Generate aggregation **Expand** **Run** **Options**

Stage1: **Group**

```

1 * {}
2   "$_id": "$type",
3   "$total_amount": {
4     "$sum": "$amount"
5   }
6 }

```

Output preview after **Group** stage (Sample of 2 documents)

```

{ "_id": "Deposit",
  "total_amount": 400000 }

{ "_id": "Withdrawal",
  "total_amount": -127000 }

```

Add stage

ORGANIZATION
RAYANKIHMAYAR...

1. modified **SAVE** **CREATE NEW** **EXPORT CODE** **PREVIEW** **STAGE** **TEST** **WIZARD**

Cluster0 > bankdb > transactions

Documents | **Aggregations** | Schema | Indices | Validation

Generate aggregation **Expand** **Run** **Options**

Stage1: **Group**

```

1 * {}
2   "$_id": "$transaction_type",
3   "$transaction_count": {
4     "$sum": 1
5   }
6 }

```

Output preview after **Group** stage (Sample of 3 documents)

```

{ "_id": "sell",
  "transaction_count": 2 }

{ "_id": "buy",
  "transaction_count": 2 }

{ "_id": "sell",
  "transaction_count": 2 }

```

Stage2: **Sort**

```

1 * {}
2   "$transaction_count": -1
3 }

```

Output preview after **Sort** stage (Sample of 3 documents)

```

{ "_id": "sell",
  "transaction_count": 2 }

{ "_id": "buy",
  "transaction_count": 2 }

{ "_id": "sell",
  "transaction_count": 2 }

```

Query 17:

ORGANIZATION
RAYANKIHMAYAR...

Data Explorer

My Queries

Data Modeling

CLUSTERS (3)

Cluster0

admin

bankids

customers

transactions

bank

sample.info

Cluster0 > bankids > transactions

Documents 18 Aggregations Schema Indices Validation

Generate aggregation K Explain Run Options

Stage 1: Backup

Output preview after Backup stage (Sample of 10 documents)

```

1 {
2   "from": "customers",
3   "accountId": "customer_5d",
4   "foreignId": "customer_5d",
5   "to": "customer"
6 }

```

Output preview after Backup stage (Sample of 10 documents)

```

1 { "_id": "0x00000000000000000000000000000000",
  "transaction_id": 1000,
  "customer_id": 10,
  "type": "Deposit",
  "amount": 10000,
  "date": "2020-08-01",
  "status": "Success",
  "customer": "Array (1)"
}

```

Query 18:

ORGANIZATION
RAYANKIHMAYAR...

Data Explorer

My Queries

Data Modeling

CLUSTERS (3)

Cluster0

admin

bankids

customers

transactions

bank

sample.info

Cluster0 > bankids > transactions

Documents 18 Aggregations Schema Indices Validation

Generate aggregation K Explain Run Options

Stage 1: Backup

Output preview after Backup stage (Sample of 10 documents)

```

1 {
2   "from": "customers",
3   "accountId": "customer_5d",
4   "foreignId": "customer_5d",
5   "to": "customer"
6 }

```

Output preview after Backup stage (Sample of 10 documents)

```

1 { "_id": "0x00000000000000000000000000000000",
  "transaction_id": 1000,
  "customer_id": 10,
  "type": "Deposit",
  "amount": 10000,
  "date": "2020-08-01",
  "status": "Success",
  "customer": "Array (1)"
}

```

ORGANIZATION
RAYANKIHMAYAR...

Data Explorer

My Queries

Data Modeling

CLUSTERS (3)

Cluster0

admin

bankids

customers

transactions

bank

sample.info

Cluster0 > bankids > transactions

Documents 18 Aggregations Schema Indices Validation

Generate aggregation K Explain Run Options

Stage 2: Summed

Output preview after Summed stage (Sample of 10 documents)

```

1 {
2   "path": "customer"
3 }

```

Output preview after Summed stage (Sample of 10 documents)

```

1 { "_id": "0x00000000000000000000000000000000",
  "transaction_id": 1000,
  "customer_id": 10,
  "type": "Deposit",
  "amount": 10000,
  "date": "2020-08-01",
  "status": "Success",
  "customer": "Array (1)"
}

```

ORGANIZATION
RAYANKIHMAYAR...

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Cluster0

- customers
- transactions
- bank
- sample_data

Cluster0 > bank > transactions

Documents: 16 Aggregations Schema Indexes: 1 Validation

Backup Forward Project

Generate aggregation Explain Run Options

1 - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage 1 Project

```
1 {
2   "_id": 1,
3   "transaction_id": 1,
4   "customer_name": "customer_name",
5   "city": "customer_city",
6   "type": 1,
7   "amount": 1,
8   "name": 1
9 }
```

Output preview after Project stage (Sample of 10 documents)

transaction_id: 100	transaction_id: 100
type: "Withdrawal"	type: "Withdrawal"
amount: 10000	amount: 10000
date: "1/1/20"	date: "1/1/20"
customer_name: "Bank Bank"	customer_name: "Bank Bank"
city: "Hyderabad"	city: "Hyderabad"

Query 19:

ORGANIZATION
RAYANKIHMAYAR...

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Cluster0

- customers
- transactions
- bank
- sample_data

Cluster0 > bank > transactions

Documents: 16 Aggregations Schema Indexes: 1 Validation

Group Backup Forward Project Sort

Generate aggregation Explain Run Options

1 - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage 1 Group

```
1 {
2   "_id": "$customer_id",
3   "total_transaction": {
4     "$sum": "$amount"
5   }
6 }
```

Output preview after Group stage (Sample of 8 documents)

_id: 100 total_transaction: 10000	_id: 100 total_transaction: 10000
--------------------------------------	--------------------------------------

ORGANIZATION
RAYANKIHMAYAR...

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Cluster0

- customers
- transactions
- bank
- sample_data

Cluster0 > bank > transactions

Documents: 16 Aggregations Schema Indexes: 1 Validation

Group Backup Forward Project Sort

Generate aggregation Explain Run Options

1 - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage 1 Backup

```
1 {
2   "from": "customers",
3   "localField": "_id",
4   "foreignField": "customer_id",
5   "as": "customer"
6 }
```

Output preview after Backup stage (Sample of 8 documents)

_id: 100 total_transaction: 10000 customer: Array (1)	_id: 100 total_transaction: 10000 customer: Array (1)
---	---

ORGANIZATION
RAYANKIHMAYAR...

PROJECT
Project 0

Compare View

View monitoringVisualize Your Data

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

test

sample_mflix

Cluster0 > bankdb > transactions

Documents16AggregationsSchemaIndexes1Validation

GroupStackupSumwindSortProjectSort

Generate aggregation

ExplainRunOptions

modified

SAVECREATE NEWEXPORT CODE

PREVIEWSTAGESTEXTWIZARD

Stage 3: Sumwind

```
1 {
2   "path": "$customer"
3 }
```

Output preview after Sumwind if stage (Sample of 8 documents)

```
{ "_id": 332,
  "total_transaction": 10000,
  "customer": { "object_id": 17 } }
```

```
{ "_id": 101,
  "total_transaction": 10000,
  "customer": { "object_id": 17 } }
```

ORGANIZATION
RAYANKIHMAYAR...

PROJECT
Project 0

Compare View

View monitoringVisualize Your Data

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

test

sample_mflix

Cluster0 > bankdb > transactions

Documents16AggregationsSchemaIndexes1Validation

GroupStackupSumwindSortProjectSort

Generate aggregation

ExplainRunOptions

modified

SAVECREATE NEWEXPORT CODE

PREVIEWSTAGESTEXTWIZARD

Stage 4: Sort

```
1 {
2   "id": 1,
3   "customer_id": "$_id",
4   "customer_name": "$customer.name",
5   "total_transaction": 1
6 }
```

Output preview after Sort if stage (Sample of 8 documents)

```
total_transaction : 10000
customer_id : 101
customer_name : "Sanku Sanku"
```

```
total_transaction : 10000
customer_id : 101
customer_name : "Sanku Sanku"
```

ORGANIZATION
RAYANKIHMAYAR...

PROJECT
Project 0

Compare View

View monitoringVisualize Your Data

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

test

sample_mflix

Cluster0 > bankdb > transactions

Documents16AggregationsSchemaIndexes1Validation

GroupStackupSumwindSortProjectSort

Generate aggregation

ExplainRunOptions

modified

SAVECREATE NEWEXPORT CODE

PREVIEWSTAGESTEXTWIZARD

Stage 5: Sort

```
1 {
2   "total_transaction": -1
3 }
```

Output preview after Sort if stage (Sample of 8 documents)

```
total_transaction : 10000
customer_id : 332
customer_name : "Sanku Sanku"
```

```
total_transaction : 10000
customer_id : 101
customer_name : "Sanku Sanku"
```

Start New Query Builder

