



Bank Transaction Database

Rayanki Himavarshini

(2520030141)

Step 1 : Create Database & Collections



Step 2: Insert Customer Data

ORGANIZATION: RAYANKI HIMAYAR...
Project: project-0

Cluster0 > **bankdb** > customers

Documents | Aggregations | Schema | Indexes | Validation

Type a query: | Fields: "value" | or: Generate query

ADD DATA | BULK | EXPORT CODE

25 | 1-1 of 1

```
{
  "_id": "ObjectID('5a818a32f6e0298ee7031')",
  "customer_id": 181,
  "name": "Davi Kumar",
  "city": "Hyderabad",
  "account_type": "Savings",
  "balance": 45000,
  "status": "Active"
}
```

ORGANIZATION: RAYANKI HIMAYAR...
Project: project-0

Cluster0 > **bankdb** > customers

Documents | Aggregations | Schema | Indexes | Validation

Type a query: | Fields: "value" | or: Generate query

ADD DATA | BULK | EXPORT CODE

25 | 1-2 of 2

```
{
  "_id": "ObjectID('5a818a32f6e0298ee7030')",
  "customer_id": 180,
  "name": "Priya Sharma",
  "city": "Vijayawada",
  "account_type": "Current",
  "balance": 125000,
  "status": "Active"
}
```

```
{
  "_id": "ObjectID('5a818a32f6e0298ee7031')",
  "customer_id": 181,
  "name": "Davi Kumar",
  "city": "Hyderabad",
  "account_type": "Savings",
  "balance": 45000,
  "status": "Active"
}
```

ORGANIZATION: RAYANKI HIMAYAR...
Project: project-0

Cluster0 > **bankdb** > customers

Documents | Aggregations | Schema | Indexes | Validation

Type a query: | Fields: "value" | or: Generate query

ADD DATA | BULK | EXPORT CODE

25 | 1-2 of 2

```
{
  "_id": "ObjectID('5a818a32f6e0298ee7030')",
  "customer_id": 180,
  "name": "Arjun Reddy",
  "city": "Hyderabad",
  "account_type": "Savings",
  "balance": 40000,
  "status": "Active"
}
```

```
{
  "_id": "ObjectID('5a818a32f6e0298ee7031')",
  "customer_id": 181,
  "name": "Davi Kumar",
  "city": "Hyderabad",
  "account_type": "Savings",
  "balance": 45000,
  "status": "Active"
}
```

ORGANIZATION
RAYANKIHMAYAR...

ORGANIZATION
Hansika's Org - 202...

PROJECT
Project 0

Compare files

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
- admin
- bankdb
- customers
- transactions
- local
- sample_mflix

Cluster0 > bankdb > customers

Documents 4 Aggregations Schema Indexes Validation

Type a query (Field: 'value') or Generate query

EXPLAIN RESET FIND Options

ADD DATA BULK EXPORT CODE

25 1-4 of 4

```
{
  "city": "Hyderabad",
  "account_type": "Savings",
  "balance": 45000,
  "status": "Active"
}
```

```
{
  "_id": ObjectId("6a18b6b287ee628baca7541"),
  "customer_id": 104,
  "name": "Susha Rao",
  "city": "Mangalore",
  "account_type": "Savings",
  "balance": 23000,
  "status": "Active"
}
```

ORGANIZATION
RAYANKIHMAYAR...

PROJECT
Project 0

Compare files

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
- admin
- bankdb
- customers
- transactions
- local
- sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes Validation

Type a query (Field: 'value') or Generate query

EXPLAIN RESET FIND Options

ADD DATA BULK EXPORT CODE

25 1-5 of 5

```
{
  "city": "Mangalore",
  "account_type": "Savings",
  "balance": 23000,
  "status": "Active"
}
```

```
{
  "_id": ObjectId("6a18b6b287ee628baca7541"),
  "customer_id": 105,
  "name": "Kiran Kumar",
  "city": "Mumbai",
  "account_type": "Current",
  "balance": 5000,
  "status": "Inactive"
}
```

ORGANIZATION
RAYANKIHMAYAR...

PROJECT
Project 0

Compare files

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
- admin
- bankdb
- customers
- transactions
- local
- sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes Validation

Type a query (Field: 'value') or Generate query

EXPLAIN RESET FIND Options

ADD DATA BULK EXPORT CODE

25 1-4 of 8

```
{
  "name": "Ananya",
  "account_type": "Current",
  "balance": 4000,
  "status": "Inactive"
}
```

```
{
  "_id": ObjectId("6a18b6b287ee628baca7541"),
  "customer_id": 106,
  "name": "Anjali Singh",
  "city": "Hyderabad",
  "account_type": "Savings",
  "balance": 15000,
  "status": "Active"
}
```

ORGANIZATION
RAYANKIHMAYAR...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (0)

Search clusters

Cluster0

admin

bankids

customers

transactions

local

sample_nfls

Cluster0 > bankids > customers

Documents 7

Aggregations

Schema

Indexes 1

Validation

Type a query: | Fields: 'value' | or Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1-7 of 7

```
{
  "_id": "60f10d125a18ba029f6e0289ee5542",
  "account_type": "Savings",
  "balance": 175000,
  "status": "Active"
}
```

```
{
  "_id": "60f10d125a18ba029f6e0289ee5542",
  "customer_id": 107,
  "name": "Rahul Verma",
  "city": "Bengaluru",
  "account_type": "Current",
  "balance": 15000,
  "status": "Active"
}
```

Step 3 : Insert Transaction Data

ORGANIZATION
RAYANKIHMAYAR...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (0)

Search clusters

Cluster0

admin

bankids

customers

transactions

local

sample_nfls

Cluster0 > bankids > transactions

Documents 1

Aggregations

Schema

Indexes 1

Validation

Type a query: | Fields: 'value' | or Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1-1 of 1

```
{
  "_id": "60f10d125a18ba029f6e0289ee5542",
  "transaction_id": 100,
  "customer_id": 101,
  "type": "Deposit",
  "amount": 25000,
  "mode": "UPI",
  "date": "2024-06-01",
  "status": "Success"
}
```

ORGANIZATION
RAYANKIHMVAR...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

Cluster0 > bankdb > transactions

Documents 4

Aggregations

Schema

Indexes 1

Validation

Type a query: { field: 'value' } or Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1-4 of 4

data: "2025-09-03"

status: "Success"

._id: ObjectId("6a218c2729fca6298aea7152")

transaction_id: 1000

customer_id: 101

type: "Withdrawal"

amount: 3000

note: "ATM"

date: "2025-09-04"

status: "Success"

ORGANIZATION
RAYANKIHMVAR...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

Cluster0 > bankdb > transactions

Documents 2

Aggregations

Schema

Indexes 1

Validation

Type a query: { field: 'value' } or Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1-2 of 2

data: "2025-09-01"

status: "Success"

._id: ObjectId("6a218c2729fca6298aea7154")

transaction_id: 1002

customer_id: 101

type: "Withdrawal"

amount: 10000

note: "ATM"

date: "2025-09-02"

status: "Success"

ORGANIZATION
RAYANKIHMVAR...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

Cluster0 > bankdb > transactions

Documents 4

Aggregations

Schema

Indexes 1

Validation

Type a query: { field: 'value' } or Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1-4 of 4

note: "ATM"

date: "2025-09-02"

status: "Success"

._id: ObjectId("6a218c2729fca6298aea7156")

transaction_id: 1004

customer_id: 102

type: "Withdrawal"

amount: 15000

note: "ATM"

date: "2025-09-03"

status: "Success"

ORGANIZATION
RAYANKI HIMAYAR...

PROJECT
Project G

Compare tiers

Data Explorer

My Queries
Data Modeling

CLUSTERS (3)

Search clusters

- Cluster0
 - admin
 - bankidb
 - customers
 - transactions
 - local
 - sample_files

Cluster0 > bankidb > transactions

Documents 5 Aggregations Schema Indexes Validation

Type a query: { field: 'value' } or [Generate query](#)

Explains Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-5 of 5

```
{
  "mode": "ATM",
  "date": "2020-08-02",
  "status": "Success",
  "_id": ObjectId("6ad18c1d28f6e6288aea7558"),
  "transaction_id": 1005,
  "customer_id": 101,
  "type": "Deposit",
  "amount": 30000,
  "mode": "ATM",
  "date": "2020-08-02",
  "status": "Success"
}
```

ORGANIZATION
RAYANKI HIMAYAR...

PROJECT
Project G

Compare tiers

Data Explorer

My Queries
Data Modeling

CLUSTERS (3)

Search clusters

- Cluster0
 - admin
 - bankidb
 - customers
 - transactions
 - local
 - sample_files

Cluster0 > bankidb > transactions

Documents 6 Aggregations Schema Indexes Validation

Type a query: { field: 'value' } or [Generate query](#)

Explains Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-6 of 6

```
{
  "mode": "ATM",
  "date": "2020-08-02",
  "status": "Success",
  "_id": ObjectId("6ad18c3728f6e6288aea7559"),
  "transaction_id": 1006,
  "customer_id": 101,
  "type": "Withdrawal",
  "amount": 3000,
  "mode": "ATM",
  "date": "2020-08-02",
  "status": "Success"
}
```

ORGANIZATION
RAYANKI HIMAYAR...

PROJECT
Project G

Compare tiers

Data Explorer

My Queries
Data Modeling

CLUSTERS (3)

Search clusters

- Cluster0
 - admin
 - bankidb
 - customers
 - transactions
 - local
 - sample_files

Cluster0 > bankidb > transactions

Documents 7 Aggregations Schema Indexes Validation

Type a query: { field: 'value' } or [Generate query](#)

Explains Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-7 of 7

```
{
  "mode": "ATM",
  "date": "2020-08-04",
  "status": "Success",
  "_id": ObjectId("6ad18d2128f6e6288aea755a"),
  "transaction_id": 1007,
  "customer_id": 101,
  "type": "Deposit",
  "amount": 100000,
  "mode": "ATM",
  "date": "2020-08-04",
  "status": "Success"
}
```


ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project G

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (3)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_files

Cluster0 > bankdb > transactions

Documents | Aggregations | Schema | Indexes | Validation

Type a query: (Field: "value") or Generate query

EXPLAIN | RESET | FIND | OPTIONS

ADD DATA | BULK | EXPORT CODE

25 | 1-8 of 8

data: "2020-08-04"
status: "Success"

_id: ObjectId("6410d3726fae038aea7550")
transaction_id: 1000
customer_id: 100
type: "Withdrawal"
amount: 25000
code: "ATM"
date: "2020-08-05"
status: "Success"

ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project G

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (3)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_files

Cluster0 > bankdb > transactions

Documents | Aggregations | Schema | Indexes | Validation

Type a query: (Field: "value") or Generate query

EXPLAIN | RESET | FIND | OPTIONS

ADD DATA | BULK | EXPORT CODE

25 | 1-9 of 9

data: "2020-08-05"
status: "Success"

_id: ObjectId("6410d3726fae038aea7550")
transaction_id: 1000
customer_id: 100
type: "Deposit"
amount: 15000
code: "UPI"
date: "2020-08-05"
status: "Success"

ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project G

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (3)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_files

Cluster0 > bankdb > transactions

Documents | Aggregations | Schema | Indexes | Validation

Type a query: (Field: "value") or Generate query

EXPLAIN | RESET | FIND | OPTIONS

ADD DATA | BULK | EXPORT CODE

25 | 1-10 of 10

data: "2020-08-05"
status: "Success"

_id: ObjectId("6410d3726fae038aea7550")
transaction_id: 1000
customer_id: 100
type: "Deposit"
amount: 75000
code: "UPI"
date: "2020-08-06"
status: "Success"

ORGANIZATION
RAYANKIHMAYAR...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (3)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_nfile

Cluster0 > bankdb > transactions

Documents | Aggregations | Schema | Indexes | Validation

Type a query (field: 'value') or Generate query

EXPLAIN | RESET | FIND | OPTIONS

ADD DATA | BULK | EXPORT CODE

25 | 1-1 of 8

data : {"date": "2020-09-06"
status : "Success"

_id : ObjectId("6a188d287ee8208ee751a")
transaction_id : 1012
customer_id : 100
type : "Withdrawal"
amount : 25000
mode : "ATM"
date : "2020-09-06"
status : "Success"}

ORGANIZATION
RAYANKIHMAYAR...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (3)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_nfile

Cluster0 > bankdb > transactions

Documents | Aggregations | Schema | Indexes | Validation

Type a query (field: 'value') or Generate query

EXPLAIN | RESET | FIND | OPTIONS

ADD DATA | BULK | EXPORT CODE

25 | 1-12 of 12

data : {"date": "2020-09-06"
status : "Success"

_id : ObjectId("6a188d287ee8208ee751a")
transaction_id : 1013
customer_id : 101
type : "Deposit"
amount : 50000
mode : "ATM"
date : "2020-09-07"
status : "Success"}

ORGANIZATION
RAYANKIHMAYAR...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (3)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_nfile

Cluster0 > bankdb > transactions

Documents | Aggregations | Schema | Indexes | Validation

Type a query (field: 'value') or Generate query

EXPLAIN | RESET | FIND | OPTIONS

ADD DATA | BULK | EXPORT CODE

25 | 1-13 of 13

data : {"date": "2020-09-07"
status : "Success"

_id : ObjectId("6a188d287ee8208ee751a")
transaction_id : 1013
customer_id : 101
type : "Withdrawal"
amount : 12000
mode : "ATM"
date : "2020-09-07"
status : "Success"}

ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project 0

Compare Data

Data Explorer

My Queries

Data Modeling

CLUSTERS (3)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

Cluster0 > bankdb > transactions

Documents: 14 Aggregation Schema Indexes: 1 Validation

Type a query | Field: 'value' | or Generate query

EXPLAIN RUN FIND Options

ADD DATA BULK EXPORT CODE

25 1-14 of 14

data: "2020-09-01"
status: "Success"

transaction_id: 1000
customer_id: 100
type: "Deposit"
amount: 10000
date: "2020-09-01"
status: "Success"

ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project 0

Compare Data

Data Explorer

My Queries

Data Modeling

CLUSTERS (3)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

Cluster0 > bankdb > transactions

Documents: 14 Aggregation Schema Indexes: 1 Validation

Type a query | Field: 'value' | or Generate query

EXPLAIN RUN FIND Options

ADD DATA BULK EXPORT CODE

25 1-15 of 15

data: "2020-09-01"
status: "Success"

transaction_id: 1000
customer_id: 100
type: "Withdrawal"
amount: 50000
date: "2020-09-01"
status: "Success"

Step 4 : Display & Find the customers

ORGANIZATION
RAYANKI HIMAVAR...

PROJECT
Project 0

Compare Data

Data Explorer

My Queries

Data Modeling

CLUSTERS (3)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

Cluster0 > bankdb > customers

Documents: 8 Aggregation Schema Indexes: 1 Validation

Type a query | Field: 'value' | or Generate query

EXPLAIN RUN FIND Options

ADD DATA BULK EXPORT CODE

25 1-8 of 8

	_id	customer_id	name	city	address	email
1	ObjectId('6420a037f6d5...')	101	John Doe	New York	123 Main St	john.doe@example.com
2	ObjectId('6420a037f6d5...')	102	Jane Smith	Los Angeles	456 Oak St	jane.smith@example.com
3	ObjectId('6420a037f6d5...')	103	Mike Brown	Chicago	789 Pine St	mike.brown@example.com
4	ObjectId('6420a037f6d5...')	104	Sarah Lee	San Francisco	101 Elm St	sarah.lee@example.com
5	ObjectId('6420a037f6d5...')	105	David Kim	Seattle	202 Cedar St	david.kim@example.com
6	ObjectId('6420a037f6d5...')	106	Alice White	Portland	303 Birch St	alice.white@example.com
7	ObjectId('6420a037f6d5...')	107	Bob Black	Denver	404 Maple St	bob.black@example.com
8	ObjectId('6420a037f6d5...')	108	Anna Green	Phoenix	505 Sunset St	anna.green@example.com

ORGANIZATION
RAYANKIHMAYAR...

Project Explorer

Cluster0 > bankdb > customers

Documents | Aggregations | Schema | Indices | Validation

Generate query | Explain | Reset | Find | Options

ADD DATA | BULK | EXPORT CODE

_id	customer_id	name	city	account_type
ObjectId("60304b029f6e0...")	100	"Ravi Kumar"	"Hyderabad"	"Savings"

Cluster0 > bankdb > transactions

Documents | Aggregations | Schema | Indices | Validation

Generate query | Explain | Reset | Find | Options

ADD DATA | BULK | EXPORT CODE

_id	transaction_id	customer_id	type	amount
ObjectId("60304b029f6e0...")	1001	100	"Withdrawal"	10000
ObjectId("60304b029f6e0...")	1002	100	"Deposit"	50000
ObjectId("60304b029f6e0...")	1003	100	"Withdrawal"	15000
ObjectId("60304b029f6e0...")	1004	100	"Deposit"	30000
ObjectId("60304b029f6e0...")	1005	100	"Withdrawal"	10000
ObjectId("60304b029f6e0...")	1006	100	"Deposit"	20000
ObjectId("60304b029f6e0...")	1007	100	"Withdrawal"	15000
ObjectId("60304b029f6e0...")	1008	100	"Deposit"	25000
ObjectId("60304b029f6e0...")	1009	100	"Withdrawal"	10000

Step 5 : Display & Find Transactions

ORGANIZATION
RAYANKIHMAYAR...

Project Explorer

Cluster0 > bankdb > transactions

Documents | Aggregations | Schema | Indices | Validation

Generate query | Explain | Reset | Find | Options

ADD DATA | BULK | EXPORT CODE

_id	transaction_id	customer_id	type	amount
ObjectId("60304b029f6e0...")	1001	100	"Deposit"	25000
ObjectId("60304b029f6e0...")	1002	100	"Withdrawal"	10000
ObjectId("60304b029f6e0...")	1003	100	"Deposit"	30000
ObjectId("60304b029f6e0...")	1004	100	"Withdrawal"	15000
ObjectId("60304b029f6e0...")	1005	100	"Deposit"	30000
ObjectId("60304b029f6e0...")	1006	100	"Withdrawal"	10000
ObjectId("60304b029f6e0...")	1007	100	"Deposit"	15000
ObjectId("60304b029f6e0...")	1008	100	"Withdrawal"	25000
ObjectId("60304b029f6e0...")	1009	100	"Deposit"	10000

ORGANIZATION
RAYANKIHMAYAR...

DATA EXPLORER

My Queries
Data Modeling

CLUSTERS (1)
Cluster0
 admin
 bankdb
 customers
 transactions
 local
 sample_mflix

Cluster0 > bankdb > transactions

Documents 16 Aggregations Schema Indexes 1 Validation

Type > query | Fields: "value" | or Generate query

ADD DATA BULK EXPORT CODE

25 1 - 16 of 16

	transaction_id Int32	customer_id Int32	type String	amount Int32
1	ObjectID("bankdb.transactions.1")	1001	"Deposit"	10000
2	ObjectID("bankdb.transactions.2")	1002	"Withdrawal"	20000
3	ObjectID("bankdb.transactions.3")	1003	"Deposit"	15000
4	ObjectID("bankdb.transactions.4")	1004	"Deposit"	7000
5	ObjectID("bankdb.transactions.5")	1005	"Withdrawal"	20000
6	ObjectID("bankdb.transactions.6")	1006	"Deposit"	40000
7	ObjectID("bankdb.transactions.7")	1007	"Withdrawal"	12000
8	ObjectID("bankdb.transactions.8")	1008	"Deposit"	100000
9	ObjectID("bankdb.transactions.9")	1009	"Withdrawal"	30000

ORGANIZATION
RAYANKIHMAYAR...

DATA EXPLORER

My Queries
Data Modeling

CLUSTERS (1)
Cluster0
 admin
 bankdb
 customers
 transactions
 local
 sample_mflix

Cluster0 > bankdb > transactions

Documents 16 Aggregations Schema Indexes 1 Validation

{ type: "Deposit" }

Generate query Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1 - 8 of 8

	transaction_id Int32	customer_id Int32	type String	amount Int32
1	ObjectID("bankdb.transactions.1")	1001	"Deposit"	10000
2	ObjectID("bankdb.transactions.2")	1002	"Deposit"	20000
3	ObjectID("bankdb.transactions.3")	1003	"Deposit"	15000
4	ObjectID("bankdb.transactions.4")	1004	"Deposit"	7000
5	ObjectID("bankdb.transactions.5")	1005	"Deposit"	10000
6	ObjectID("bankdb.transactions.6")	1006	"Deposit"	7000
7	ObjectID("bankdb.transactions.7")	1007	"Deposit"	40000
8	ObjectID("bankdb.transactions.8")	1008	"Deposit"	100000

ORGANIZATION
RAYANKIHMAYAR...

DATA EXPLORER

My Queries
Data Modeling

CLUSTERS (1)
Cluster0
 admin
 bankdb
 customers
 transactions
 local
 sample_mflix

Cluster0 > bankdb > transactions

Documents 16 Aggregations Schema Indexes 1 Validation

{ value: "ATM" }

Generate query Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1 - 7 of 7

	transaction_id Int32	customer_id Int32	type String	amount Int32
1	ObjectID("bankdb.transactions.1")	1001	"Withdrawal"	10000
2	ObjectID("bankdb.transactions.2")	1002	"Withdrawal"	15000
3	ObjectID("bankdb.transactions.3")	1003	"Withdrawal"	5000
4	ObjectID("bankdb.transactions.4")	1004	"Withdrawal"	20000
5	ObjectID("bankdb.transactions.5")	1005	"Withdrawal"	20000
6	ObjectID("bankdb.transactions.6")	1006	"Withdrawal"	12000
7	ObjectID("bankdb.transactions.7")	1007	"Withdrawal"	30000

ORGANIZATION
RAYANKI HMAVAR...

Data Explorer

My Queries
Data Modeling

CLUSTERS (3)

Cluster0

admin
bankdb
customers
transactions
test
sample_data

Cluster0 > bankdb > transactions

Documents 18 Aggregations Schema Indices 1 Validation

(type: "Deposit", amount: { \$lt: 10000 })

Generate query Explain Reset Find Options

25 1-3 of 3

transactions	_id	transaction_id	customer_id	type	amount
1	00000000000000000000000000000000	1001	100	"Deposit"	10000
2	00000000000000000000000000000000	1002	100	"Deposit"	10000
3	00000000000000000000000000000000	1003	100	"Deposit"	10000

Step 6 : Using Aggregations

ORGANIZATION
RAYANKI HMAVAR...

Data Explorer

My Queries
Data Modeling

CLUSTERS (3)

Cluster0

admin
bankdb
customers
transactions
test
sample_data

Cluster0 > bankdb > customers

Documents 9 Aggregations Schema Indices 1 Validation

Generate aggregation Explain Run Options

Preview STAGE TEXT WIZARD

Unified - modified SAVE CREATE NEW EXPORT CODE

Stage1 Sort

```
1 {
2   "$sort": {
3     "balance": -1
4   }
5 }
```

Output preview after Sort (Sample of 9 documents)

```
{ "_id": "00000000000000000000000000000000",
  "customer_id": 100,
  "name": "Hansel Smith",
  "city": "Chicago",
  "account_type": "Savings",
  "balance": 220000,
  "status": "Active" }
```

```
{ "_id": "00000000000000000000000000000000",
  "customer_id": 100,
  "name": "Hansel Smith",
  "city": "Chicago",
  "account_type": "Savings",
  "balance": 220000,
  "status": "Active" }
```

ORGANIZATION
RAYANKI HMAVAR...

Data Explorer

My Queries
Data Modeling

CLUSTERS (3)

Cluster0

admin
bankdb
customers
transactions
test
sample_data

Cluster0 > bankdb > transactions

Documents 18 Aggregations Schema Indices 1 Validation

Generate aggregation Explain Run Options

Preview STAGE TEXT WIZARD

Unified - modified SAVE CREATE NEW EXPORT CODE

Stage1 Group

```
1 {
2   "$group": {
3     "_id": null,
4     "total_amount": {
5       "$sum": "$amount"
6     }
7   }
8 }
```

Output preview after Group (Sample of 1 document)

```
{ "_id": null,
  "total_amount": 10000 }
```


ORGANIZATION
RAYANKIHMAYAR...

1. modified **SAVE** **CREATE NEW** **EXPORT CODE** **PREVIEW** **STAGE** **TEST** **WIZARD**

Cluster0 > bankdb > transactions

Documents | **Aggregations** | Schema | Indices | Validation

Generate aggregation **Expand** **Run** **Options**

Stage1: **Group**

```

1 * {}
2   "$_id": "$type",
3   "$average_amount": {
4     "$avg": "$amount"
5   }
6 }

```

Output preview after **Group** stage (Sample of 1 document)

```

{ "_id": "sell",
  "average_amount": 46133.22222222222 }

```

ORGANIZATION
RAYANKIHMAYAR...

1. modified **SAVE** **CREATE NEW** **EXPORT CODE** **PREVIEW** **STAGE** **TEST** **WIZARD**

Cluster0 > bankdb > transactions

Documents | **Aggregations** | Schema | Indices | Validation

Generate aggregation **Expand** **Run** **Options**

Stage1: **Group**

```

1 * {}
2   "$_id": "$type",
3   "$total_amount": {
4     "$sum": "$amount"
5   }
6 }

```

Output preview after **Group** stage (Sample of 2 documents)

```

{ "_id": "Deposit",
  "total_amount": 400000 }

{ "_id": "Withdrawal",
  "total_amount": -127000 }

```

Add stage

ORGANIZATION
RAYANKIHMAYAR...

1. modified **SAVE** **CREATE NEW** **EXPORT CODE** **PREVIEW** **STAGE** **TEST** **WIZARD**

Cluster0 > bankdb > transactions

Documents | **Aggregations** | Schema | Indices | Validation

Generate aggregation **Expand** **Run** **Options**

Stage1: **Group**

```

1 * {}
2   "$_id": "$transaction_type",
3   "$transaction_count": {
4     "$sum": 1
5   }
6 }

```

Output preview after **Group** stage (Sample of 3 documents)

```

{ "_id": "sell",
  "transaction_count": 2 }

{ "_id": "buy",
  "transaction_count": 2 }

{ "_id": "sell",
  "transaction_count": 2 }

```

Stage2: **Sort**

```

1 * {}
2   "$transaction_count": -1
3 }

```

Output preview after **Sort** stage (Sample of 3 documents)

```

{ "_id": "sell",
  "transaction_count": 2 }

{ "_id": "buy",
  "transaction_count": 2 }

{ "_id": "sell",
  "transaction_count": 2 }

```

Query 17:

ORGANIZATION
RAYANKIHMAYAR...

Data Explorer

My Queries

Data Modeling

CLUSTERS (3)

Cluster0

admin

bankids

customers

transactions

bank

sample.info

Cluster0 > bankids > transactions

Documents 18 Aggregations Schema Indexes Validation

Generate aggregation K Explain Run Options

Stage 1: Backup

Output preview after Backup stage (Sample of 10 documents)

```

1 {
2   "from": "customers",
3   "accountId": "customer_5d",
4   "foreignId": "customer_5d",
5   "to": "customer"
6 }

```

Output preview after Backup stage (Sample of 10 documents)

```

1 { "_id": "0x00000000000000000000000000000000",
  "transaction_id": 1000,
  "customer_id": 10,
  "type": "Deposit",
  "amount": 10000,
  "date": "2020-08-01",
  "status": "Success",
  "customer": "Array (1)"
}

```

Query 18:

ORGANIZATION
RAYANKIHMAYAR...

Data Explorer

My Queries

Data Modeling

CLUSTERS (3)

Cluster0

admin

bankids

customers

transactions

bank

sample.info

Cluster0 > bankids > transactions

Documents 18 Aggregations Schema Indexes Validation

Generate aggregation K Explain Run Options

Stage 1: Backup

Output preview after Backup stage (Sample of 10 documents)

```

1 {
2   "from": "customers",
3   "accountId": "customer_5d",
4   "foreignId": "customer_5d",
5   "to": "customer"
6 }

```

Output preview after Backup stage (Sample of 10 documents)

```

1 { "_id": "0x00000000000000000000000000000000",
  "transaction_id": 1000,
  "customer_id": 10,
  "type": "Deposit",
  "amount": 10000,
  "date": "2020-08-01",
  "status": "Success",
  "customer": "Array (1)"
}

```

ORGANIZATION
RAYANKIHMAYAR...

Data Explorer

My Queries

Data Modeling

CLUSTERS (3)

Cluster0

admin

bankids

customers

transactions

bank

sample.info

Cluster0 > bankids > transactions

Documents 18 Aggregations Schema Indexes Validation

Generate aggregation K Explain Run Options

Stage 2: Summed

Output preview after Summed stage (Sample of 10 documents)

```

1 {
2   "path": "customer"
3 }


```

Output preview after Summed stage (Sample of 10 documents)



```

1 { "_id": "0x00000000000000000000000000000000",
  "transaction_id": 1000,
  "customer_id": 10,
  "type": "Deposit",
  "amount": 10000,
  "date": "2020-08-01",
  "status": "Success",
  "customer": "Array (1)"
}

```



Query 19:



ORGANIZATION
RAYANKIHMAYAR...

PROJECT
Project 0

Compare View

View monitoringVisualize Your Data

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdata

customers

transactions

test

sample_mflix

Cluster0 > bankdata > transactions

Documents16AggregationsSchemaIndexes1Validation

GroupStackupSumwindSortProjectSort

Generate aggregation

ExplainRunOptions

modified

SAVECREATE NEWEXPORT CODE

PREVIEWSTAGESTEXTWIZARD

Stage 3: Sumwind

```
1 {
2   "path": "customer"
3 }
```

Output preview after Sumwind if stage (Sample of 8 documents)

```
{ "_id": 332,
  "total_transaction": 10000,
  "customer": { "object_id": 17 } }
```

```
{ "_id": 101,
  "total_transaction": 10000,
  "customer": { "object_id": 17 } }
```

ORGANIZATION
RAYANKIHMAYAR...

PROJECT
Project 0

Compare View

View monitoringVisualize Your Data

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdata

customers

transactions

test

sample_mflix

Cluster0 > bankdata > transactions

Documents16AggregationsSchemaIndexes1Validation

GroupStackupSumwindSortProjectSort

Generate aggregation

ExplainRunOptions

modified

SAVECREATE NEWEXPORT CODE

PREVIEWSTAGESTEXTWIZARD

Stage 4: Sort

```
1 {
2   "id": 1,
3   "customer_id": "S_id",
4   "customer_name": "customer_name",
5   "total_transaction": 1
6 }
```

Output preview after Sort if stage (Sample of 8 documents)

```
total_transaction : 120000
customer_id : 101
customer_name : "Sanku Sanku"
```

```
total_transaction : 120000
customer_id : 101
customer_name : "Sanku Sanku"
```

ORGANIZATION
RAYANKIHMAYAR...

PROJECT
Project 0

Compare View

View monitoringVisualize Your Data

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdata

customers

transactions

test

sample_mflix

Cluster0 > bankdata > transactions

Documents16AggregationsSchemaIndexes1Validation

GroupStackupSumwindSortProjectSort

Generate aggregation

ExplainRunOptions

modified

SAVECREATE NEWEXPORT CODE

PREVIEWSTAGESTEXTWIZARD

Stage 5: Sort

```
1 {
2   "total_transaction": 1
3 }
```

Output preview after Sort if stage (Sample of 8 documents)

```
total_transaction : 120000
customer_id : 101
customer_name : "Sanku Sanku"
```

```
total_transaction : 120000
customer_id : 101
customer_name : "Sanku Sanku"
```

