


SQL Commands

1. Create Table:



```
1  -- 1. Create Table
2  CREATE TABLE himavarshini_marks (
3      roll_no INT PRIMARY KEY,
4      name VARCHAR(50),
5      subject VARCHAR(50),
6      marks DECIMAL(5,2)
7  );
8
9
10
11
12
13
```


Output

#	Time	Action	Message
1	11:08:46	CREATE TABLE himavarshini_marks (roll_no INT PRIMARY KEY, na...	0 row(s) affected

2. Insert Data:

3. Simple Select:

```
-- 2. Insert Data
• INSERT INTO himavarshini_marks (roll_no, name, subject, marks) VALUES
(1, 'hima', 'Math', 85.50),
(2, 'Sita', 'Math', 92.75),
(3, 'Anil', 'Math', 78.40),
(4, 'Priya', 'Math', 88.90),
(5, 'Vijay', 'Math', 80.25),
(6, 'subbusin', 'aws', 98.50),
(7, 'dwaraka', 'dbms', 95.75),
(8, 'ranjani', 'english', 97.40),
(9, 'kavithamam', 'aws1', 99.90),
(10, 'seetha', 'azure', 82.25);
-- 3. Simple Select
• SELECT * FROM himavarshini_marks
```



```
21 SELECT * FROM himavarshini_marks
22
```

Result Grid

roll_no	name	subject	marks
NULL	NULL	NULL	NULL

himavarshini_marks 3 x Apply Revert Context

Output

#	Time	Action	Message
8	11:13:51	CREATE TABLE himavarshini_marks (roll_no INT PRIMARY KEY, ...	Error Code: 1050. Table 'himavarshini_marks' already exists
9	11:14:09	SELECT * FROM himavarshini_marks LIMIT 0, 1000	0 row(s) returned

4. Aggregate Functions :

Automatic context help disabled. Use the toolbar manually get help for the current caret position or toggle automatic help

```
-- 4. Aggregate Functions
22
23 SELECT COUNT(*) AS total_students FROM himavarshini_marks;
24 SELECT SUM(marks) AS total_marks FROM himavarshini_marks;
25 SELECT AVG(marks) AS average_marks FROM himavarshini_marks;
26 SELECT MAX(marks) AS maximum_marks FROM himavarshini_marks;
27 SELECT MIN(marks) AS minimum_marks FROM himavarshini_marks;
28
```

Result Grid

roll_no	name	subject	marks
NULL	NULL	NULL	NULL

Result 4 x Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
10	11:15:42	CREATE TABLE himavarshini_marks (roll_no INT PRIMARY KEY, ...	Error Code: 1050. Table 'himavarshini_marks' already exists	0.000 sec
11	11:15:46	SELECT MIN(marks) AS minimum_marks FROM himavarshini_marks LIM...	1 row(s) returned	0.016 sec / 0.000 sec

5. Filtering with WHERE:

```
28 -- 5. Filtering with WHERE
29 SELECT * FROM himavarshini_marks WHERE marks > 85;
30 SELECT * FROM himavarshini_marks WHERE marks >= 90;
31 SELECT * FROM himavarshini_marks WHERE marks < 80;
32 SELECT * FROM himavarshini_marks WHERE marks BETWEEN 80 AND 90;
33 SELECT * FROM himavarshini_marks WHERE name LIKE 'P%';
34 SELECT * FROM himavarshini_marks
35 WHERE name IN ('himavarshini', 'Sita', 'Vijay');
```

Result Grid

roll_no	name	subject	marks
NULL	NULL	NULL	NULL

himavarshini_marks 5 x Apply

Output

Action Output

#	Time	Action	Message
11	11:15:46	SELECT MIN(marks) AS minimum_marks FROM himavarshini_marks LIM...	1 row(s) returned
12	11:17:43	SELECT * FROM himavarshini_marks WHERE name IN ('himavarshini', ...	0 row(s) returned

6. Update Queries:

```
AND (subject = 'Math' OR name LIKE 'P%');
-- 6. Update Queries
• UPDATE himavarshini_marks
  SET marks = 90.00
  WHERE roll_no = 3;
• UPDATE himavarshini_marks
  SET subject = 'Remedial Math'
  WHERE marks < 80;
```

Automatic... disabled. Use manually ge current care toggle aut

Context Help Snippi

Action Output

#	Time	Action	Message	Du
15	11:20:01	UPDATE himavarshini_marks SET subject = 'Remedial Math' WHERE m...	0 row(s) affected Rows matched: 0 Changed: 0 Warnings: 0	0.0
16	11:20:05	UPDATE himavarshini_marks SET subject = 'Remedial Math' WHERE m...	0 row(s) affected Rows matched: 0 Changed: 0 Warnings: 0	0.0

7. Delete Queries :

```
-- Delete Queries
• DELETE FROM himavarshini_marks
  WHERE roll_no = 5;
• DELETE FROM himavarshini_marks
  WHERE marks < 75;
```

Action Output

#	Time	Action	Message
20	11:22:02	DELETE FROM himavarshini_marks WHERE roll_no = 5	0 row(s) affected
21	11:22:07	DELETE FROM himavarshini_marks WHERE marks < 75	0 row(s) affected

8. Sorting

```
50 WHERE marks < 75;
51 • SELECT * FROM himavarshini_marks ORDER BY marks ASC;
52 • SELECT * FROM himavarshini_marks ORDER BY marks DESC;
53 • SELECT * FROM himavarshini_marks ORDER BY name ASC;
54 • SELECT * FROM himavarshini_marks ORDER BY name DESC;
55
56
57
58
59
60
61
```

Action Output			
#	Time	Action	Message
22	11:23:06	SELECT * FROM himavarshini_marks ORDER BY name DESC LIMIT 0...	0 row(s) returned
23	11:23:10	SELECT * FROM himavarshini_marks ORDER BY name ASC LIMIT 0, 1...	0 row(s) returned
24	11:23:14	SELECT * FROM himavarshini_marks ORDER BY marks DESC LIMIT 0...	0 row(s) returned
25	11:23:17	SELECT * FROM himavarshini_marks ORDER BY marks ASC LIMIT 0...	0 row(s) returned

9. Group By :

```
5 -- 9. GROUP BY
6 • SELECT subject, SUM(marks) AS total_marks
7 FROM himavarshini_marks
8 GROUP BY subject;
9 • SELECT subject, AVG(marks) AS avg_marks
10 FROM himavarshini_marks
11 GROUP BY subject;
```

Action Output			
#	Time	Action	Message
28	11:24:16	SELECT subject, COUNT(*) AS num_students FROM himavarshini_marks...	0 row(s) returned
29	11:24:39	SELECT subject, AVG(marks) AS avg_marks FROM himavarshini_marks...	0 row(s) returned

10. Having :

66

SELECT subject, AVG(marks) AS avg_marks

67

FROM himavarshini_marks

68

GROUP BY subject

69

HAVING AVG(marks) > 90;

70

SELECT subject, COUNT(*) AS num_students

71

FROM himavarshini_marks

72

GROUP BY subject

73

HAVING COUNT(*) > 1;

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Result Grid

subject

num_students

Result 15

Read Only

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration
32	11:26:24	SELECT subject, COUNT(*) AS num_students FROM himavarshini_marks...	0 row(s) returned	0.000 se
33	11:26:27	SELECT subject, COUNT(*) AS num_students FROM himavarshini_marks...	0 row(s) returned	0.000 se

manually get h
current caret po
toggle autom