

Username.c

```
#include<stdio.h>
int main()
{
    char name[30];
    printf("Enter your name:");
    scanf("%s",name);
    printf("Welcome%s\n",name);
    return 0;
}
```

```
hp@Hima:~/OS_System$ nano username.c
hp@Hima:~/OS_System$ gcc username.c -o username
hp@Hima:~/OS_System$ ./username
Enter your name:hima
Welcomehima
```

Hello.c

```
#include <stdio.h>

int main()
{
    printf("Hello\n");
    return 0;
}
```

```
hp@Hima:~/OS_System$ nano hello.c
hp@Hima:~/OS_System$ gcc hello.c -o hello
hp@Hima:~/OS_System$ ./hello
Hello
```

Display.c

```
#include<stdio.h>
#include<unistd.h>
int main()
{
printf("Process ID =%d\n",getpid());
return 0;
}
```

```
hp@Hima:~/OS_System$ nano display.c
hp@Hima:~/OS_System$ gcc display.c -o display
hp@Hima:~/OS_System$ ./display
Process ID =16172
```

Gork.c

```
#include<stdio.h>
#include<unistd.h>
int main()
{
fork();
printf("Hello\n");
return 0;
}
```

```
hp@Hima:~/OS_System$ nano fork.c
hp@Hima:~/OS_System$ gcc fork.c -o fork
hp@Hima:~/OS_System$ ./fork.c
-bash: ./fork.c: Permission denied
hp@Hima:~/OS_System$ ./fork
Hello
Hello
```

```
#include<stdio.h>
#include<unistd.h>
int main()
{
fork();
printf("himavarshini\n");
return 0;
}
```

```
hp@Hima:~/OS_System$ nano fork.c
hp@Hima:~/OS_System$ gcc fork.c -o fork
hp@Hima:~/OS_System$ ./fork
himavarshini
himavarshini
hp@Hima:~/OS_System$ |
```

```
#include<stdio.h>
#include<unistd.h>
int main()
{
fork();
printf("Operating System\n");
printf("himavarshini\n");
return 0;
}
```

```
hp@Hima:~/OS_System$ nano fork.c
hp@Hima:~/OS_System$ gcc fork.c -o fork
hp@Hima:~/OS_System$ ./fork
Operating System
himavarshini
Operating System
himavarshini
```