

On Net Backhaul

After Stage 1 POP Feasibility, NLD/Backhaul Draft Request have to appear Show Job ID and Customer Details in the Table.

Stage 1 : (This will initiate after POP Feasibility Stage 3, once POP code generated)

Service Type : Wireless/Wireline

If Wireless,

Require Bandwidth : _____ (MBPS)

A End POP : Existing POP Dropdown with POP Code and POP Name

B End POP : POP Code from POP Feasibility Module

Snap from GIS with all the details.

If Wireline,

A End POP : Existing POP Dropdown with POP Code and POP Name

B End POP : POP Code from POP Feasibility Module

Snap from GIS with all the details.

Stage 2 : After PR Stage 5

if Wireless,

Show info of Task, Fetch below details from POP Feasibility

A End Device : Fetch

A End Interface : Fetch

A End IP : Fetch

B End Device : Fetch

B End Interface : Fetch

B End IP : Fetch

Management VLAN : Fetch

Assign Engineer : Fetch

1. LM Snapshots : Fetch

2. RF Distance : ____ Km ____ Image - Fetch

3. Signal : ____ km ____ Image - Fetch

4. Throughput: Fetch

5. Rx:____Tx:____ (Image) - Fetch

6. Final Snapshots : Fetch

(Whole Link Snapshots-Multiple)

6. LAN Negotiation:

AP : ____ Image ____ - Fetch

CPE : ____ Image ____ - Fetch

Link Commission Date : _____

Submit

if Wireline,

Installation Snaps (Multiple), if Signal Captures that snaps (Multiple)

Fiber Length : _____ (KM)

(+) Icon to add Multiple B End BTS Details Here.

A End BTS Details : Existing/New L2/New L1, POP/DC Location : (If Existing)(Show

(If New L2/New L2 so L2POI form appear
and Name)

POP Code

If B End BTS Details is selects Existing,

get that details here.

B End Address :

B End Lat :

B End Long :

If A End BTS Details is selects New L2, New L1 with (+) Icon to show same form with below form details

Show A End Details and B End Details Form,

Node Type : POP/DC

if POP, Show POP Dropdown

if DC, show DC Dropdown

A End Address :

B End Address :

A End Lat :

B End Lat :

A End Long :

B End Long :

(If L2 utilize complete capacity of interface then need to require show warning. This is define based on assigned NLD circuits).

Feasible, Not Feasible, Information Awaited radio buttons for every form.

(If Information Awaited is Selected so show Action Button for Future purpose)

Stage 3 :

Show List of Stage 2 Details here. With Feasible, Not Feasible and Information Awaited Tag.

(Feasible)

A End Details

B End Details (Multiple, but Selects only one)

(After these details call to ZOHO Books)

ARC :

OTC :

Stage 4 :

- Fetch NLD info from Stage 3 (NLD back)
- **A-end port detail:** existing L2POI detail
- **A-end VLAN:** ____ (dropdown from Netbox VLAN group)
- **Port requirement for B-end** (exclude for Backhaul):
 - 1 Gbps Ethernet
 - 1 Gbps Optical
 - 10 Gbps Ethernet
 - 10 Gbps Optical

After Stage 4 Completion PR Have to Generate.

Now In PR Module (Stage 1)

Stage 5 :

Order ID:

OSM ID : (If Provider is Vodaphone)

SAF No : (If Provider is TTSL)

RA No : (If Provider is Airtel)

Reference No : (If Provider is BSNL)

A End Address : (FETCH)

A End City : (FETCH)

A End State : (FETCH)

A End Pincode : (FETCH)

A End Latitude: (FETCH)

A End Longitude : (FETCH)

B End Address : (FETCH)

B End City : (FETCH)

B End State : (FETCH)
B End Pincode : (FETCH)
B End Latitude : (FETCH)
B End Longitude : (FETCH)
B End Port Details: (FETCH)

Stage 5 :

A End Port Details:
A End VLAN : (from L2POI but Editable)
B End Port Details :
B End VLAN : (if B End is L2POI)
TSP Circuit ID : 123
TSP Circuit ID A : 123-A
TSP Circuit ID B : 123-B

(After it, PR Stage 2 is Enabled to fill details).

**(Call Provider (Telco Vendor, Customers, Service Provider),
Provider Account (Customer ID), Type (IIL, P2P etc...), Circuit ID,
Status (Planned) to NetBox).**

**(After stage 5 New Activation Pending, System Generated
NLD/Backhaul ID)**

Stage 6 :

**Acceptance Snap :
Acceptance Date :**

**After Submit Invoice Team Gets the details in Kho-Kho and See all
the required details here, can see attachments of acceptance and
can add Invoice Acceptance Date here. (Details like, A End Details, B
End Details, PO Date, PO Attachement, PO Number, Acceptance
Attachments)**

Task Creation option here, (After PR Stage 3) (For Installation at POP End).

Task Creation by Telco Coordinator, Task assign to BM and BM assign it to FE.

Installation Stage 1 (Juggle stage 1) :

If NLD Backhaul,

- Infra Info :

(If Managed and Infra CoLo and Building/Landlord details here read

only)

- B End Port Details + B End Address with Lat and Long (Fetch from Stage 4),

If On Net Backhaul,

- A End Details
- B End Details
- SVG File from NetBox, From Cable module
- GIS Snaps.
- List of Issued material Details.
- IP Address Information

Power Source : (Checkbox) AC, DC, Critical, Non Critical, UPS Backup

Space Hygiene : (Yes/No)

Snaps : (Multiple, PNG/JPG/JPEG/WEBP)

Cable Dressing Quality : (Yes/No)

Snaps : (Multiple, PNG/JPG/JPEG/WEBP)

Physical Security : (Yes/No)

Snaps : (Multiple, PNG/JPG/JPEG/WEBP)

Water Logging Risk : (Yes/No)

Snaps : (Multiple, PNG/JPG/JPEG/WEBP)

Air Circulation : (Yes/No)

Snapshots : (Multiple, PNG/JPG/JPEG/WEBP)

Snapshots : (Multiple, PNG/JPG/JPEG/WEBP)

After Submitting it, this details goes to BM for Approve or Revalidate, (If revalidate task have to conduct again).

In Stage 4 (POP Feasibility Module) these details have to appear for Approve or Revalidate.

After Approve, details goes to Infra Team, and Infra Team sees all the details (Juggle Stage 1, with read only) with Revalidation and Submit button. If Revalidation is clicked that details goes to BM and again FE task.....

If Submitting then PR stage 4 have to Enable.

PR Stage 5 :

If A End L2POI is New,

A End Speed Duplex : (TextBox)

Snapshots : (Multiple, PNG/JPG/JPEG/WEBP)

B End MTU Size reachability : (Numeric Value) Snapshots : (Multiple, PNG/JPG/JPEG/WEBP)

Latency : (Numeric Value) Snapshots : (Multiple, PNG/JPG/JPEG/WEBP)

B End Speed Duplex : (TextBox) Snapshots : (Multiple, PNG/JPG/JPEG/WEBP)

B End Link Status Reference : (Attachments)

(After Submit, Call details to NetBox, Device, Power Feeds and Cable details converts from Planned to Active)

After This PR Stage 6,

Testing Logs : (Multiple)

3 Days Surveillance Cycle

Task Completed

If Wait for 3 Days Observation,

Textbox have to show

Snapshots Multiple

(Show these details in NLD/Backhaul active Circuit List, and show Update dropdown arrow, PR Team add updates with snaps and remarks).

If Task Completed,