

Statistical Physics

Homework, Sheet 7

Daniel Scheiermann — 3227680

Felix Springer — 10002537

Hinnerk

December 2, 2018

If you have trouble understanding the program we would be happy to explain it, you can contact us via `stud.IP`.

1 The Ising model [H13]

We are using Python 3 for our solution. The mainly used modules are "matplotlib" and "numpy".

2 Thermodynamics of a chain [H7]

In my solution I am using the approach that is shown in the hints. I am calculating the probability density P in form of a histogram and then try to derive the force F directly from there.

2.1 Theoretical background

First I use the relation (1) of force F and pressure p , in which I then insert the free Energy E , which leads to the partition function Z .

$$\begin{aligned} F &= \int -p \, dA \\ &= - \int \underbrace{-\left(\frac{\partial E}{\partial V}\right)_{\tau}}_{=p} dA \\ &= \int \partial_V \underbrace{(-\tau \ln(Z))}_{=E} dA \end{aligned} \tag{1}$$

$$\begin{aligned}
&= -\tau \int \partial_V \ln(Z) \, dA \\
F &= -\tau \partial_L \ln(Z)
\end{aligned} \tag{2}$$

Now with equation (2) I only need to be able to calculate the partition function Z . In this case there is a relation (3) to the probability density P .

$$P = \frac{1}{Z} \underbrace{\exp\left(\frac{\mu N_\nu - \epsilon_\nu}{\tau}\right)}_{=: \alpha} \tag{3}$$

$$\implies Z = \frac{\alpha}{P} \tag{4}$$

The reason for $\partial_L \alpha = 0$ is, that due to the thermal equilibrium the energy ϵ_ν stays constant for different L . N_ν is also constant for each probability density P , and μ and τ are definitely constant here.

Now I can use equation (4) to further simplify equation (2).

$$\begin{aligned}
F &= -\tau \partial_L \ln\left(\frac{\alpha}{P}\right) \\
&= -\tau \underbrace{(\partial_L \ln(\alpha))}_{=0} - \partial_L \ln(P) \\
F &= \tau \partial_L \ln(P)
\end{aligned} \tag{5}$$

With equation (5) I can directly compute the force F from the probability density $P(L)$ which I am simulating with a distribution of "randomwalks".

2.2 Result

The end result of the computation can be found in Figure ??.

To look into the details of the computation check out `calc-force.ss`. It is executed with "Chez-Scheme 9.5.1". The plot is created with "gnuplot" in `plot-L-force.gp`.

To completely execute everything there is `main.sh`.