

# SQL BETWEEN Operator

[< Previous](#)[Next >](#)

## The SQL BETWEEN Operator

The **BETWEEN** operator selects values within a given range. The values can be numbers, text, or dates.

The **BETWEEN** operator is inclusive: begin and end values are included.

### BETWEEN Syntax

```
SELECT column_name(s)
FROM table_name
WHERE column_name BETWEEN value1 AND value2;
```

## Demo Database

Below is a selection from the "Products" table in the Northwind sample database:

ProductID	ProductName	SupplierID	CategoryID	Unit	Price
1	Chais	1	1	10 boxes x 20 bags	18
2	Chang	1	1	24 - 12 oz bottles	19
3	Aniseed Syrup	1	2	12 - 550 ml bottles	10
4	Chef Anton's Cajun Seasoning	1	2	48 - 6 oz jars	22
5	Chef Anton's Gumbo Mix	1	2	36 boxes	21.35

# BETWEEN Example

The following SQL statement selects all products with a price between 10 and 20:

## Example

[Get your own SQL Server](#)

```
SELECT * FROM Products  
WHERE Price BETWEEN 10 AND 20;
```

[Try it Yourself »](#)

---

# NOT BETWEEN Example

To display the products outside the range of the previous example, use **NOT BETWEEN** :

## Example

```
SELECT * FROM Products  
WHERE Price NOT BETWEEN 10 AND 20;
```

[Try it Yourself »](#)

---

# BETWEEN with IN Example

The following SQL statement selects all products with a price between 10 and 20. In addition; do not show products with a CategoryID of 1,2, or 3:

## Example

```
SELECT * FROM Products  
WHERE Price BETWEEN 10 AND 20  
AND CategoryID NOT IN (1,2,3);
```

[Try it Yourself »](#)

---

## BETWEEN Text Values Example

The following SQL statement selects all products with a ProductName between Carnarvon Tigers and Mozzarella di Giovanni:

### Example

```
SELECT * FROM Products
WHERE ProductName BETWEEN 'Carnarvon Tigers' AND 'Mozzarella di Giovanni'
ORDER BY ProductName;
```

[Try it Yourself »](#)

The following SQL statement selects all products with a ProductName between Carnarvon Tigers and Chef Anton's Cajun Seasoning:

### Example

```
SELECT * FROM Products
WHERE ProductName BETWEEN "Carnarvon Tigers" AND "Chef Anton's Cajun Seasoning"
ORDER BY ProductName;
```

[Try it Yourself »](#)

---

## NOT BETWEEN Text Values Example

The following SQL statement selects all products with a ProductName not between Carnarvon Tigers and Mozzarella di Giovanni:

### Example

```
SELECT * FROM Products
WHERE ProductName NOT BETWEEN 'Carnarvon Tigers' AND 'Mozzarella di Giovanni'
ORDER BY ProductName;
```

[Try it Yourself »](#)

---

## Sample Table

Below is a selection from the "Orders" table in the Northwind sample database:

OrderID	CustomerID	EmployeeID	OrderDate	ShipperID
10248	90	5	7/4/1996	3
10249	81	6	7/5/1996	1
10250	34	4	7/8/1996	2
10251	84	3	7/9/1996	1
10252	76	4	7/10/1996	2

---

## BETWEEN Dates Example

The following SQL statement selects all orders with an OrderDate between '01-July-1996' and '31-July-1996':

### Example

```
SELECT * FROM Orders
WHERE OrderDate BETWEEN #07/01/1996# AND #07/31/1996#;
```

[Try it Yourself »](#)

OR:

## Example

```
SELECT * FROM Orders  
WHERE OrderDate BETWEEN '1996-07-01' AND '1996-07-31';
```