SQL UPDATE Statement

Previous

Next >

The SQL UPDATE Statement

The **UPDATE** statement is used to modify the existing records in a table.

UPDATE Syntax

```
UPDATE table_name
SET column1 = value1, column2 = value2, ...
WHERE condition;
```

Note: Be careful when updating records in a table! Notice the WHERE clause in the UPDATE statement. The WHERE clause specifies which record(s) that should be updated. If you omit the WHERE clause, all records in the table will be updated!

Demo Database

Below is a selection from the "Customers" table in the Northwind sample database:

CustomerID	CustomerName	ContactName	Address	City	PostalCode
1	Alfreds Futterkiste	Maria Anders	Obere Str. 57	Berlin	12209
2	Ana Trujillo Emparedados y helados	Ana Trujillo	Avda. de la Constitución 2222	México D.F.	05021
3	Antonio Moreno Taquería	Antonio Moreno	Mataderos 2312	México D.F.	05023
4	Around the Horn	Thomas Hardy	120 Hanover	London	WA1 1DP

			Sq.	Sq.		
5	Berglunds snabbköp	Christina Berglund	Berguvsvägen 8	Luleå	S-958 22	

UPDATE Table

The following SQL statement updates the first customer (CustomerID = 1) with a new contact person and a new city.

Example

Get your own SQL Server

```
UPDATE Customers
SET ContactName = 'Alfred Schmidt', City= 'Frankfurt'
WHERE CustomerID = 1;
```

Try it Yourself »

The selection from the "Customers" table will now look like this:

CustomerID	CustomerName	ContactName	Address	City	PostalCode
1	Alfreds Futterkiste	Alfred Schmidt	Obere Str. 57	Frankfurt	12209
2	Ana Trujillo Emparedados y helados	Ana Trujillo	Avda. de la Constitución 2222	México D.F.	05021
3	Antonio Moreno Taquería	Antonio Moreno	Mataderos 2312	México D.F.	05023
4	Around the Horn	Thomas Hardy	120 Hanover Sq.	London	WA1 1DP
5	Berglunds snabbköp	Christina Berglund	Berguvsvägen 8	Luleå	S-958 22
4					

UPDATE Multiple Records

It is the WHERE clause that determines how many records will be updated.

The following SQL statement will update the ContactName to "Juan" for all records where country is "Mexico":

Example

```
UPDATE Customers
SET ContactName='Juan'
WHERE Country='Mexico';
```

Try it Yourself »

The selection from the "Customers" table will now look like this:

CustomerID	CustomerName	ContactName	Address	City	PostalCode
1	Alfreds Futterkiste	Alfred Schmidt	Obere Str. 57	Frankfurt	12209
2	Ana Trujillo Emparedados y helados	Juan	Avda. de la Constitución 2222	México D.F.	05021
3	Antonio Moreno Taquería	Juan	Mataderos 2312	México D.F.	05023
4	Around the Horn	Thomas Hardy	120 Hanover Sq.	London	WA1 1DP
5	Berglunds snabbköp	Christina Berglund	Berguvsvägen 8	Luleå	S-958 22
4					

Update Warning!

Be careful when updating records. If you omit the WHERE clause, ALL records will be updated!

Example

```
UPDATE Customers
SET ContactName='Juan';
```

Try it Yourself »

The selection from the "Customers" table will now look like this:

CustomerID	CustomerName	ContactName	Address	City	PostalCode
1	Alfreds Futterkiste	Juan	Obere Str. 57	Frankfurt	12209
2	Ana Trujillo Emparedados y helados	Juan	Avda. de la Constitución 2222	México D.F.	05021
3	Antonio Moreno Taquería	Juan	Mataderos 2312	México D.F.	05023
4	Around the Horn	Juan	120 Hanover Sq.	London	WA1 1DP
5	Berglunds snabbköp	Juan	Berguvsvägen 8	Luleå	S-958 22