

Q. what is Toast? how to use it?

⇒ Android toast used to display information for the short period of time.

⇒ A toast contains message to be displayed quickly and disappears after sometime.

⇒ The `android.widget.Toast` class is the subclass of `java.lang.Object` class.

⇒ Toast can be custom as well as for displaying image.

⇒ it disappears automatically if the user wants a permanently visible message, a Notification can be used.

### Custom Toast:

⇒ In which images can be used instead of a simple message.

### Example:

○ Toast class provides a simple popup message that is displayed on the current activity UI screen (e.g. Main Activity).

○ clicking Send on an email triggers a "Sending message"

### Instantiate a Toast object:

⇒ Use the `makeText()` method, which takes the following parameters:

- The activity Context.
- The text that should appear to the user.
- The duration that the toast should remain on the screen.

⇒ The `makeText()` method returns a properly initialized Toast object.



⇒ Toast notifications always appears near the bottom of the screen.

## Show the toast:

⇒ To display the toast, call the `show()` method:

### Example:

```
Toast.makeText(getApplicationContext(),  
"Hello", Toast.LENGTH_SHORT).show();
```

### Toast class:

⇒ Used to show notification for a particular interval of time. After some time it disappears. it does not block the user interaction.

### Constants of Toast class:

⇒ There are only 2 constants of Toast class:

| <u>Constant</u>                         | <u>Description</u>                              |
|-----------------------------------------|-------------------------------------------------|
| public static final<br>int LENGTH_LONG  | ○ Displays view for the long duration of time.  |
| public static final<br>int LENGTH_SHORT | ○ displays view for the short duration of time. |

## Methods of Toast class:

- `makeText (Context context, text, int duration)`
- `void show()`
- `void setMargin (float horizontalMargin, float verticalMargin)`

### Code:

```
Toast toast = Toast.makeText(getApplicationContext(),  
"Hello", Toast.LENGTH_SHORT);  
toast.setMargin(50, 50);  
toast.show();
```

## Customize Toast

⇒ It is possible to create custom toast in android. So, it displays images like Congratulations or pass on the toast.

### Example:



## In custom\_toast\_layout.xml

```
<ImageView  
    android:id="@+id/toasting"  
    android:layout_width="wrap_content"  
    android:layout_height="wrap_content"  
    android:src="@drawable/baseline_cloud_done_24"  
>
```

```
<TextView  
    android:id="@+id/textmsg"  
    android:layout_width="wrap_content"  
    android:layout_height="wrap_content"  
    android:text="Test message"  
>
```

## Java file

```
public class MainActivity extends  
    AppCompatActivity {  
    Button btn;  
    @Override  
    protected void onCreate(Bundle  
        savedInstanceState)
```

```
super.onCreate(savedInstanceState);  
setContentView(R.layout.activity_main);  
btn = findViewById(R.id.btn);  
btn.setOnClickListener(new View.OnClickListener() {
```

@Override

```
public void onClick(View v)  
{
```

```
    Toast toast = new Toast(getApplicationContext());  
    View view = getLayoutInflater().inflate(  
        R.layout.custom_toast_layout, (ViewGroup)  
        findViewById(R.id.view_content);  
    toast.setView(view);
```

```
    TextView txtmsg = view.findViewById(R.id.textmsg);  
    txtmsg.setText("message send successfully");  
    toast.setDuration(Toast.LENGTH_LONG);  
    toast.setGravity(Gravity.CENTER | Gravity.  
        RIGHT,  
        xOffset 0,  
        yOffset 0);
```

```
    toast.show();
```

```
}
```

```
});
```

```
}
```



## setGravity(int, int, int)

⇒ Used to set the Gravity of the toast.

⇒ it accepts three parameters

- Gravity Constant

- x-position offset & y-position offset

e.g

```
toast.setGravity(Gravity.TOP | Gravity.LEFT, 0)  
toast.show()
```

## inflate(int, ViewGroup)

- Used to inflate the layout from the xml.

- first parameter is the layout resource ID

- Second is the root View

---