test

wyz

December 10, 2024

1 w

1.1 2

1.1.1 d

test (1)

fuck

formula

this is a test Mcal

 $McalhellMcal\mathcal{M}\overline{AND}A_X$  (2)

 $\mathcal{M}$ 

 $\mathbb{P}^n$ 

 $\mathcal{M}$ 

 $\mathcal{M}\mathbf{B}_X^s$ 

test test below

$$(X/U, \mathcal{F}, B, \mathbf{M} + \bar{A}) \longrightarrow (Xi, \mathcal{F}_i, B_i, \mathbf{M} + \bar{A})$$

test above

 $\overline{Xmm}\mathcal{M}T_s$ 

 $\mathcal{M}\mathbb{F}_n$ 

## 2 test

$$f: X \longrightarrow Y$$
$$s \longmapsto () = .$$

## 3 test again

 $mathca_{l}environments\mathcal{M}\mathfrak{M}\mathcal{M}A_{X}\mathbb{P}^{n}A_{subscript}B^{supscript}$  [upround] | lowround|

 $\mathcal{M}$ 

 $\mathcal{M}\mathcal{M}a1Bara_1$ 

$$\mathcal{M}$$
. (3)

$$\begin{array}{l} a^2 + b1^2 + c^2 \\ a^2 + b1^2 + c^2 \\ (1 + a) \cdot (1 + a) \ \alpha + \beta \\ \frac{1}{2} + \frac{1}{3} \\ (\frac{1}{2} + \frac{1}{3}) + 1 \\ \begin{pmatrix} 1 & 2 \\ 3 & 4 \end{pmatrix} \\ (H_A + x^x) + \sqrt{x} \\ \sqrt{\frac{1}{2}} \\ f_a(\frac{2}{x}) \\ \sum_{i} x_i^2 \\ \alpha_\omega(x) \\ x^2 \quad a_H \\ \frac{1}{2} \quad d^2 \\ \int_0^\infty \frac{1}{x} \, dx \\ \frac{dx}{df(x)} + \frac{dy}{df(y)} = 2 \\ \frac{\partial x}{\partial f(x)} + \frac{\partial y}{\partial f(y)} = 2 \\ \delta(x) = 2 \\ \Delta(x) + \Delta(y) = z \\ e^{1/2} + 2 = x \\ \delta x + \delta x = \delta y \\ \Delta x + \Delta z = \Delta y \\ C_5 H_{12}(l) + 8O_2(g) \rightarrow 5CO_2(g) + H_2O(l) \\ w_0 + n_0 = 2 \\ Cr_2O_7^2 \\ s_+^{N_2}[n] \end{array}$$

$$\begin{array}{c} \frac{1}{2\xi\sqrt{1+\xi^2}} \\ 1+2 \\ a^2+b^2+c^2 \\ (1+a)\cdot (1+a) \ \alpha+\beta \\ \frac{1}{2}+\frac{1}{3} \\ \frac{1}{2}+\frac{1}{3} \\ (\frac{1}{2}+\frac{1}{3})+1 \\ (1-2) \\ (3-4) \\ (H_A+x^x)+\sqrt{x} \\ \sqrt{\frac{1}{2}} \\ f_a(\frac{2}{x}) \\ \sum_i x_i^2 \\ \alpha_\omega(x) \\ x^2 \quad a_H \\ \frac{1}{2} \quad d^2 \\ \int_0^\infty \frac{1}{x} \, dx \\ \frac{dx}{df(x)}+\frac{dy}{df(y)} = 2 \\ \delta(x) = 2 \\ \delta(x) = 2 \\ \delta(x) = 2 \\ \delta(x) + \Delta(y) = z \\ e^{1/2}+2 = x \\ \delta x+\delta x = \delta y \\ \Delta x+\Delta z = \Delta y \\ C_5H_{12}(l)+8O_2(g) \rightarrow 5CO_2(g)+H_2O(l) \\ w_0+n_0 = 2 \\ Cr_2O_7^2 \\ s_+^{N_2}[n] \\ \frac{1}{2\xi\sqrt{1+\xi^2}} \\ 1+2 \\ (1+a)\cdot (1+a) \ \alpha+\beta \\ \frac{1}{2}+\frac{1}{3} \\ (\frac{1}{2}+\frac{1}{3})+1 \\ \begin{pmatrix} 1 & 2 \\ 3 & 4 \end{pmatrix} \\ (H_A+x^x)+\sqrt{x} \\ \sqrt{\frac{1}{2}} \\ f_a(\frac{2}{x}) \\ \sum_i x_i^2 \\ \alpha_\omega(x) \\ x^2 \quad a_H \\ \frac{1}{2} \quad d^2 \\ \int_0^\infty \frac{1}{x} \, dx \\ \frac{dx}{df(x)}+\frac{dy}{df(y)} = 2 \\ \frac{\partial x}{\partial f(x)}+\frac{\partial y}{\partial f(x)} = 2 \\ \frac{\partial x}{\partial f(x)}+\frac{\partial y}{\partial f(y)} = 2 \\ \frac{\partial x}{\partial f(x)}+\frac{\partial y}{\partial f(x)}+\frac{\partial y}{\partial f(y)} = 2 \\ \frac{\partial x}{\partial f(x)}+\frac{\partial y}{\partial f(x)} = 2 \\ \frac{\partial x}{\partial f(x$$

 $McalMcal\mathcal{M}$