

Cucumber Report

19 Dec 2023, 21:22:45

Start : Dec 19, 9:21:49.239 pm

End : Dec 19, 9:22:44.436 pm

Duration : 55.197 s

Features






PASSED - 0
FAILED - 3
SKIPPED - 0

Scenarios

PASSED - 1
FAILED - 5
SKIPPED - 0

Steps


PASSED - 29
FAILED - 5
SKIPPED - 31




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Computer Page Test</u>	19.287 s	3	0	3	0	36	3	3	30
<u>Login Test</u>	30.337 s	2	1	1	0	14	12	1	1
<u>Register Page Test</u>	5.545 s	1	0	1	0	15	14	1	0

#	Feature Name	Scenario Name
1	<u>Computer Page Test</u>	<i>I should able to select my own build computer</i>
2		<i>I should able to select my own build computer</i>
3		<i>I should able to select my own build computer</i>
4	<u>Login Test</u>	<u>verify that user should log out successfully</u>
5	<u>Register Page Test</u>	<u>verify That User Should Create Account Successfully</u>

TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
	@regression	6	1	5	0	3	0	3	0
	@author-HK	1	1	0	0	1	0	1	0
	@Author-HK	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Computer Page Test</u>	3	0	3	0	19.287 s
2	<u>Login Test</u>	2	1	1	0	30.337 s
3	<u>Register Page Test</u>	1	0	1	0	5.545 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Computer Page Test</u>	<u>I should able to select my own build computer</u>	12	1	1	10	6.073 s
2		<u>I should able to select my own build computer</u>	12	1	1	10	7.600 s
3		<u>I should able to select my own build computer</u>	12	1	1	10	5.564 s
4	<u>Login Test</u>	<u>User should login successfully with valid credentials</u>	6	6	0	0	5.317 s
5		<u>verify that user should log out successfully</u>	8	6	1	1	25.011 s
6	<u>Register Page Test</u>	<u>verify That User Should Create Account Successfully</u>	15	14	1	0	5.545 s

Computer Page Test




I should able to select my own build computer



#	Step / Hook Details	Status	Duration
1	Given I am on home page for shopping	PASSED	0.000 s
2	When I click on Computers tab java.lang.StackOverflowError at com.nopcommerce.demo.steps.ComputerSteps.iClickOnComputersTab(ComputerSteps.java:35) at ?.I click on Computers tab(file:///C:/Users/hiral/IdeaProjects/nop-commerce-demo-cucumber/src/test/resources/features/computer.feature:22) * Not displayable characters are replaced by '?'.	FAILED	0.033 s
3	And I click on desktops link	SKIPPED	0.000 s
4	And I select desktop product Build your own computer	SKIPPED	0.001 s
5	And I select processor "2.2 GHz Intel Pentium Dual-Core E2200"	SKIPPED	0.000 s
6	And I select ram "2 GB"	SKIPPED	0.001 s
7	And I select hdd "320 GB"	SKIPPED	0.000 s
8	And I select os "Vista Home [+\$50.00]"	SKIPPED	0.000 s
9	And I select software "Microsoft Office [+\$50.00]"	SKIPPED	0.000 s
10	And I click on add to cart button	SKIPPED	0.001 s
11	Then I am successfully select my own build computer	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
12	And I can see the addtocart message "The product has been added to your shopping cart"	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) I should able to select my own build computer 	PASSED	1.130 s


I should able to select my own build computer




#	Step / Hook Details	Status	Duration
1	Given I am on home page for shopping	PASSED	0.003 s
2	When I click on Computers tab java.lang.StackOverflowError at com.nopcommerce.demo.steps.ComputerSteps.iClickOnComputersTab(ComputerSteps.java:35) at ?.I click on Computers tab(file:///C:/Users/hiral/IdeaProjects/nop-commerce-demo-cucumber/src/test/resources/features/computer.feature:22) * Not displayable characters are replaced by '?'.	FAILED	0.015 s
3	And I click on desktops link	SKIPPED	0.000 s
4	And I select desktop product Build your own computer	SKIPPED	0.001 s
5	And I select processor "2.5 GHz Intel Pentium Dual-Core E2200 [+15.00]"	SKIPPED	0.001 s
6	And I select ram "4GB [+20.00]"	SKIPPED	0.001 s
7	And I select hdd "400 GB [+100.00]"	SKIPPED	0.000 s
8	And I select os "Vista Premium [+60.00]"	SKIPPED	0.000 s
9	And I select software "Acrobat Reader [+10.00]"	SKIPPED	0.001 s
10	And I click on add to cart button	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
11	Then I am successfully select my own build computer	SKIPPED	0.000 s
12	And I can see the addtocart message "The product has been added to your shopping cart"	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) I should able to select my own build computer 	PASSED	1.219 s

I should able to select my own build computer




#	Step / Hook Details	Status	Duration
1	Given I am on home page for shopping	PASSED	0.000 s
2	When I click on Computers tab java.lang.StackOverflowError at com.nopcommerce.demo.steps.ComputerSteps.iClickOnComputersTab(ComputerSteps.java:35) at ?.I click on Computers tab(file:///C:/Users/hiral/IdeaProjects/nop-commerce-demo-cucumber/src/test/resources/features/computer.feature:22) * Not displayable characters are replaced by '?'. 3 And I click on desktops link 4 And I select desktop product Build your own computer 5 And I select processor "2.5 GHz Intel Pentium Dual-Core E2200 [+\$15.00]" 6 And I select ram "8GB [+\$60.00]" 7 And I select hdd "320 GB" 8 And I select os "Vista Home [+\$50.00]" 9 And I select software "Total Commander [+\$5.00]"	FAILED	0.016 s
3	And I click on desktops link	SKIPPED	0.000 s
4	And I select desktop product Build your own computer	SKIPPED	0.000 s
5	And I select processor "2.5 GHz Intel Pentium Dual-Core E2200 [+\$15.00]"	SKIPPED	0.000 s
6	And I select ram "8GB [+\$60.00]"	SKIPPED	0.000 s
7	And I select hdd "320 GB"	SKIPPED	0.001 s
8	And I select os "Vista Home [+\$50.00]"	SKIPPED	0.000 s
9	And I select software "Total Commander [+\$5.00]"	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
10	And I click on add to cart button	SKIPPED	0.000 s
11	Then I am successfully select my own build computer	SKIPPED	0.001 s
12	And I can see the addtocart message "The product has been added to your shopping cart"	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) I should able to select my own build computer	PASSED	1.088 s
			

Login Test




User should login successfully with valid credentials



#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.001 s
2	When I click on login link	PASSED	1.311 s
3	And I enter valid email "Sunmoon@gmail.com"	PASSED	0.145 s
4	And I enter valid password "MoonSun@123"	PASSED	0.128 s

#	Step / Hook Details	Status	Duration
5	And I enter on login button	PASSED	0.328 s
6	Then I should login successfully	PASSED	0.000 s

verify that user should log out successfully




#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	When I click on login link	PASSED	0.708 s
3	And I enter valid email "Sunmoon@gmail.com"	PASSED	0.154 s
4	And I enter valid password "MoonSun@123"	PASSED	0.105 s
5	And I enter on login button	PASSED	0.363 s
6	And I should login successfully	PASSED	0.000 s
7	And I click on logOut link org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@class='ico-logout']"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8e8883fd2dfc457e7470e5f328515fd, findElement {using=xpath, value=/a[@class='ico-logout']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\hiral\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57735}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57735/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8e8883fd2dfc457e7470e5f328515fd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499)	FAILED	20.049 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.nopcommerce.demo.utility.Utility.clickOnElement(Utility.java:53) at com.nopcommerce.demo.pages.LoginPage.clickOnLogOut(LoginPage.java:86) at com.nopcommerce.demo.steps.LoginSteps.iClickOnLogOutLink(LoginSteps.java:70) at ?.I click on logOut link(file:///C:/Users/hiral/IdeaProjects/nop-commerce-demo-cucumber/src/test/resources/features/login.feature:41) * Not displayable characters are replaced by '?'. </pre>		
8	Then I should be able to see log in link	SKIPPED	0.000 s
	<p>AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>verify that user should log out successfully</p> 	PASSED	0.320 s

Register Page Test



verify That User Should Create Account Successfully



#	Step / Hook Details	Status	Duration
1	Given I am on home page for registration	PASSED	0.000 s
2	And I click on register link	PASSED	1.229 s
3	And I am on register page	PASSED	0.000 s
4	When I select gender male	PASSED	0.123 s
5	And I Enter FirstName	PASSED	0.071 s
6	And I Enter LastName	PASSED	0.116 s
7	And I select Day	PASSED	0.132 s
8	And I select Month	PASSED	0.128 s
9	And I select Year	PASSED	0.130 s
10	And I enter valid "Sunmoon@gmail.com"	PASSED	0.112 s
11	And I enter valid password "MoonSun@123"	PASSED	0.106 s
12	And I enter valid confirmPassword in confirmPassword field for register "MoonSun@123"	PASSED	0.088 s
13	And I click on Register button	PASSED	0.314 s
14	Then I should create account successfully	PASSED	0.101 s
15	And I should able to see Your registration completed message	FAILED	0.005 s
	<pre style="font-family: monospace; color: red; margin: 0;">io.cucumber.core.exception.CucumberException: Step [I should able to see Your registration completed message] is defined with 1 parameters at 'com.nopcommerce.demo.steps.RegisterSteps.iShouldAbleToSeeYourRegistrationCompletedMessage(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: I should able to see Your registration completed message at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84)</pre>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) verify That User Should Create Account Successfully	PASSED	0.395 s

#	Step / Hook Details	Status	Duration
			