10.1.1 Remove Punctuations from a String

ALGORITHM

1. **Start**
2. **Input a string text**
3. **Initialize an empty string**
   → result ← ""
4. **For each character char in text, do:**
   - **Check if char is alphanumeric OR space**
     - **If YES → add char to result**
       → result ← result + char
     - **If NO → ignore the character**
5. **Display result**
6. **Stop**

FLOWCHART



PROGRAM


CODETANTRA
Home
hiral.vijayvargiya.batch2025@sitnagpur.siu.edu.in
Support
Logout
10.1.1. Remove Punctuations from a String
01:42
Write a Python program to remove all punctuation marks from a given string and print the resulting string.
Punctuation marks are special characters that are not letters, digits, or spaces.
The program should keep all letters (uppercase and lowercase), digits, and spaces, but remove all punctuation marks.
Input Format:
• Single line contains a string (may include letters, digits, spaces, and punctuation marks).
Output Format:
• Print the string after removing all punctuation marks.
Note:
• Refer to sample test cases for better understanding.
Sample Test Cases
Explorer
removeP...
Submit
Debugger
text = input ()
result = ""
for char in text:
if char.isalnum() or char.isspace():
result += char
print(result)
Average time
0.006 s
5.88 ms
Maximum time
0.008 s
8.00 ms
4 out of 4 shown test case(s) passed
4 out of 4 hidden test case(s) passed
Test case 1
8 ms
Debug
Expected output
Hello, World!
Hello World
Actual output
Hello, World!
Hello World
Test case 2
5 ms
Test case 3
Terminal
Test cases
Prev
Reset
Submit
Next

10.1.2 Reverse a String

ALGORITHM

Step 1 : Start
Step 2 : Input string and store in user_string
Step 3 : Set result as an empty string
Step 4 : Find length of user_string and store in l
Step 5 : Set i = l - 1
Step 6 : Repeat steps while i is greater than or equal to 0
Step 7 : Get the character at index i from user_string
Step 8 : Add the character to result
Step 9 : Decrease i by 1
Step 10 : Go back to Step 6
Step 11 : Print result
Step 12 : Stop

FLOWCHART



PROGRAM


CODETANTRA
Home
hiral.vijayvargiya.batch2025@sitnagpur.siu.edu.in
Support
Logout
10.1.2. Reverse a String
01:43
Write a Python program that prints the reverse of a given input string. The program uses a reverse_string() function that takes a string as input and returns its reversed string.
Input Format:
• The program prompts "Enter a string: " and reads a string representing the string to be reversed.
Output Format:
• The first line prints the original string, in the format:
Original String: <input_string>
• The next line prints the reversed string, in the format:
Reversed String: <reversed_string>
Sample Test Cases
ReverseS...
Submit
Explorer
Debugger
def reverse_string(s):
return s[::-1]
user_input = input("Enter a string: ")
result = reverse_string(user_input)
print(f"Original String: {user_input}")
print(f"Reversed String: {result}")
Average time
0.013 s
12.50 ms
Maximum time
0.026 s
26.00 ms
2 out of 2 shown test case(s) passed
2 out of 2 hidden test case(s) passed
Test case 1
7 ms
Debug
Expected output
Enter a string: PythonProgrammming
Original String: PythonProgrammming
Reversed String: gnimmmargorPnohtyP
Actual output
Enter a string: PythonProgrammming
Original String: PythonProgrammming
Reversed String: gnimmmargorPnohtyP
Test case 2
26 ms
Terminal
Test cases
Prev
Reset
Submit
Next