



**AMANDA**

**Smart Contract Review**

**Deliverable: Smart Contract Audit Report**

**Security Report**

**Mar 2022**

## Disclaimer

The information and views set out in this publication are those of the author(s) and do not necessarily reflect the official opinion of the Company. The content, conclusions and recommendations set out in this publication are elaborated in the specific for only project.

HireCA does not guarantee the accuracy of the data included in this study. All representations, warranties, undertakings and guarantees relating to the report are excluded, particularly concerning – but not limited to – the qualities of the assessed projects and products. Neither the Company nor any person acting on the Company's behalf may be held responsible for the use that may be made of the information contained herein.

HireCA retains the right to display audit reports and other content elements as examples of their work in their portfolio and as content features in other projects with protecting all security purpose of customer. The report containing confidential information can be used internally by the Customer, or it can be disclosed publicly after all vulnerabilities fixed - upon a decision of the Customer.

© HireCA, 2022.

## Report Summary

|               |                                                    |               |            |
|---------------|----------------------------------------------------|---------------|------------|
| Title         | AMANDA Smart Contract Audit                        |               |            |
| Project Owner | AMANDA                                             |               |            |
|               |                                                    |               |            |
| Type          | Public                                             |               |            |
| Reviewed by   | ABHISHEK MISHRA                                    | Revision date | 18/03/2022 |
| Approved by   | <a href="http://WWW.HIRECA.COM">WWW.HIRECA.COM</a> | Approval date | 18/03/2022 |
|               |                                                    | N° Pages      | 19         |

## Overview

### Background

AMANDA requested that HireCA perform an Extensive Smart Contract audit of their Smart Contract.

### Project Dates

The following is the project schedule for this review and report:

- **Mar 18:** Smart Contract Review Completed (*Completed*)
- **Mar 18:** Delivery of Smart Contract Audit Report (*Completed*)

### Review Team

The following HireCA team member participated in this review:

- Abhishek Mishra, Security Researcher and Engineer

## Coverage

### Target Specification and Revision

For this audit, we performed research, investigation, and review of the smart contract of AMANDA.

The following documentation repositories were considered in-scope for the review:

- AMANDA Project:  
<https://bscscan.com/token/0xfB150f08F5710119Ac6b95297C21A8C6c45Cc01c>

## Introduction

Given the opportunity to review AMANDA Project's smart contract source code, we in the report outline our systematic approach to evaluate potential security issues in the smart contract implementation, expose possible semantic inconsistencies between smart contract code and design document, and provide additional suggestions or recommendations for improvement. Our results show that the given version of smart contracts is ready to launch after resolving the mentioned issues, there are no critical or high issues found related to business logic, security or performance.

About AMANDA:-

| Item                | Description                                                           |
|---------------------|-----------------------------------------------------------------------|
| Issuer              | AMANDA                                                                |
| Website             | <a href="https://www.amandatoken.com">https://www.amandatoken.com</a> |
| Type                | BEP20                                                                 |
| Platform            | Solidity                                                              |
| Audit Method        | Whitebox                                                              |
| Latest Audit Report | Mar 18, 2022                                                          |

The Test Method Information: -

| Test method       | Description                                                                                                                           |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| Black box testing | Conduct security tests from an attacker's perspective externally.                                                                     |
| Grey box testing  | Conduct security testing on code modules through the scripting tool, observing the internal running status, mining weaknesses.        |
| White box testing | Based on the open-source code, non-open-source code, to detect whether there are vulnerabilities in programs such as nodes, SDK, etc. |

# Smart Contract Audit

The vulnerability severity level information:

| Level           | Description                                                                                                                                                                                                         |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Critical</b> | Critical severity vulnerabilities will have a significant effect on the security of the DeFi project, and it is strongly recommended to fix the critical vulnerabilities.                                           |
| <b>High</b>     | High severity vulnerabilities will affect the normal operation of the DeFi project. It is strongly recommended to fix high-risk vulnerabilities.                                                                    |
| <b>Medium</b>   | Medium severity vulnerability will affect the operation of the DeFi project. It is recommended to fix medium-risk vulnerabilities.                                                                                  |
| <b>Low</b>      | Low severity vulnerabilities may affect the operation of the DeFi project in certain scenarios. It is suggested that the project party should evaluate and consider whether these vulnerabilities need to be fixed. |
| <b>Weakness</b> | There are safety risks theoretically, but it is extremely difficult to reproduce in engineering.                                                                                                                    |

The Full List of Check Items:

| Category                           | Check Item                            |
|------------------------------------|---------------------------------------|
| <b>Basic Coding Bugs</b>           | Constructor Mismatch                  |
|                                    | Ownership Takeover                    |
|                                    | Redundant Fallback Function           |
|                                    | Overflows & Underflows                |
|                                    | Reentrancy                            |
|                                    | MONEY-Giving Bug                      |
|                                    | Blackhole                             |
|                                    | Unauthorized Self-Destruct            |
|                                    | Revert DoS                            |
|                                    | Unchecked External Call               |
|                                    | Gasless Send                          |
|                                    | Send Instead of Transfer              |
|                                    | Costly Loop                           |
|                                    | (Unsafe) Use of Untrusted Libraries   |
|                                    | (Unsafe) Use of Predictable Variables |
|                                    | Transaction Ordering Dependence       |
|                                    | Deprecated Uses                       |
| <b>Semantic Consistency Checks</b> | Semantic Consistency Checks           |
|                                    | Business Logics Review                |

# Smart Contract Audit

|                            |                                           |
|----------------------------|-------------------------------------------|
| Advanced DeFi Scrutiny     | Functionality Checks                      |
|                            | Authentication Management                 |
|                            | Access Control & Authorization            |
|                            | Oracle Security                           |
|                            | Digital Asset Escrow                      |
|                            | Kill-Switch Mechanism                     |
|                            | Operation Trails & Event Generation       |
|                            | ERC20 Idiosyncrasies Handling             |
|                            | Frontend-Contract Integration             |
|                            | Deployment Consistency                    |
|                            | Holistic Risk Management                  |
| Additional Recommendations | Avoiding Use of Variadic Byte Array       |
|                            | Using Fixed Compiler Version              |
|                            | Making Visibility Level Explicit          |
|                            | Making Type Inference Explicit            |
|                            | Adhering To Function Declaration Strictly |
|                            | Following Other Best Practices            |

Common Weakness Enumeration (CWE) Classifications Used in This Audit:

| Category                                      | Summary                                                                                                                                                                                                                                 |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Configuration                                 | Weaknesses in this category are typically introduced during the configuration of the software.                                                                                                                                          |
| Data Processing Issues                        | Weaknesses in this category are typically found in functionality that processes data.                                                                                                                                                   |
| Numeric Errors                                | Weaknesses in this category are related to improper calculation or conversion of numbers.                                                                                                                                               |
| Security Features                             | Weaknesses in this category are concerned with topics like authentication, access control, confidentiality, cryptography, and privilege management. (Software security is not security software.)                                       |
| Time and State                                | Weaknesses in this category are related to the improper management of time and state in an environment that supports simultaneous or near-simultaneous computation by multiple systems, processes, or threads.                          |
| Error Conditions, Return Values, Status Codes | Weaknesses in this category include weaknesses that occur if a function does not generate the correct return/status code, or if the application does not handle all possible return/status codes that could be generated by a function. |
| Resource Management                           | Weaknesses in this category are related to improper management of system resources.                                                                                                                                                     |

## Smart Contract Audit

|                                   |                                                                                                                                                                                                                                                                                                             |
|-----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Behavioral Issues</b>          | Weaknesses in this category are related to unexpected behaviors from code that an application uses.                                                                                                                                                                                                         |
| <b>Business Logics</b>            | Weaknesses in this category identify some of the underlying problems that commonly allow attackers to manipulate the business logic of an application. Errors in business logic can be devastating to an entire application.                                                                                |
| <b>Initialization and Cleanup</b> | Weaknesses in this category occur in behaviors that are used for initialization and breakdown.                                                                                                                                                                                                              |
| <b>Arguments and Parameters</b>   | Weaknesses in this category are related to improper use arguments or parameters within function calls.                                                                                                                                                                                                      |
| <b>Expression Issues</b>          | Weaknesses in this category are related to incorrectly written expressions within code.                                                                                                                                                                                                                     |
| <b>Coding Practices</b>           | Weaknesses in this category are related to coding practices that are deemed unsafe and increase the chances that an exploitable vulnerability will be present in the application. They may not directly introduce a vulnerability, but indicate the product has not been carefully developed or maintained. |



## Findings

### Summary

Here is a summary of our findings after analyzing the AMANDA Smart Contract. During the first phase of our audit, we studied the smart contract source code and ran our in-house static code analyzer through the Specific tool. The purpose here is to statically identify known coding bugs, and then manually verify (reject or confirm) issues reported by tool. We further manually review business logics, examine system operations, and place DeFi-related aspects under scrutiny to uncover possible pitfalls and/or bugs.

| Severity | No. of Issues |
|----------|---------------|
| Critical | 0             |
| High     | 0             |
| Medium   | 0             |
| Low      | 0             |
| Total    | 0             |

We have so far identified that there are potential issues with severity of **0 Critical, 0 High, 0 Medium, and 0 Low**. Overall, these smart contracts are well- designed and engineered, though the implementation can be improved and bug free by common recommendations given under POCs.

## Contract Details: -

|                     |                                            |
|---------------------|--------------------------------------------|
| Contract Name:      | AMANDA                                     |
| Contract Address:   | 0xfB150f08F5710119Ac6b95297C21A8C6c45Cc01c |
| Total Supply:       | 100,000,000,000,000,000                    |
| Token ticker:       | AMD                                        |
| Decimals:           | 18                                         |
| Token Holder:       | 1                                          |
| Transactions Count: | 1                                          |



Functional Overview

|                           |                |
|---------------------------|----------------|
| (\$) = payable function   | [Pub] public   |
| # = non-constant function | [Ext] external |
|                           | [Prv] private  |
|                           | [Int] internal |

|                         |  |
|-------------------------|--|
| + [Int] IBEP20          |  |
| - [Ext] totalSupply     |  |
| - [Ext] balanceOf       |  |
| - [Ext] transfer #      |  |
| - [Ext] allowance       |  |
| - [Ext] approve #       |  |
| - [Ext] transferFrom #  |  |
| + [Lib] SafeMath        |  |
| - [Int] add             |  |
| - [Int] sub             |  |
| - [Int] sub             |  |
| - [Int] mul             |  |
| - [Int] div             |  |
| - [Int] div             |  |
| + Context               |  |
| - [Pub] <Constructor> # |  |
| - [Int] _msgSender      |  |
| + Ownable (Context)     |  |
| - [Pub] <Constructor> # |  |

- [Pub] owner
- [Pub] renounceOwnership #
  - modifiers: onlyOwner
- [Pub] transferOwnership #
  - modifiers: onlyOwner

## + BEP20 (Context, Ownable, IBEP20)

- [Pub] totalSupply
- [Pub] balanceOf
- [Pub] transfer #
- [Pub] allowance
- [Pub] approve #
- [Pub] transferFrom #
- [Pub] increaseAllowance #
- [Pub] decreaseAllowance #
- [Int] \_transfer #
- [Int] \_approve #

## + BEP20Detailed (BEP20)

- [Pub] <Constructor> #
  - [Pub] name
  - [Pub] symbol
  - [Pub] decimals

## + [Lib] Address

- [Int] isContract

## + [Lib] SafeBEP20

- [Int] safeTransfer #
- [Int] safeTransferFrom #
- [Int] safeApprove #


- [Prv] callOptionalReturn #

+ SMD (BEP20, BEP20Detailed)

- [Pub] <Constructor> #

- modifiers: BEP20Detailed

## Inheritance



## Detailed Results

### Issues Checking Status

As there are no security vulnerabilities, business logic issues or coding bugs found in first phase of these smart contracts, there are no detailed results to show.

### Basic Coding Bugs

#### 1. Constructor Mismatch

- Description: Whether the contract name and its constructor are not identical to each other.
- Result: PASSED
- Severity: Critical

#### 2. Ownership Takeover

- Description: Whether the set owner function is not protected.
- Result: PASSED
- Severity: Critical

#### 3. Redundant Fallback Function

- Description: Whether the contract has a redundant fallback function.
- Result: PASSED
- Severity: Critical

#### 4. Overflows & Underflows

- Description: Whether the contract has general overflow or underflow vulnerabilities
- Result: PASSED
- Severity: Critical

#### 5. Reentrancy

- Description: Reentrancy is an issue when code can call back into your contract and change state, such as withdrawing ETHs.
- Result: PASSED
- Severity: Critical

## 6. MONEY-Giving Bug

- Description: Whether the contract returns funds to an arbitrary address.
- Result: PASSED
- Severity: High

## 7. Blackhole

- Description: Whether the contract locks ETH indefinitely: merely in without out.
- Result: PASSED
- Severity: High

## 8. Unauthorized Self-Destruct

- Description: Whether the contract can be killed by any arbitrary address.
- Result: PASSED
- Severity: Medium

## 9. Revert DoS

- Description: Whether the contract is vulnerable to DoS attack because of unexpected revert.
- Result: PASSED
- Severity: Medium

## 10. Unchecked External Call

- Description: Whether the contract has any external call without checking the return value.
- Result: PASSED
- Severity: Medium

## 11. Gasless Send

- Description: Whether the contract is vulnerable to gasless send.
- Result: PASSED
- Severity: Medium

## 12. Send Instead of Transfer

- Description: Whether the contract uses send instead of transfer.
- Result: PASSED
- Severity: Medium



## 13. Costly Loop

- Description: Whether the contract has any costly loop which may lead to Out-Of-Gas exception.
- Result: PASSED
- Severity: Medium

## 14. (Unsafe) Use of Untrusted Libraries

- Description: Whether the contract use any suspicious libraries.
- Result: PASSED
- Severity: Medium

## 15. (Unsafe) Use of Predictable Variables

- Description: Whether the contract contains any randomness variable, but its value can be predicated.
- Result: PASSED
- Severity: Medium

## 16. Transaction Ordering Dependence

- Description: Whether the final state of the contract depends on the order of the transactions.
- Result: PASSED
- Severity: Medium

## 17. Deprecated Uses

- Description: Whether the contract use the deprecated tx.origin to perform the authorization.
- Result: PASSED
- Severity: Medium

## Semantic Consistency Checks

- Description: Whether the semantic of the white paper is different from the implementation of the contract.
- Result: PASSED
- Severity: Critical

## Conclusion

In this audit, we thoroughly analyzed AMANDA Smart Contract. The current code base is well organized and there are promptly no issues found in the first phase of Smart Contract Audit.

Meanwhile, we need to emphasize that smart contracts as a whole are still in an early, but exciting stage of development. To improve this report, we greatly appreciate any constructive feedbacks or suggestions, on our methodology, audit findings, or potential gaps in scope/coverage.

## About HireCA

We believe that people have a fundamental need to security and that the use of secure solutions enables every person to more freely use the Internet and every other connected technology. We aim to provide security consulting service to help others make their solutions more resistant to unauthorized access to data & inadvertent manipulation of the system. We support teams from the design phase through the production to launch and surely after.

The HireCA team has skills for reviewing code in C, C++, Python, Haskell, Rust, Node.js, Solidity, Go, and JavaScript for common security vulnerabilities & specific attack vectors. The team has reviewed implementations of cryptographic protocols and distributed system architecture, including in cryptocurrency, blockchains, payments, and smart contracts. Additionally, the team can utilize various tools to scan code & networks and build custom tools as necessary.

Although we are a small team, we surely believe that we can have a momentous impact on the world by being translucent and open about the work we do.

For more information about our security consulting, please mail us at – [hi@hireca.com](mailto:hi@hireca.com)