

PHP Strings Functions

- `strlen("string");`
- `str_word_count("string");`
- `strrev("string");`
- `strpos("string", "find");`
- `str_replace("find", "replace");`
- `strtoupper("string");`
- `strtolower("string");`
- `str_repeat("string", 5);`
- `strstr();`
- `substr();`
- `ucwords("string");`
- `ucfirst("string");`
- `lcfirst("string");`
- `wordwrap();`
- `trim("string", "remove character");`
- `strip_tags();`

➤ `strlen()` :-

Example: `strlen("Hello Word!");`
- string length count

➤ `str_word_count()` :-

Example: `str_word_count("Hello Word!");`
- string word count

➤ `strrev()` :-

Example: `strrev("Hello Word!");`
- Reverse a String

➤ `strpos()` :-

Example: `strpos("Hello world!", "world");`
- strpos position find show number 6 word find w

➤ `str_replace()` :-

Example: `str_replace("world (find)","Dolly (replace)", "Hello world! (string)");`

- function replaces some characters with some other characters in a string.

➤ `strtoupper()` :-

Exmaple: `strtoupper("Hello Wold");`

- function use for text upper case text

➤ `strtolower()` :-

Exmaple: `strtolower("Hello wold");`

- function use for text lower case text

➤ `str_repeat()` :-

Example: `str_repeat("Wow (string)",13 (how many times to duplicate));`

- function repeats a string a specified number of times

➤ `ucwords()` :-

Example: `ucwords("hello word");`

- this function use for title case text

➤ `ucfirst()` :-

Example: `ucfirst("hello word");`

- this function use for only first character title case

➤ `lcfirst()` :-

Example: `lcfirst("HELLO WORD");`

- this function use for only frist character lower case

➤ `trim()` :-

Example: `trim("Hello Word! (string) ", "Hed (remove character) ");`

- Remove characters from both sides of a string ("He" in "Hello" and "d!" in "World"):

➤