2016年度大問5

hari64boli64 (hari64boli64@gmail.com)

2025年4月23日

1 問題

累積積、SegmentTree

2 解答

5.py が解答。

Listing 1 answer

```
import math
   import random
   import numpy as np
   from typing import List
6
   def makeProblem(problemNo: int):
7
       assert 1 <= problemNo <= 4
       zeroRate = random.random()
       generator = random.random
10
       n = random.randint(1, 10)
11
       if problemNo == 1:
12
            zeroRate = 0.0
       if problemNo == 2:
14
            generator = lambda: random.randint(0, 1)
15
       if problemNo == 4:
           n = 16
17
           zeroRate = 1 / n
            generator = lambda: random.randint(1, 5)
19
       As = [0 if random.random() < zeroRate else generator() for _
20
          in range(n)]
       return n, As
21
22
```

```
def check(n: int, As: List[int], solver: callable):
       # がアルゴリズムf, がデータ構造に対応するdata
25
       f, data = solver(n, As)
       # 全てのクエリに対して正しい答えが返ってくるかチェックする
27
       for s in range (1, n + 1):
28
           for t in range(s, n + 1):
29
               ans = f(s, t, data)
30
               print(s, t, ans)
31
               if not np.isclose(ans, math.prod(As[s - 1 : t])):
                   raise Exception ("Wrong L Answer")
33
       print("ok!")
34
35
36
   def solve1(n: int, As: List[int]) -> callable:
37
38
       \prod_{i=s}^{t}A[i] =
39
       (\prod_{i=1}^{t}A[i]) / (\prod_{i=1}^{s-1}A[i])
40
41
       Ps = [1.0]
42
       for i in range(n):
           Ps.append(Ps[-1] * As[i])
44
45
46
       def f(s: int, t: int, Ps: List[int]):
           return Ps[t] / Ps[s - 1]
47
48
       return f, Ps
49
50
51
   def solve2(n: int, As: List[int]) -> callable:
52
       """の個数を数えて、
53
54
       [s,t間でその個数の増減がないかを調べれば良い]
       0.00
56
       numOfZeros = [0]
57
       for i in range(n):
           numOfZeros.append(numOfZeros[-1] + int(As[i] == 0))
59
60
       def f(s: int, t: int, numOfZeros: List[int]):
61
           return 0 if numOfZeros[t] != numOfZeros[s - 1] else 1
62
       return f, numOfZeros
64
65
   def solve3(n: int, As: List[int]) -> callable:
67
68
       (1)と(2)を組み合わせるだけで良いは、が出てきたらリセットの意味でにする
69
       Ps01
70
```

```
0.00
71
       Ps = [1.0]
72
       for i in range(n):
            Ps.append(Ps[-1] * As[i])
74
            if Ps[-1] == 0:
75
                Ps[-1] = 1
76
77
       numOfZeros = [0]
78
       for i in range(n):
            numOfZeros.append(numOfZeros[-1] + int(As[i] == 0))
80
81
       def f(s: int, t: int, Ps_numOfZeros: List[int]):
            Ps, numOfZeros = Ps_numOfZeros
83
            return 0 if numOfZeros[t] != numOfZeros[s - 1] else Ps[t]
84
                / Ps[s - 1]
85
       return f, (Ps, numOfZeros)
86
87
88
89
   def vis4():
       """、もしくは、で検索
90
       SegmentTreeBinaryIndexedTree空間計算量は、
91
       O(logN)のように思えるが、よくよく考えると、
       2Nで抑えられている-1出力例
93
94
96
       As=[3, 1, 4, 1, 3, 3, 3, 2, 1, 3, 3, 0, 5, 4, 3, 5]段目
97
99
       1: 648------------------------段目
100
           12----- 54-----
                                     0-----段目
101
            3--- 4--- 9--- 6---
                                     3--- 0--- 20--- 15---段目
102
       4:
             3 1 4 1 3 3 3 2 1 3 3 0 5 4 3 5
103
104
105
       n, As = makeProblem(4)
       print (f " { As = } " )
106
       logN = round(math.log2(n))
107
       for i in range(logN + 1):
108
            print(f"{i段目}:", end="")
109
            for j in range(2**i):
110
                print (
111
                    f"{math.prod(As[(2**(logN-i))_{|}*_{|}j_{|}:_{|}(2**(logN-i)))}
112
                       _{\sqcup}*_{\sqcup}(j_{\sqcup}+_{\sqcup}1)]):>3}",
                    end="-" * (3 * ((2 ** (logN - i) - 1))),
113
114
                )
           print()
115
```

```
116
117
    def main():
118
         for _{\text{in}} range(10):
119
              n, As = makeProblem(1)
120
              print (f " { n = } , _ { As = } " )
121
               check(n, As, solve1)
122
         for _{\text{in}} range(10):
123
              n, As = makeProblem(2)
124
               print (f " { n = } , _ { As = } " )
125
              check(n, As, solve2)
126
         for _ in range(10):
127
              n, As = makeProblem(3)
128
129
              print (f " { n = } , _ { As = } " )
130
               check(n, As, solve3)
         vis4()
131
132
133
    if __name__ == "__main__":
134
         main()
135
```