

KatanA Rendering Regression Test

This document is a comprehensive sample that exercises every rendering feature of KatanA. Open it in KatanA's preview pane to visually verify that all elements render correctly.

English | [日本語](#)

1. HTML Centering (Past Bug: Elements Left-Aligned Instead of Centered)

1.1 `<h1 align="center">` — Centered Heading

KatanA Desktop

↑ The heading "KatanA Desktop" should be **horizontally centered** in the panel.

1.2 `<p align="center">` — Centered Paragraph

A fast, lightweight Markdown workspace for macOS — built with Rust and egui.

↑ The description text should be **horizontally centered** in the panel.

1.3 Multiple Consecutive Centered Blocks

Centered Heading

Centered description paragraph.

Second centered paragraph — should NOT overlap with the first one.

↑ All three elements should be on separate lines, all centered.

1.4 Badge Row (Multiple Link Images on Same Line)

License MIT CI passing platform macOS

↑ Three badges should appear on the **same line**, centered.

(If they are on separate lines, that's a bug.)

1.5 Mixed Text + Link Centering

English | [日本語](#)

↑ "English | [日本語](#)" should appear on the same line, centered

.

1.6 Full README Header Reproduction

128x128

↑ Icon → heading → description → badges → language selector, all centered in order.

2. Basic Markdown Elements

2.1 Heading Levels

H1 Heading

H2 Heading

H3 Heading

H4 Heading

H5 Heading

H6 Heading

2.2 Text Decoration

- **Bold text**
- *Italic text*
- ~~Strikethrough~~
- Underline
- `Inline code`
- **Highlight**
- **Bold and *italic* mixed**

2.3 Links

- [Normal link](#)
- [Email link](#)
- Autolink: <https://github.com>

2.4 Horizontal Rule

Text above

Text below

3. Lists

3.1 Unordered Lists

- Item 1
- Item 2
 - Nested item 2-1
 - Nested item 2-2
 - Deeply nested 2-2-1
- Item 3

3.2 Ordered Lists

1. First item
2. Second item
 1. Nested 2-1
 2. Nested 2-2
3. Third item

3.3 Task Lists

- ☑ Completed task
- ☐ Pending task
- ☑ Another completed task
 - ☐ Nested pending
 - Nested completed

4. Code Blocks

4.1 Basic Code Block

```
fn main() {  
    println!("Hello, KatanA!");  
}
```

4.2 Code Block Without Language

```
This is a code block without language specification.  
No syntax highlighting should be applied.
```

4.3 Multiple Languages

```
def hello():  
    print("Hello from Python")
```

```
function hello() {  
  console.log("Hello from JavaScript");  
}
```

```
{  
  "name": "katana",  
  "version": "0.0.2",  
  "features": ["markdown", "diagrams"]  
}
```

```
name: KatanA  
version: 0.0.2  
features:  
  - markdown  
  - diagrams
```

4.4 Code Block Inside List (Past Bug: Incorrect Rendering)

1. First step:

```
cargo build --release
```

2. Second step:

```
./target/release/KatanA
```

3. Verify:

- Sub-item A
- Sub-item B

↑ Code blocks should be correctly indented within list items.

4.5 Code Block Inside Nested List

- Outer item
 - Inner item

```
let x = 42;  
println!("{}", x);
```

- Continuation

↑ Code block should not break the nested list layout.

5. Tables (GFM)

5.1 Basic Table

Feature	Status	Notes
Markdown	✓	Full support
Mermaid	✓	Requires mmdc
PlantUML	✓	Requires jar
Drawlo	✓	Pure Rust

5.2 Table with Alignment

Left	Center	Right
text	text	text
longer text	short	12345

5.3 Single Row Table

Header
Content

5.4 Long Column with Wrapping

Header
This text is a very long line to verify if horizontal scrolling and word wrapping are working correctly. ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789 repeated many times over. ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789

5.5 Short + Long + Short Columns

Short	Long Column Test	Short
ID	This text is a v ery long line to verify if horiz ontal scrolling and word wrappin g are working co rrectly. ABCDEFG HIJKLMNOPQRSTU VW XYZabcdefghi jklm nopqrstuvw xyz012 3456789 repeated many times over . ABCDEFGHIJKLMN OPQRSTUVWXYZ abcd efghijklmn opqrst uvwxyz 0123456789	Notes

6. Blockquotes

6.1 Basic Quote

This is a blockquote.
It can span multiple lines.

6.2 Nested Quotes

Outer quote
Inner quote
Even deeper

6.3 Decorated Quote

Decorated quote

- List item 1
- List item 2

```
let quoted_code = true;
```

7. Note Blocks

7.1 Note

Note GitHub では note 系ブロックを blockquote として表現する。

7.2 Tip

Tip 短い補足は、読みやすい2行程度にまとめると確認しやすい。

7.3 Important

Important 強調したい注意は、見出し2配下で独立した blockquote にする。

7.4 Warning

Warning 危険な操作や壊れやすい表現は、引用ブロックで明示する。

7.5 Caution

Caution 読者に作業前提を意識させたい場合に使う。

8. Accordion

Show details

- Swords
 - Muramasa
 - Masamune
 - Kotetsu

9. Math

9.1 Block Math

$$f(x) = \int_0^x \frac{t^2}{1+t^4} dt$$

9.2 Inline Math


Mass-energy equivalence: $E = mc^2$

9.3 Single-line Math


$$\sum_{k=1}^n k = \frac{n(n+1)}{2}$$

10. Diagrams — Mermaid


10.1 Flowchart




10.2 Sequence Diagram




10.3 Class Diagram



10.4 State Diagram




10.5 Gantt Chart




11. Diagrams — PlantUML


11.1 Sequence Diagram



11.2 Class Diagram




11.3 Activity Diagram



12. Diagrams — Drawlo

12.1 Basic Shapes



12.2 Multiple Shapes with Connections



13. Mixed Content (Past Bug: Section Boundary Breaking)

Markdown text, diagrams, code blocks, and tables mixed together.

Verify no layout overlap between sections.

Architecture Overview

KatanA rendering pipeline:




Proper spacing between the flowchart above and this text.

Component	Role
PreviewPane	Section management
show_content	UI rendering

Proper spacing between the table above and the code block below.

```
enum RenderedSection {
  Markdown(String),
  Image { svg_data: RasterizedSvg, alt: String },
  Error { kind: String, message: String },
  CommandNotFound { tool_name: String },
  NotInstalled { kind: String },
  Pending { kind: String },
}
```

And a DrawIo diagram below:



↑ All sections should render correctly without overlapping.

14. Edge Cases

14.1 Empty Code Block



14.2 Very Long Line

This is a very long line to verify horizontal scrolling or word wrapping.

ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789 repeated.

ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789

14.3 Special Characters

- HTML entities: & < > "
- Japanese: こんにちは世界 🌐
- Emoji: 🦀 ⚡ 📝 🔧 ✅ ❌ ⚠️ 💡
- Math symbols: α β γ δ Σ ∫ √ ∞

14.4 Footnotes

This text has a footnote ^[1]. Here's another ^[2].

14.5 Consecutive Different Block Elements

A blockquote

```
let code = "directly after quote";
```

- A list item directly after code block

Header


Table after list

↑ Proper spacing between each block element.


15. Consecutive Diagrams

Three diagram types in a row. One failing should not affect the others.

Rendering Engine Distribution



Between Diagrams



↑ All three diagrams rendered independently with proper spacing.

✔ Verification Complete

If all sections above render correctly, there are no rendering regressions.

- 1. First footnote content. ↵
- 2. Second footnote content. ↵