

# HowTo

Für meine Schulnotizen - Abitur 2025

Niklas von Hirschfeld

# Contents

<b>1</b>	<b>Der Komplette mögliche Markdown syntax</b>	<b>3</b>
1.1	This is an H2	3
	This is an H3	3
<b>2</b>	<b>Ich bin test 2</b>	<b>5</b>

# 1 Der Komplette mögliche Markdown syntax

## 1.1 This is an H2

This is an H3


This is an H4

1.1.1.1.1 - This is an H5

This is a text paragraph containing an ellipsis ... and followed by a thematic break.

---

This is inline code. This is a **link**. *This is an emphasized span of text.* **This is a strongly emphasized span of text.**



**Figure 1.1** example image

/scientists.csv (The great minds of the 19th century rendered via a content block)

This is a fenced code block:

This is a table:

Right	Left	Default	Center
12	12	12	12
123	123	123	123
1	1	1	1

**Table 1.1** Demonstration of pipe table syntax.

This is a bullet list:

- The first item of a bullet list,

- the second item of a bullet list,
- the third item of a bullet list.

This is a definition list:

This is a <sup>superscript</sup> and a <sub>subscript</sub>.

This is a block quote:

This is the first level of quoting.

This is nested blockquote.

Back to the first level.

Here is a note reference<sup>1</sup> and another.<sup>2</sup> Here is an inline note.<sup>3</sup>

This is raw TeXcode:

this is a line block that  
spans multiple  
even discontinuous  
lines

This is inline and display TeX math created using dollars signs:

$$E = mc^2$$

$$E = mc^2$$

---

<sup>1</sup> Here is the note.

<sup>2</sup> Here's one with multiple blocks.

Subsequent paragraphs are indented to show that they belong to the previous note.

Some code

The whole paragraph can be indented, or just the first line. In this way, multi-paragraph notes work like multi-paragraph list items.

<sup>3</sup> Inlines notes are easier to write, since you don't have to pick an identifier and move down to type the note.

## 2 Ich bin test 2

hah	fjdsji
fdsij	jfodsl

