

Subject: 2304CS431 - Client Side Scripting using

**Javascript** 

Faculty: Prof. Chirag K. Sakhrani

T	Practical - 1: Revision of HTML and CSS	
	Program :- WAP to display the use of list, audio and video tag. (A)	
	Output :-	
	html	
	<html lang="en"></html>	
	<head></head>	
	<meta charset="utf-8"/>	
	<pre><meta content="width=device-width, initial-scale=1.0" name="viewport"/></pre>	
	<title>Document</title>	
	List	
	<h1>Unordered-Lists</h1> <ul></ul>	
	<ui><li>Paper</li></ui>	
	< i>Soap  i	
	\frac{\frac{1}{u}}{u}	
	<h1>Ordered-Lists</h1>	
	<ol> <li>type="1"&gt;</li> </ol>	
	<li>Coffee</li>	
	<li><li><li><li><li></li></li></li></li></li>	
	<li><li>Milk</li></li>	
	<ol type="A"></ol>	
	<li>Coffee</li>	
	<li>Tea</li>	
	<li>Milk</li>	
	<h1>Audio tag</h1>	
	<audio controls=""></audio>	
	<source src="wedonttrustyou.mp3" type="audio/ogg"/>	
	Your browser does not support the audio tag.	
	<h1>Video tag</h1>	
	<video controls="" height="240" width="320"></video>	
	<source src="C:\Users\pujan\Videos\Captures\React App - Google Chrome 2024-11-07 08-24-&lt;/p&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;05.mp4" type="video/mp4"/>	
	Your browser does not support the video tag.	



Subject: 2304CS431 - Client Side Scripting using

**Javascript** 

Faculty: Prof. Chirag K. Sakhrani

```
2)
    Program :- WAP to show internal, external and inline style. (A)
    Output:-
    :external
    <!DOCTYPE html>
    <html lang="en">
    <head>
      <meta charset="UTF-8">
      <meta name="viewport" content="width=device-width, initial-scale=1.0">
      <title>External Style</title>
      <link rel="stylesheet" href="style.css">
    </head>
    <body>
      <h1>Welcome to External CSS</h1>
      This is an example of external CSS.
      External style is defined in a separate CSS file.
    </body>
    </html>
    Style.css
    h1 {
      color: blue;
      text-align: center;
    }
    p {
      color: green;
      font-size: 18px;
    }
    :internal
    <!DOCTYPE html>
    <html lang="en">
    <head>
      <meta charset="UTF-8">
      <meta name="viewport" content="width=device-width, initial-scale=1.0">
      <title>Document</title>
      <style>
        p{
           color: red;
      </style>
    </head>
    <body>
      this is internal text
    </body>
    </html>
    :inline
    <!DOCTYPE html>
```

Faculty: Prof. Chirag K. Sakhrani



Practical Solution

Subject: 2304CS431 - Client Side Scripting using

**Javascript** 

color: white;

```
<html lang="en">
    <head>
      <meta charset="UTF-8">
      <meta name="viewport" content="width=device-width, initial-scale=1.0">
      <title>Inline Style</title>
    </head>
    <body>
      <h1 style="color: red; text-align: center;">Welcome to Inline CSS</h1>
      This is an example of inline CSS.
      Inline style is defined directly within the element.
    </body>
    </html>
3)
    Program:- Create your personal portfolio webpage using HTML and CSS. (B)
    Output :-
    <!DOCTYPE html>
    <html lang="en">
    <head>
      <meta charset="UTF-8">
      <meta name="viewport" content="width=device-width, initial-scale=1.0">
      <title>My Portfolio</title>
      <style>
        body {
          font-family: Arial, sans-serif;
          margin: 0;
          padding: 0;
          background-color: #f4f4f4;
          color: #333;
        }
        header {
          background-color: #333;
          color: white;
          padding: 20px;
          text-align: center;
        }
        header h1 {
          margin: 0;
        }
        nav {
          text-align: center;
          background-color: #444;
          padding: 10px;
        }
        nav a {
```



onno rodi 202 i 20 | comodici i

Subject: 2304CS431 - Client Side Scripting using

**Javascript** 

Faculty: Prof. Chirag K. Sakhrani

```
text-decoration: none;
  margin: 0 15px;
  font-size: 18px;
}
nav a:hover {
  text-decoration: underline;
}
.container {
  width: 80%;
  margin: 0 auto;
}
section {
  padding: 20px;
  margin: 20px 0;
}
h2 {
  color: #333;
}
.skills ul {
  list-style-type: none;
  padding: 0;
}
.skills li {
  background-color: #eee;
  margin: 5px 0;
  padding: 8px;
  border-radius: 5px;
}
footer {
  background-color: #333;
  color: white;
  text-align: center;
  padding: 10px;
  position: fixed;
  bottom: 0;
  width: 100%;
}
footer a {
  color: #fff;
  text-decoration: none;
}
footer a:hover {
  text-decoration: underline;
```



Faculty: Prof. Chirag K. Sakhrani

Subject: 2304CS431 - Client Side Scripting using

**Javascript** 

```
</style>
</head>
<body>
  <header>
   <h1>Ajmera pujan</h1>
   Web Developer | Programmer | Designer
 </header>
  <nav>
   <a href="#about">About Me</a>
   <a href="#skills">Skills</a>
   <a href="#contact">Contact</a>
 </nav>
 <div class="container">
       <section id="about">
     <h2>About Me</h2>
     Hello! I'm Ajmera Pujan, a passionate web developer with a love for designing intuitive and
user-friendly websites. I specialize in front-end development, using the latest web technologies to
create beautiful and functional web pages.
   </section>
   <section id="skills" class="skills">
     <h2>Skills</h2>
     HTML & CSS
       JavaScript
       React
       Node.is
       Web Design
       Responsive Web Development
     </section>
   <section id="contact">
     <h2>Contact</h2>
     If you'd like to work together or just want to say hi, feel free to reach out to me!
     Email: <a href="mailto:johndoe@example.com">AjmeraPujan@example.com</a>
     LinkedIn: <a href="https://www.linkedin.com/in/Pujan-Ajmera" target=" blank">Pujan
LinkedIn</a>
   </section>
 </div>
 <footer>
   © 2024 Ajmera Pujan. All rights reserved.
 </footer>
</body>
</html>
```