

Bokningar Documentation

Link to schema: https://app.quickdatabasediagrams.com/#/schema/w9zPqM6P8UOAWzy4IzSEkQ

HammerGuard

Field	Description	Туре	Default	Other
iphash		varchar(255)		
created		bigint		

Tokens

Field	Description	Туре	Default	Other
token		varchar(255)		
tokentype		varchar(255)		
created		bigint		
username		varchar(255)		NULLABLE

Auth

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
user		varchar(255)		UNIQUE
pwd		varchar(255)		

Bookings

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
number		bigint		
tourid		bigint		FK
group		bit		
cancelled		bit		
cancelleddate		date		NULLABLE
paydate1		date		NULLABLE
paydat2		date		

Reservations

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
tourid		bigint		FK

QuickDBD-Bokningar Page 1 of 9



Field	Description	Туре	Default	Other
roomid		bigint		FK
label		varchar(200)		

Customers

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
firstname		varchar(100)		
lastname		varchar(100)		
street		varchar(100)		NULLABLE
zip		int		NULLABLE
city		varchar(100)		NULLABLE
phone		varchar(25)		NULLABLE
email		varchar(60)		NULLABLE
personalnumber		varchar(10)		NULLABLE
date		date		
category		varchar(60)		NULLABLE
compare		nvarchar(300)		

Bookings_Customers

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
bookingid		bigint		FK
customerid		bigint		FK
roomid		bigint		FK
requests		varchar(360)		NULLABLE
priceadjustment		bigint		
departurelocation		varchar(100)		NULLABLE
departuretime		time		NULLABLE
cancellationinsurance		bit		NULLABLE

Rooms

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
tourid		bigint		FK
label		varchar(100)		

QuickDBD-Bokningar Page 2 of 9



Field	Description	Туре	Default	Other
price		bigint		
size		int		
numberavaliable		int		

Tours

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
label		varchar(100)		
insuranceprice		bigint		
reservationfeeprice		bigint		
departuredate		date		

Categories_Tours

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
tourid		bigint		FK
categoryid		bigint		FK

Categories

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
label		varchar(60)		
active		bit		

Payments

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
number		bigint		
bookingid		bigint		FK
customerid		bigint		FK
date		date		
sum		bigint		
insurancesum		bigint		NULLABLE
method		varchar(30)		

Leads

QuickDBD-Bokningar Page 3 of 9



Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
firstname		varchar(100)		
lastname		varchar(100)		
street		varchar(100)		NULLABLE
zip		bigint		NULLABLE
city		varchar(100)		NULLABLE
phone		varchar(25)		NULLABLE
email		varchar(60)		NULLABLE
date		date		
compare		nvarchar(300)	

Categories_Leads

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
leadid		bigint		FK
categoryid		bigint		FK

Deadlines

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
tourid		bigint		FK
label		varchar(200)		NULLABLE
duedate		date		NULLABLE
active		bit		NULLABLE

Budgets

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
tourid		bigint		FK, NULLABLE
label		varchar(100)		NULLABLE
rooms		int		
singlerooms		int		NULLABLE
estimatedprice		int		NULLABLE

Budgets_Costs

QuickDBD-Bokningar Page 4 of 9



Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
budgetid		bigint		FK
label		varchar(100)		
fixed		bit		

Budgets_Earnings

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
budgetid		bigint		FK
label		varchar(100)		
fixed		bit		

trashBookings

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
number		bigint		
tourid		bigint		FK
group		bit		
cancelled		bit		
cancelleddate		date		NULLABLE
paydate1		date		NULLABLE
paydat2		date		

trashReservations

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
tourid		bigint		FK
roomid		bigint		FK
label		varchar(200)		

trashCustomers

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
firstname		varchar(100)		
lastname		varchar(100)		

QuickDBD-Bokningar Page 5 of 9



Field	Description	Туре	Default	Other
street		varchar(100)		NULLABLE
zip		int		NULLABLE
city		varchar(100)		NULLABLE
phone		varchar(25)		NULLABLE
email		varchar(60)		NULLABLE
personalnumber		varchar(10)		NULLABLE
date		date		
category		varchar(60)		NULLABLE
compare		nvarchar(300)		

trashBookings_Customers

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
bookingid		bigint		FK
customerid		bigint		FK
roomid		bigint		FK
requests		varchar(360)		NULLABLE
priceadjustment		bigint		
departurelocation		varchar(100)		NULLABLE
departuretime		time		NULLABLE
cancellationinsurance		bit		NULLABLE

trashRooms

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
tourid		bigint		FK
label		varchar(100)		
price		bigint		
size		int		
numberavaliable		int		

trashTours

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
label		varchar(100)		

QuickDBD-Bokningar Page 6 of 9



Field	Description	Туре	Default	Other
insuranceprice		bigint		
reservationfeeprice		bigint		

trashCategories_Tours

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
tourid		bigint		FK
categoryid		bigint		FK

trashCategories

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
label		varchar(60)		
active		bit		

trashPayments

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
number		bigint		
bookingid		bigint		FK
customerid		bigint		FK
date		date		
sum		bigint		
insurancesum		bigint		NULLABLE
method		varchar(30)		

trashLeads

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
firstname		varchar(100)		
lastname		varchar(100)		
street		varchar(100)		NULLABLE
zip		bigint		NULLABLE
city		varchar(100)		NULLABLE
phone		varchar(25)		NULLABLE

QuickDBD-Bokningar Page 7 of 9



Field	Description	Туре	Default	Other
email		varchar(60)		NULLABLE
date		date		
compare		nvarchar(300)		

trashCategories_Leads

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
leadid		bigint		FK
categoryid		bigint		FK

trashDeadlines

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
tourid		bigint		FK
label		varchar(200)		NULLABLE
duedate		date		NULLABLE
active		bit		NULLABLE

trashBudgets

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
tourid		bigint		FK, NULLABLE
label		varchar(100)		NULLABLE
rooms		int		
singlerooms		int		NULLABLE
estimatedprice		int		NULLABLE

trashBudgets_Costs

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
budgetid		bigint		FK
label		varchar(100)		
fixed		bit		

trashBudgets_Earnings

QuickDBD-Bokningar Page 8 of 9



Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
budgetid		bigint		FK
label		varchar(100)	
fixed		bit		

QuickDBD-Bokningar Page 9 of 9