

Bokningar Documentation

Link to schema: https://app.quickdatabasediagrams.com/#/schema/w9zPqM6P8UOAWzy4IzSEkQ

Bokning

Field	Description	Туре	Default	Other
BokningID		bigint		PK
ResalD		bigint		FK
GruppBokning		bit		
Makulerad		bit		
BetalningDatum1		date		NULLABLE
BetalningDatum2		date		

Reservation

Field	Description	Туре	Default	Other
ReservationID		bigint		PK
ResalD		bigint		FK
BoendelD		bigint		FK
Reservation		varchar(200)		

Kund

Field	Description	Туре	Default	Other
KundID		bigint		PK
Fornamn		varchar(100)		
Efternamn		varchar(100)		
Gatuadress		varchar(100)		NULLABLE
Postnr		int		NULLABLE
Postort		varchar(100)		NULLABLE
Telefon		varchar(60)		NULLABLE
Email		varchar(60)		NULLABLE
Personnr		varchar(10)		NULLABLE
Datum		date		
Compare		nvarchar(300)		

Bokning_Kund

Field	Description	Туре	Default	Other
id		bigint		PK
BokningID		bigint		FK
KundID		bigint		FK

QuickDBD-Bokningar Page 1 of 4



Field	Description	Туре	Default	Other
BoendelD		bigint		FK
Onskemal		varchar(360)		NULLABLE
Prisjustering		bigint		
Avresa		varchar(100)		NULLABLE
AvresaTid		time		NULLABLE
AvbskyddBetalt		bit		NULLABLE

Boende

Field	Description	Туре	Default	Other
BoendelD		bigint		PK
ResalD		bigint		FK
BoendeNamn		varchar(100)		
Pris		bigint		
Personer		int		
AntalTillg		int		

Resa

Field	Description	Туре	Default	Other	
ResalD		bigint		PK	
AvbskyddPris		bigint			
AnmavgPris		bigint			

Kategori_Resa

Field	Description	Туре	Default	Other
id		bigint		PK
ResalD		bigint		FK
KategoriID		bigint		FK

Kategori

Field	Description	Туре	Default	Other
KategoriID		bigint		PK
Kategori		varchar(60)		
Aktiv		bit		

Betalning

Field	Description	Туре	Default	Other
BetalningID		bigint		PK
BokningID		bigint		FK

QuickDBD-Bokningar Page 2 of 4



Field	Description	Туре	Default	Other
KundID		bigint		FK
Datum		date		
Summa		bigint		
AvbskyddSumma		bigint		NULLABLE
Betalningsmetod		varchar(30)		

Programbest

Field	Description	Туре	Default	Other
ProgrambestID		bigint		PK
Fornamn		varchar(100)		
Efternamn		varchar(100)		
Gatuadress		varchar(100)		NULLABLE
Postnr		bigint		NULLABLE
Postort		varchar(100)		NULLABLE
Telefon		varchar(60)		NULLABLE
Email		varchar(60)		NULLABLE
Datum		date		
Compare		nvarchar(300)		

Kategori_Programbest

Field	Description	Туре	Default	Other
id		bigint		PK
ProgrambestID		bigint		FK
KategorilD		bigint		FK

Deadline

Field	Description	Туре	Default	Other
DeadlineID		bigint		PK
ResalD		bigint		FK
DeadlineNote		varchar(200)		NULLABLE
Forfallodatum		date		NULLABLE
Aktiv		bit		NULLABLE

Kalkyl

Field	Description	Туре	Default	Other
KalkyllD		bigint		PK
ResalD		bigint		FK, NULLABLE

QuickDBD-Bokningar Page 3 of 4



Field	Description	Туре	Default	Other
ResaNamn		varchar(100)		NULLABLE
Antal		int		
AntalER		int		NULLABLE
BeraknatPris		int		NULLABLE

KalkylKostnad

Field	Description	Туре	Default	Other
KostnadID		bigint		PK
KalkylID		bigint		FK
Kostnad		varchar(100)		
Fixed		bit		

KalkylIntakt

Field	Description	Туре	Default	Other
IntaktID		bigint		PK
KalkylID		bigint		FK
Intakt		varchar(100)		
Fixed		bit		

QuickDBD-Bokningar Page 4 of 4